

Cucumber Report

Mar 10, 2025, 10:15:29 AM

Start : Mar 10, 10:14:51.390 AM

End : Mar 10, 10:15:27.500 AM

Duration : 36.110 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 48
FAILED - 6
SKIPPED - 78




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Registration_Mandatory_Field_Test_cases</u>		36.110 s		6	0	6	0	132	48	6	78

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	36.110 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	22	8	1	13	9.540 s
2		<u>03_Validate User registers for an account</u>	22	8	1	13	5.164 s
3		<u>03_Validate User registers for an account</u>	22	8	1	13	4.870 s
4		<u>03_Validate User registers for an account</u>	22	8	1	13	4.565 s
5		<u>03_Validate User registers for an account</u>	22	8	1	13	5.967 s
6		<u>03_Validate User registers for an account</u>	22	8	1	13	5.830 s


Registration_Mandatory_Field_Test_cases






03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.070 s
		PASSED	0.297 s
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.121 s
		PASSED	0.244 s




#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.118 s
4	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.227 s
4	And The "teamA1234@" and "teamA1234@" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.358 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.190 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.232 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.187 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.024 s
			0.172 s




#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.273 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.117 s
9	When I complete the form with valid details java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20)	FAILED	0.164 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	image		
10	When I enter the correct "123456"	SKIPPED	0.003 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.002 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.003 s
19	And A welcome message appears with the user's name	SKIPPED	0.003 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.068 s
2	Then I enter an "user2@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.174 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.104 s
4	And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.610 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
5	When I insert invalid data inputs	PASSED	0.397 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.237 s
6	Then The system rejects the invalid inputs	PASSED	0.029 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.172 s
7	When I insert a duplicate email address	PASSED	0.328 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.204 s
8	Then The system does not accept duplicate email addresses	PASSED	0.120 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.293 s
9	When I complete the form with valid details	FAILED	0.147 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.222 s
10	When I enter the correct "123456"	SKIPPED	0.002 s
11	Then "<Registration status>" is successful	SKIPPED	0.002 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.003 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	And A welcome message appears with the user's name	SKIPPED	0.004 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.048 s
2	Then I enter an "user3@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.197 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.178 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "WrongPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.607 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.266 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.022 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.269 s
8	Then The system does not accept duplicate email addresses	PASSED	0.170 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.202 s
9	When I complete the form with valid details java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.101 s
10	When I enter the correct "123456"	SKIPPED	0.002 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.003 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.002 s




#	Step / Hook Details	Status	Duration
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.047 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	image		
2	Then I enter an "existing@test.com" address and verify proper email format validation	PASSED	0.165 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	image		

#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.154 s
4	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.218 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.368 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.219 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.339 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.194 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.020 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.190 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.299 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.120 s
9	When I complete the form with valid details java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at jdk.internal.reflect.GeneratedMethodAccessor75.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20) * Not displayable characters are replaced by '?'.	FAILED	0.192 s





#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	image		
10	When I enter the correct "123456"	SKIPPED	0.002 s
11	Then "<Registration status>" is successful	SKIPPED	0.002 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.002 s
21	When Registration is unsuccessful	SKIPPED	0.002 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s


03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.048 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s

#	Step / Hook Details	Status	Duration
	image 		
2	Then I enter an "user5@test.com" address and verify proper email format validation	PASSED	0.153 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	image 		
3	And I enter a valid password that adheres to policy requirements	PASSED	0.096 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	image 		
4	And The "Strong@123" and "Strong@123" fields match	PASSED	1.370 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	image 		
5	When I insert invalid data inputs	PASSED	0.282 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	image 		

#	Step / Hook Details	Status	Duration
			
6	Then The system rejects the invalid inputs	PASSED	0.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
			
7	When I insert a duplicate email address	PASSED	0.365 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
			
8	Then The system does not accept duplicate email addresses	PASSED	0.178 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
			
9	When I complete the form with valid details	FAILED	0.208 s
	<pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at jdk.internal.reflect.GeneratedMethodAccessor75.invoke(Unknown Source)</pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.219 s
10	When I enter the correct "000000"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.000 s
12	When I enter an incorrect OTP	SKIPPED	0.000 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.002 s
21	When Registration is unsuccessful	SKIPPED	0.002 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.003 s

03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.039 s
2	Then I enter an "user6@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.229 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.213 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.878 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.591 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.080 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.347 s
8	Then The system does not accept duplicate email addresses	PASSED	0.167 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.213 s
9	When I complete the form with valid details java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at jdk.internal.reflect.GeneratedMethodAccessor75.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.Validate_form_with_valid_details(Registration_Quafox.java:247) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_complete_the_form_with_valid_details(AA_Registration_02_Step_Definition.java:60) at ?.I complete the form with valid details(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:20) * Not displayable characters are replaced by '?'. At line 20 of file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature	FAILED	0.133 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.199 s
10	When I enter the correct "Expired"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.000 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s