

# Cucumber Report

Mar 13, 2025, 1:16:23 PM

**Start : Mar 13, 1:16:11.106 PM**

**End : Mar 13, 1:16:22.134 PM**

**Duration : 11.028 s**

Features






PASSED - 1  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 2  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 26  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Search_Functionality_Test_Cases</u>		11.028 s		2	2	0	0	26	26	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@Validate_ "Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	2	2	0	0	11.028 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	8.256 s
2		<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	2.744 s

## Search\_Functionality\_Test\_Cases

PASSED	DURATION - 11.028 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
/ 1:16:11.106 PM // 1:16:22.134 PM /					

## Validate Sorting the search results by name, price or rating

PASSED	DURATION - 8.256 s	Search_Functionality_Test_Cases		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 1:16:11.117 PM // 1:16:19.373 PM /		@Validate_"Sorting_the_search_results_by_name,_price_or_rating" @Tc_36 @Search_Functionality			


#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.042 s
		PASSED	0.819 s
2	When Locate the “Sort By” drop-down menu on the search results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.002 s
		PASSED	0.179 s


#	Step / Hook Details	Status	Duration
3	Then Verify that the "Sort By" menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
6	And Click the drop-down and check for available sorting options Price (Low-High) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.003 s
7	And Click the drop-down and check for available sorting options Price (High-Low) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
			
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
			
10	Then Verify that the search results are updated accordingly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
			
11	Then Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
			

#	Step / Hook Details	Status	Duration
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.001 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.001 s

### Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.037 s
		PASSED	0.190 s

#	Step / Hook Details	Status	Duration
			
2	When Locate the “Sort By” drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.170 s
3	Then Verify that the “Sort By” menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
		PASSED	0.208 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.193 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.173 s

#	Step / Hook Details	Status	Duration
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s

#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
			
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
			
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
			

#	Step / Hook Details	Status	Duration
	 A screenshot of a web browser window titled "Qufox.com". The page displays a file upload interface with a large input field containing the text "Choose file...". To the right of the input field is a small thumbnail image of a file named "Screenshot_2023-09-11_14-54-23.jpg". On the left side of the page, there is a sidebar with various navigation links and settings.		