

# Cucumber Report

Mar 10, 2025, 10:51:34 AM

**Start : Mar 10, 10:50:17.205 AM**

**End : Mar 10, 10:51:31.554 AM**

**Duration : 1 m 14.349 s**

Features







PASSED - 1  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 6  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 132  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Registration_Mandatory_Field_Test_cases</u>		1 m 14.349 s		6	6	0	0	132	132	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Validate_User_registers_for_an_account		6	6	0	0	1	1	0	0
@Registration		6	6	0	0	1	1	0	0
@Tc_03		6	6	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<a href="#"><u>Registration_Mandatory_Field_Test_cases</u></a>	6	6	0	0	1 m 14.349 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	22	22	0	0	15.709 s
2		<u>03_Validate User registers for an account</u>	22	22	0	0	11.791 s
3		<u>03_Validate User registers for an account</u>	22	22	0	0	11.423 s
4		<u>03_Validate User registers for an account</u>	22	22	0	0	11.389 s
5		<u>03_Validate User registers for an account</u>	22	22	0	0	11.356 s
6		<u>03_Validate User registers for an account</u>	22	22	0	0	12.518 s





## Registration\_Mandatory\_Field\_Test\_cases











### 03\_Validate User registers for an account











#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.086 s
		PASSED	0.285 s
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.120 s
		PASSED	0.269 s

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.099 s
4	And The "teamA1234@" and "teamA1234@" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.434 s
5	When I insert invalid data inputs  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.235 s
6	Then The system rejects the invalid inputs  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a>	PASSED	0.023 s
		PASSED	0.182 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.317 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.080 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	3.237 s
10	When I enter the correct "123456" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.019 s
		PASSED	0.201 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
			
12	When I enter an incorrect OTP	PASSED	0.030 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
			
13	Then An error message is displayed	PASSED	0.016 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
			
14	And The OTP expires after a set time	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
			

#	Step / Hook Details	Status	Duration
			
15	When I request to resend the OTP  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.002 s
16	Then The OTP is resent successfully  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.001 s
17	When Registration is successful  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.002 s
18	Then The user is redirected to the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a>	PASSED	0.002 s
		PASSED	0.207 s

#	Step / Hook Details	Status	Duration
			
19	And A welcome message appears with the user's name AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	<a href="#">image</a> 	PASSED	0.210 s
20	And The user can log in immediately AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	<a href="#">image</a> 	PASSED	0.209 s
21	When Registration is unsuccessful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.003 s
	<a href="#">image</a> 	PASSED	0.206 s
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	<a href="#">image</a>	PASSED	0.197 s





#	Step / Hook Details	Status	Duration

### 03\_Validate User registers for an account




PASSED	DURATION - 11.791 s  / 10:50:32.980 AM // 10:50:44.771 AM /		Steps Total - 22 Pass - 22 Fail - 0 Skip - 0	
	Registration_Mandatory_Field_Test_cases  @Validate_User_registers_for_an_account @Registration @Tc_03			





#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.048 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.184 s
2	Then I enter an "user2@test.com" address and verify proper email format validation	PASSED	0.191 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.340 s

#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.188 s
4	And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.634 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.401 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.049 s
7	When I insert a duplicate email address	PASSED	0.411 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.209 s
8	Then The system does not accept duplicate email addresses	PASSED	0.148 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.214 s
9	When I complete the form with valid details	PASSED	3.895 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.278 s
10	When I enter the correct "123456"	PASSED	0.018 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.206 s
11	Then <Registration status> is successful	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s




#	Step / Hook Details	Status	Duration
	<b>image</b> 		
12	When I enter an incorrect OTP	PASSED	0.020 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.221 s
	<b>image</b> 		
13	Then An error message is displayed	PASSED	0.014 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.205 s
	<b>image</b> 		
14	And The OTP expires after a set time	PASSED	0.002 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.209 s
	<b>image</b> 		
15	When I request to resend the OTP	PASSED	0.004 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.194 s
	<b>image</b> 		



#	Step / Hook Details	Status	Duration
			
16	Then The OTP is resent successfully AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
17	When Registration is successful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.003 s
18	Then The user is redirected to the homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.002 s
19	And A welcome message appears with the user's name AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.002 s
		PASSED	0.203 s




#	Step / Hook Details	Status	Duration
			
20	And The user can log in immediately AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
21	When Registration is unsuccessful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s

### 03\_Validate User registers for an account










#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.049 s
2	Then I enter an "user3@test.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.187 s
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.193 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "WrongPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.599 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.479 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.021 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.432 s
8	Then The system does not accept duplicate email addresses	PASSED	0.145 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.224 s
9	When I complete the form with valid details	PASSED	3.754 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.215 s
10	When I enter the correct "123456"	PASSED	0.010 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.178 s
11	Then "<Registration status>" is successful	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.198 s
12	When I enter an incorrect OTP	PASSED	0.012 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s




#	Step / Hook Details	Status	Duration
	<b>image</b> 		
13	Then An error message is displayed	PASSED	0.021 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.196 s
	<b>image</b> 		
14	And The OTP expires after a set time	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.183 s
	<b>image</b> 		
15	When I request to resend the OTP	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.190 s
	<b>image</b> 		
16	Then The OTP is resent successfully	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.198 s
	<b>image</b> 		





#	Step / Hook Details	Status	Duration
			
17	When Registration is successful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
18	Then The user is redirected to the homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
19	And A welcome message appears with the user's name AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
20	And The user can log in immediately AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.191 s





#	Step / Hook Details	Status	Duration
			
21	When Registration is unsuccessful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s





### 03\_Validate User registers for an account





PASSED	DURATION - 11.389 s		Steps Total - 22 Pass - 22 Fail - 0 Skip - 0	
/ 10:50:56.253 AM // 10:51:07.642 AM /				
<a href="#">Registration_Mandatory_Field_Test_cases</a>				
@Validate_User_registers_for_an_account @Registration @Tc_03				



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.078 s
2	Then I enter an "existing@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.160 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.098 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.589 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
5	When I insert invalid data inputs	PASSED	0.356 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.199 s
6	Then The system rejects the invalid inputs	PASSED	0.035 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.204 s
7	When I insert a duplicate email address	PASSED	0.342 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.192 s
8	Then The system does not accept duplicate email addresses	PASSED	0.148 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.195 s
9	When I complete the form with valid details	PASSED	3.587 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
10	When I enter the correct "123456"	PASSED	0.052 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.366 s
	<b>image</b> 		
11	Then "<Registration status>" is successful	PASSED	0.002 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.198 s
	<b>image</b> 		
12	When I enter an incorrect OTP	PASSED	0.009 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.200 s
	<b>image</b> 		
13	Then An error message is displayed	PASSED	0.016 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.195 s
	<b>image</b> 		


#	Step / Hook Details	Status	Duration
			
14	And The OTP expires after a set time AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
15	When I request to resend the OTP AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.003 s
16	Then The OTP is resent successfully AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
17	When Registration is successful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.194 s

#	Step / Hook Details	Status	Duration
			
18	Then The user is redirected to the homepage	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	<a href="#">image</a>		
			
19	And A welcome message appears with the user's name	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	<a href="#">image</a>		
			
20	And The user can log in immediately	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	<a href="#">image</a>		
			
21	When Registration is unsuccessful	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	<a href="#">image</a>		




#	Step / Hook Details	Status	Duration
			
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.002 s
		PASSED	0.226 s





### 03\_Validate User registers for an account











#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.073 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.189 s


#	Step / Hook Details	Status	Duration
2	Then I enter an "user5@test.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.128 s
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.157 s
4	And The "Strong@123" and "Strong@123" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.646 s
5	When I insert invalid data inputs  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.610 s
6	Then The system rejects the invalid inputs	PASSED	0.018 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.200 s
7	When I insert a duplicate email address	PASSED	0.311 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.178 s
8	Then The system does not accept duplicate email addresses	PASSED	0.112 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.211 s
9	When I complete the form with valid details	PASSED	4.019 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.251 s
10	When I enter the correct "000000"	PASSED	0.016 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
11	Then "<Registration status>" is successful	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.189 s
	<b>image</b> 		
12	When I enter an incorrect OTP	PASSED	0.014 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.190 s
	<b>image</b> 		
13	Then An error message is displayed	PASSED	0.012 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.182 s
	<b>image</b> 		
14	And The OTP expires after a set time	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.190 s
	<b>image</b> 		



#	Step / Hook Details	Status	Duration
			
15	When I request to resend the OTP  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.000 s
16	Then The OTP is resent successfully  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.001 s
17	When Registration is successful  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.001 s
18	Then The user is redirected to the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a>	PASSED	0.002 s
		PASSED	0.204 s





#	Step / Hook Details	Status	Duration
			
19	And A welcome message appears with the user's name AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	<a href="#">image</a> 	PASSED	0.198 s
20	And The user can log in immediately AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	<a href="#">image</a> 	PASSED	0.198 s
21	When Registration is unsuccessful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
	<a href="#">image</a> 	PASSED	0.196 s
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.000 s
	<a href="#">image</a>	PASSED	0.179 s





#	Step / Hook Details	Status	Duration
			

### 03\_Validate User registers for an account


PASSED	DURATION - 12.518 s  / 10:51:19.036 AM // 10:51:31.554 AM /		Steps Total - 22 Pass - 22 Fail - 0 Skip - 0	
	Registration_Mandatory_Field_Test_cases  @Validate_User_registers_for_an_account @Registration @Tc_03			





#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.074 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
			
2	Then I enter an "user6@test.com" address and verify proper email format validation	PASSED	0.212 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
			

#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.168 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.677 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.399 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.043 s
7	When I insert a duplicate email address	PASSED	0.582 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.180 s
8	Then The system does not accept duplicate email addresses	PASSED	0.167 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.208 s
9	When I complete the form with valid details	PASSED	4.493 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.270 s
10	When I enter the correct "Expired"	PASSED	0.012 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.187 s
11	Then <Registration status> is successful	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
12	When I enter an incorrect OTP	PASSED	0.015 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.202 s
	<b>image</b> 		
13	Then An error message is displayed	PASSED	0.019 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.214 s
	<b>image</b> 		
14	And The OTP expires after a set time	PASSED	0.001 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.197 s
	<b>image</b> 		
15	When I request to resend the OTP	PASSED	0.000 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.203 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
			
16	Then The OTP is resent successfully AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
17	When Registration is successful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
18	Then The user is redirected to the homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
19	And A welcome message appears with the user's name AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
			
20	And The user can log in immediately AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
21	When Registration is unsuccessful AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
22	Then The user is unable to access restricted pages without logging in AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s