

Cucumber Report

Mar 10, 2025, 10:19:21 AM

Start : Mar 10, 10:18:31.906 AM

End : Mar 10, 10:19:20.495 AM

Duration : 48.589 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 54
FAILED - 6
SKIPPED - 72




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Registration_Mandatory_Field_Test_cases</u>		48.589 s		6	0	6	0	132	54	6	72

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	48.589 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	22	9	1	12	10.650 s
2		<u>03_Validate User registers for an account</u>	22	9	1	12	7.653 s
3		<u>03_Validate User registers for an account</u>	22	9	1	12	6.939 s
4		<u>03_Validate User registers for an account</u>	22	9	1	12	7.709 s
5		<u>03_Validate User registers for an account</u>	22	9	1	12	7.656 s
6		<u>03_Validate User registers for an account</u>	22	9	1	12	7.840 s





Registration_Mandatory_Field_Test_cases








03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.067 s
		PASSED	0.307 s
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	image 	PASSED	0.251 s

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.088 s
4	And The "teamA1234@" and "teamA1234@" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.368 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.215 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.019 s
		PASSED	0.162 s





#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.189 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.120 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.456 s
10	When I enter the correct "123456" <pre>java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre>	FAILED	0.056 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEqualsImpl Assert.java:150) at org.testng.Assert.assertEquals Assert.java:132) at org.testng.Assert.assertEquals Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "123456"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.176 s
11	Then "<Registration status>" is successful	SKIPPED	0.004 s
12	When I enter an incorrect OTP	SKIPPED	0.003 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.004 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.078 s
2	Then I enter an "user2@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.146 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.265 s

#	Step / Hook Details	Status	Duration
4	And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.926 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.430 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.040 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.282 s
8	Then The system does not accept duplicate email addresses	PASSED	0.191 s





#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.197 s
9	When I complete the form with valid details	PASSED	1.817 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.207 s
10	When I enter the correct "123456"	FAILED	0.021 s
	java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "123456"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s




#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	And A welcome message appears with the user's name	SKIPPED	0.000 s
20	And The user can log in immediately	SKIPPED	0.000 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s


03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.062 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	image		
2	Then I enter an "user3@test.com" address and verify proper email format validation	PASSED	0.119 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	image		




#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.163 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	image		
			
4	And The "Strong@123" and "WrongPass" fields match	PASSED	0.491 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	image		
			
5	When I insert invalid data inputs	PASSED	0.274 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	image		
			
6	Then The system rejects the invalid inputs	PASSED	0.028 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	image		

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.292 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.074 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.797 s
10	When I enter the correct "123456" <pre>java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre>	FAILED	0.012 s




#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEqualsImpl Assert.java:150) at org.testng.Assert.assertEquals Assert.java:132) at org.testng.Assert.assertEquals Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "123456"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.182 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.058 s
2	Then I enter an "existing@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.103 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.106 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.545 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.309 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.031 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.475 s
8	Then The system does not accept duplicate email addresses	PASSED	0.176 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.218 s
9	When I complete the form with valid details	PASSED	2.256 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.220 s
10	When I enter the correct "123456"	FAILED	0.016 s
	java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "123456"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'. image 	PASSED	0.184 s
11	Then "<Registration status>" is successful	SKIPPED	0.002 s





#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.003 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s


03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.052 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.215 s
2	Then I enter an "user5@test.com" address and verify proper email format validation	PASSED	0.175 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.208 s




#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.161 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.572 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.336 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.031 s
			0.325 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.392 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.141 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.645 s
10	When I enter the correct "000000" <pre>java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre>	FAILED	0.015 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEqualsImpl Assert.java:150) at org.testng.Assert.assertEquals Assert.java:132) at org.testng.Assert.assertEquals Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "000000"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/ 1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.278 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.051 s
2	Then I enter an "user6@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.169 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.101 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.535 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.273 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.019 s
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.313 s
8	Then The system does not accept duplicate email addresses	PASSED	0.141 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.348 s
9	When I complete the form with valid details	PASSED	1.337 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.316 s
10	When I enter the correct "Expired" java.lang.AssertionError: otp field is empty expected [otp field is empty] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.enter_the_correct_otp(Registration_Quafox.java:266) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_the_correct(AA_Registration_02_Step_Definition.java:64) at ?.I enter the correct "Expired"(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:22) * Not displayable characters are replaced by '?'.	FAILED	0.019 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.315 s
11	Then "<Registration status>" is successful	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.000 s
13	Then An error message is displayed	SKIPPED	0.000 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.000 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.000 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.000 s