

Cucumber Report

Mar 17, 2025, 1:27:03 PM

Start : Mar 17, 1:23:18.115 PM

End : Mar 17, 1:27:02.224 PM

Duration : 3 m 44.109 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 15



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search Functionality Test Cases</u>	3 m 44.109 s	2	0	2	0	17	0	2	15

#	Feature Name	Scenario Name
1	<u>Search Functionality Test Cases</u>	<u>Verify Search Functionality Works Correctly</u>
2		<u>Verify Search Functionality with Category Selection</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SearchFunctionality	2	0	2	0	1	0	1	0
@TC_34	1	0	1	0	1	0	1	0
@Validate_Search_Functionality	1	0	1	0	1	0	1	0
@Validate_Search_With_Category_Filter	1	0	1	0	1	0	1	0
@TC_35	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search Functionality Test Cases</u>	2	0	2	0	3 m 44.109 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search Functionality Test Cases</u>	<u>Verify Search Functionality Works Correctly</u>	9	0	1	8	1 m 18.997 s
2		<u>Verify Search Functionality with Category Selection</u>	8	0	1	7	2 m 25.041 s

Search Functionality Test Cases

FAILED	DURATION - 3 m 44.109 s	Scenarios		Steps	
/ 1:23:18.115 PM // 1:27:02.224 PM /		Total - 2		Total - 17	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 15	

Verify Search Functionality Works Correctly

FAILED	DURATION - 1 m 18.997 s		Steps	
/ 1:23:18.118 PM // 1:24:37.115 PM /			Total - 9	
Search Functionality Test Cases			Pass - 0	
@SearchFunctionality @TC_34 @Validate_Search_Functionality			Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)	FAILED	1 m 9.987 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)</p> <p>at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:309)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)</p> <p>at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:309)</p> <p>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)</p> <p>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 43 more Caused by: java.lang.StackOverflowError</p> <p>at java.base/java.util.TreeMap\$TreeMapSpliterator.<init>(TreeMap.java:3036)</p> <p>at java.base/java.util.TreeMap\$EntrySpliterator.<init>(TreeMap.java:3293)</p> <p>at java.base/java.util.TreeMap\$EntrySet.spliterator(TreeMap.java:1409)</p> <p>at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.spliterator(Collections.java:1844)</p> <p>at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.stream(Collections.java:1849)</p> <p>at org.openqa.selenium.SharedCapabilitiesMethods.abbreviate(SharedCapabilitiesMethods.java:111)</p> <p>at org.openqa.selenium.SharedCapabilitiesMethods.toString(SharedCapabilitiesMethods.java:84)</p>		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
2	Then Locate the search box.	SKIPPED	0.003 s
3	When Enter the text string "laptop" in the search box.	SKIPPED	0.001 s
4	Then Verify that the search box accepts the text input.	SKIPPED	0.007 s
5	When Enter a text string with leading and trailing spaces.	SKIPPED	0.001 s
6	And Click the search button.	SKIPPED	0.001 s
7	Then Confirm that clicking the search button initiates a search.	SKIPPED	0.004 s
8	And Upon clicking, the search results page loads.	SKIPPED	0.001 s
9	Then Confirm that the search results display relevant products containing "Laptop".	SKIPPED	0.001 s

Verify Search Functionality with Category Selection

FAILED		DURATION - 2 m 25.041 s			Steps Total - 8 Pass - 0 Fail - 1 Skip - 7			
/ 1:24:37.183 PM // 1:27:02.224 PM /								
Search Functionality Test Cases								
@Validate_Search_With_Category_Filter @TC_35 @SearchFunctionality								

#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)	FAILED	2 m 23.066 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)</p> <p>at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:309)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)</p> <p>at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:309)</p> <p>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)</p> <p>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 43 more</p> <p>Caused by: java.lang.StackOverflowError</p> <p>at java.base/java.util.TreeMap\$TreeMapSpliterator.<init>(TreeMap.java:3036)</p> <p>at java.base/java.util.TreeMap\$EntrySpliterator.<init>(TreeMap.java:3293)</p> <p>at java.base/java.util.TreeMap\$EntrySet.spliterator(TreeMap.java:1409)</p> <p>at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.spliterator(Collections.java:1844)</p> <p>at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.stream(Collections.java:1849)</p>		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
			
2	Then Locate the drop-down menu for product categories.	SKIPPED	0.002 s
3	And Confirm that the drop-down menu is visible and clickable.	SKIPPED	0.003 s
4	When Click the drop-down menu and ensure that all available categories are displayed.	SKIPPED	0.001 s
5	Then Select the "Laptops & Notebooks" category.	SKIPPED	0.001 s
6	And Enter the keyword "laptop" in the search box.	SKIPPED	0.002 s
7	When Click the search button.	SKIPPED	0.001 s
8	Then Confirm that the search results display products that are both relevant to "laptop" and belong to the "Laptops & Notebooks" category.	SKIPPED	0.002 s