

Cucumber Report

Mar 16, 2025, 12:53:30 PM

Start : Mar 16, 12:51:11.641 PM

End : Mar 16, 12:53:29.453 PM

Duration : 2 m 17.812 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 6
FAILED - 6
SKIPPED - 108




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Registration_Mandatory_Field_Test_cases</u>		2 m 17.812 s		6	0	6	0	120	6	6	108

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	2 m 17.812 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	20	1	1	18	27.057 s
2		<u>03_Validate User registers for an account</u>	20	1	1	18	21.531 s
3		<u>03_Validate User registers for an account</u>	20	1	1	18	22.231 s
4		<u>03_Validate User registers for an account</u>	20	1	1	18	22.238 s
5		<u>03_Validate User registers for an account</u>	20	1	1	18	22.373 s
6		<u>03_Validate User registers for an account</u>	20	1	1	18	22.208 s

Registration_Mandatory_Field_Test_cases



03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.055 s
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='input-email']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id='input-email']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion:	FAILED	20.049 s

#	Step / Hook Details	Status	Duration
	<p>133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23) at ?.I enter an "teamama35@gmail.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.379 s
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.006 s
4	And The "teamA1234@" and "teamA1234@" fields match	SKIPPED	0.004 s
5	When I insert invalid data inputs	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.003 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.005 s
9	When I complete the form with valid details	SKIPPED	0.003 s
10	When I enter the correct "123456"	SKIPPED	0.005 s
11	Then "<Registration status>" is successful	SKIPPED	0.003 s
12	When I enter an incorrect OTP	SKIPPED	0.006 s
13	Then An error message is displayed	SKIPPED	0.003 s
14	And The OTP expires after a set time	SKIPPED	0.003 s
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.002 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	When Registration is unsuccessful	SKIPPED	0.003 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.050 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.379 s

#	Step / Hook Details	Status	Duration
2	<p>Then I enter an "user2@test.com" address and verify proper email format validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='input-email']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id='input-email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23)</pre>	FAILED	20.055 s

#	Step / Hook Details	Status	Duration
	at ?.I enter an "user2@test.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	image		
			
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.001 s
4	And The "WeakPass" and "WeakPass" fields match	SKIPPED	0.001 s
5	When I insert invalid data inputs	SKIPPED	0.001 s
6	Then The system rejects the invalid inputs	SKIPPED	0.000 s
7	When I insert a duplicate email address	SKIPPED	0.000 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.000 s
9	When I complete the form with valid details	SKIPPED	0.000 s
10	When I enter the correct "123456"	SKIPPED	0.000 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.002 s
13	Then An error message is displayed	SKIPPED	0.000 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	When Registration is unsuccessful	SKIPPED	0.001 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.066 s
2	Then I enter an "user3@test.com" address and verify proper email format validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='input-email']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id='input-email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	20.068 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248) at com.pdl.step_definitions_AA_Registration_02_Step_Definition. i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23) at ?.I enter an "user3@test.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/ PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.393 s
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.002 s
4	And The "Strong@123" and "WrongPass" fields match	SKIPPED	0.001 s
5	When I insert invalid data inputs	SKIPPED	0.001 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.002 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.000 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	When Registration is unsuccessful	SKIPPED	0.001 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.062 s
2	Then I enter an "existing@test.com" address and verify proper email format validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//*[@id="input-email"]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id="input-email"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},	FAILED	20.059 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)</p> <p>at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248)</p> <p>at com.pdl.step_definitions.AA_Registration_02_Step_Definition.</p> <p>i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23)</p> <p>at ?.I enter an "existing@test.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	<p>image</p> 		
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.001 s
4	And The "Strong@123" and "Strong@123" fields match	SKIPPED	0.001 s
5	When I insert invalid data inputs	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.002 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.000 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	When Registration is unsuccessful	SKIPPED	0.001 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.000 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.059 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.530 s

#	Step / Hook Details	Status	Duration
			
2	<p>Then I enter an "user5@test.com" address and verify proper email format validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='input-email']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id='input-email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248) at com.pdl.step_definitions.AA_Registration_02_Step_Definition. i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23)</pre>	FAILED	20.046 s

#	Step / Hook Details	Status	Duration
	at ?.I enter an "user5@test.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	image		
			
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.002 s
4	And The "Strong@123" and "Strong@123" fields match	SKIPPED	0.001 s
5	When I insert invalid data inputs	SKIPPED	0.002 s
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "000000"	SKIPPED	0.005 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.015 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	When Registration is unsuccessful	SKIPPED	0.000 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.059 s
2	Then I enter an "user6@test.com" address and verify proper email format validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='input-email']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be80eb6cbf6e6c63cb820f2e6ee36621, findElement {using=xpath, value=//*[@id='input-email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51267/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be80eb6cbf6e6c63cb820f2e6ee36621 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	20.089 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Registration_Quafox.proper_email_format_validation(Registration_Quafox.java:248) at com.pdl.step_definitions_AA_Registration_02_Step_Definition. i_enter_an_address_and_verify_proper_email_format_validation(AA_Registration_02_Step_Definition.java:23) at ?.I enter an "user6@test.com" address and verify proper email format validation(file:///C:/EAL_iINTERNSHIP_Repo/ PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.431 s
3	And I enter a valid password that adheres to policy requirements	SKIPPED	0.002 s
4	And The "Strong@123" and "Strong@123" fields match	SKIPPED	0.001 s
5	When I insert invalid data inputs	SKIPPED	0.001 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	When I enter the correct "Expired"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.000 s
19	When Registration is unsuccessful	SKIPPED	0.001 s
20	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s