

# Cucumber Report

Mar 10, 2025, 9:56:40 AM

**Start : Mar 10, 9:56:15.546 AM**

**End : Mar 10, 9:56:38.764 AM**

**Duration : 23.218 s**

Features





PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 6  
SKIPPED - 0

Steps


PASSED - 24  
FAILED - 6  
SKIPPED - 102




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Registration_Mandatory_Field_Test_cases</u>		23.218 s		6	0	6	0	132	24	6	102

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	23.218 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	22	4	1	17	7.849 s
2		<u>03_Validate User registers for an account</u>	22	4	1	17	2.992 s
3		<u>03_Validate User registers for an account</u>	22	4	1	17	3.005 s
4		<u>03_Validate User registers for an account</u>	22	4	1	17	3.047 s
5		<u>03_Validate User registers for an account</u>	22	4	1	17	3.131 s
6		<u>03_Validate User registers for an account</u>	22	4	1	17	3.069 s




## Registration\_Mandatory\_Field\_Test\_cases




### 03\_Validate User registers for an account







#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.062 s
		PASSED	0.302 s
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.103 s
		PASSED	0.261 s



#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.104 s
4	And The "teamA1234@" and "teamA1234@" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.325 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.110 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.186 s
6	Then The system rejects the invalid inputs	SKIPPED	0.003 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.000 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.000 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

### 03\_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.059 s
2	Then I enter an "user2@test.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.091 s
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.116 s




#	Step / Hook Details	Status	Duration
4	And The "WeakPass" and "WeakPass" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.414 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	FAILED	0.103 s
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.002 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	When I enter the correct "123456"	SKIPPED	0.003 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.002 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

### 03\_Validate User registers for an account







#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.158 s
2	Then I enter an "user3@test.com" address and verify proper email format validation	PASSED	0.141 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.218 s

#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.147 s
4	And The "Strong@123" and "WrongPass" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.445 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.184 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.204 s
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.003 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "123456"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.002 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

### 03\_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.050 s
2	Then I enter an "existing@test.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.137 s
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.129 s




#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.500 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.156 s
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.000 s
10	When I enter the correct "123456"	SKIPPED	0.000 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.000 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.000 s
19	And A welcome message appears with the user's name	SKIPPED	0.000 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

### 03\_Validate User registers for an account







#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.065 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	image		
2	Then I enter an "user5@test.com" address and verify proper email format validation	PASSED	0.111 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	image		



#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.166 s
4	And The "Strong@123" and "Strong@123" fields match  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <a href="#">image</a> 	PASSED	0.497 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.180 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.193 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "000000"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.001 s
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.002 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

### 03\_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.070 s
2	Then I enter an "user6@test.com" address and verify proper email format validation  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.118 s
3	And I enter a valid password that adheres to policy requirements  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.136 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match	PASSED	0.489 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.210 s
5	When I insert invalid data inputs  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at jdk.internal.reflect.GeneratedMethodAccessor75.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:226) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:38) at ?.I insert invalid data inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.126 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.209 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	When I enter the correct "Expired"	SKIPPED	0.001 s
11	Then "<Registration status>" is successful	SKIPPED	0.001 s
12	When I enter an incorrect OTP	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.002 s
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.002 s
19	And A welcome message appears with the user's name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.000 s