

Cucumber Report

Mar 12, 2025, 12:06:59 AM

Start : Mar 12, 12:05:03.909 AM

End : Mar 12, 12:06:57.578 AM

Duration : 1 m 53.669 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 4
SKIPPED - 0

Steps


PASSED - 20
FAILED - 4
SKIPPED - 0




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Static_Header_Test_cases</u>		1 m 53.669 s		4	0	4	0	24	20	4	0

#	Feature Name	Scenario Name
1	<u>Static_Header_Test_cases</u>	<u>08_validate Static Header switching currencys</u>
2		<u>08_validate Static Header switching currencys</u>
3		<u>08_validate Static Header switching currencys</u>
4		<u>08_validate Static Header switching currencys</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Static_Header		4	0	4	0	1	0	1	0
@Validate_Switching_Currency		4	0	4	0	1	0	1	0
@Tc_08		4	0	4	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Static_Header_Test_cases</u>	4	0	4	0	1 m 53.669 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Static_Header_Test_cases</u>	<u>08_validate Static Header switching currencies</u>	6	5	1	0	31.976 s
2		<u>08_validate Static Header switching currencies</u>	6	5	1	0	25.365 s
3		<u>08_validate Static Header switching currencies</u>	6	5	1	0	27.802 s
4		<u>08_validate Static Header switching currencies</u>	6	5	1	0	28.321 s





Static_Header_Test_cases



08_validate Static Header switching currency





#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.560 s
		PASSED	0.399 s
2	And I locate the currency selector dropdown in the header or relevant section AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.256 s
		PASSED	0.319 s

#	Step / Hook Details	Status	Duration
			
3	When I click on the currency dropdown to view available options	PASSED	0.179 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
			
4	Then I select a different "Us Dollar"	PASSED	0.204 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
			
5	And I ensure product prices are updated to reflect the selected currency	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
			
6	Then I check if the page reloads or updates the content without errors after selecting the currency	FAILED	20.162 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//html/body/div[2]/div/div/div/div/div[2]/div/div/div[2]/div[1]/p[2] "} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b'</pre>		

#	Step / Hook Details	Status	Duration
	<pre>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5b7bd71f03a58dc8aea2a761d866db0, findElement {using>xpath, value=/html/body/div[2]/div/div/div[2]/div/div[2]/div[1]/p[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61...), userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58417/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a5b7bd71f03a58dc8aea2a761d866db0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at com.pdl.pages.Homepage_Quafox. verify_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(Homepage_Quafox.java:290) at com.pdl.step_definitions.C_Static_Header_Steps. i_check_if_the_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(C_Static_Header_Steps.java:68) at ?.I check if the page reloads or updates the content without errors after selecting the currency(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:20) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.330 s




#	Step / Hook Details	Status	Duration


08_validate Static Header switching currencies

FAILED	DURATION - 25.365 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 12:05:36.053 AM // 12:06:01.418 AM /	Static_Header_Test_cases			


@Static_Header @Validate_Switching_Currency
@Tc_08




#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.402 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	image		
2	And I locate the currency selector dropdown in the header or relevant section	PASSED	0.229 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	image		



#	Step / Hook Details	Status	Duration
3	When I click on the currency dropdown to view available options AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.198 s
4	Then I select a different "Pound Sterling" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.233 s
5	And I ensure product prices are updated to reflect the selected currency AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.005 s
6	Then I check if the page reloads or updates the content without errors after selecting the currency org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div[2]/div/div/div[2]/div[1]/p[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5b7bd71f03a58dc8aea2a761d866db0, findElement {using=xpath, value=/html/body/div[2]/div/div/div[2]/div[1]/p[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58417/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:	FAILED	20.075 s


#	Step / Hook Details	Status	Duration
	<p>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a5b7bd71f03a58dc8aea2a761d866db0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source)</p> <p>at com.pdl.pages.Homepage_Quafox.verify_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(Homepage_Quafox.java:290)</p> <p>at com.pdl.step_definitions.C_Static_Header_Steps.i_check_if_the_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(C_Static_Header_Steps.java:68)</p> <p>at ?.I check if the page reloads or updates the content without errors after selecting the currency(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:20)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.539 s

08_validate Static Header switching currencies









#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.890 s
2	And I locate the currency selector dropdown in the header or relevant section AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.269 s
3	When I click on the currency dropdown to view available options AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.226 s


#	Step / Hook Details	Status	Duration
4	Then I select a different "Euro"	PASSED	0.284 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.588 s
5	And I ensure product prices are updated to reflect the selected currency	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.481 s
6	Then I check if the page reloads or updates the content without errors after selecting the currency	FAILED	20.055 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div[2]/div/div[2]/div/div[1]/p[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5b7bd71f03a58dc8aea2a761d866db0, findElement {using>xpath, value=/html/body/div[2]/div/div[2]/div/div[1]/p[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58417/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a5b7bd71f03a58dc8aea2a761d866db0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at com.pdl.pages.Homepage_Quafox. verify_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(Homepage_Quafox.java:290) at com.pdl.step_definitions.C_Static_Header_Steps. i_check_if_the_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(C_Static_Header_Steps.java:68) at ?.I check if the page reloads or updates the content without errors after selecting the currency(file:///C:/EAL_iINTERNSHIP_Repo/ PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:20) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.415 s

08_validate Static Header switching currencies

FAILED	DURATION - 28.321 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 12:06:29.257 AM // 12:06:57.578 AM /				
Static_Header_Test_cases				
@Static_Header @Validate_Switching_Currency @Tc_08				

#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	2.465 s
2	And I locate the currency selector dropdown in the header or relevant section AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.289 s
3	When I click on the currency dropdown to view available options AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.144 s
4	Then I select a different "JPY" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.278 s
5	And I ensure product prices are updated to reflect the selected currency AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.626 s
5	And I ensure product prices are updated to reflect the selected currency	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.601 s
6	<p>Then I check if the page reloads or updates the content without errors after selecting the currency</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div/div/div/div/div[2]/div[1]/p[2] "} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5b7bd71f03a58dc8aea2a761d866db0, findElement {using>xpath, value=/html/body/div[2]/div/div/div[2]/div[1]/p[2] }] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58417/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a5b7bd71f03a58dc8aea2a761d866db0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at com.pdl.pages.Homepage_Quafox.</pre>	FAILED	20.018 s

#	Step / Hook Details	Status	Duration
	<pre>verify_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(Homepage_Quafox.java:290) at com.pdl.step_definitions.C_Static_Header_Steps. i_check_if_the_page_reloads_or_updates_the_content_without_errors_after_selecting_the_currency(C_Static_Header_Steps.java:68) at ?.I check if the page reloads or updates the content without errors after selecting the currency(file:///C:/EAL_iINTERNSHIP_Repo/ PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:20) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.647 s