Start: Mar 17, 1:18:25.162 PM **Duration: 1 m 57.211 s** End: Mar 17, 1:20:22.373 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 80 20 80 90 90 10 10 100 100 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search Functionality Test Cases	1 m 57.211 s	2	0	2	0	17	0	2	15

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Search Functionality Test Cases	Verify Search Functionality Works Correctly
2		Verify Search Functionality with Category Selection

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SearchFunctionality	2	0	2	0	1	0	1	0
@TC_34	1	0	1	0	1	0	1	0
@Validate_Search_Functionality	1	0	1	0	1	0	1	0
@Validate_Search_With_Category_Filter	1	0	1	0	1	0	1	0
@TC_35	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Search Functionality Test Cases	2	0	2	0	1 m 57.211 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search Functionality Test Cases	Verify Search Functionality Works Correctly	9	0	1	8	1 m 17.863 s
2		Verify Search Functionality with Category Selection	8	0	1	7	39.291 s

DETAILED SECTION -- 7 -

Search Functionality Test Cases

FAILED	DURATION - 1 m 57.211 s	Scenarios		Steps	
		Total - 2		Total - 17	
/ 1:18:25.162 PM // 1	1:20:22.373 PM /	Pass - 0	2	Pass - 0	17
		Fail - 2		Fail - 2	1
		Skip - 0		Skip - 15	

Verify Search Functionality Works Correctly



#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page	FAILED	1 m 10.675 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

ŧ	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
- 1	aused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	43 more Caused by: java.lang.StackOverflowError		
	at java.base/java.util.TreeMap\$TreeMapSpliterator. <init>(TreeMap.java:3036)</init>		
	at java.base/java.util.TreeMap\$EntrySpliterator. <init>(TreeMap.java:3293)</init>		
- 1	at java.base/java.util.TreeMap\$EntrySet.spliterator(TreeMap.java:1409)		
- 1	at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.spliterator(Collections.java:1844)		
- 1	at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.stream(Collections.java:1849)		
	at org.openqa.selenium.SharedCapabilitiesMethods.abbreviate(SharedCapabilitiesMethods.java:111)		
- 1	at org.openqa.selenium.SharedCapabilitiesMethods.toString(SharedCapabilitiesMethods.java:84)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.ImmutableCapabilities.toString(ImmutableCapabilities.java:184)		
	at org.openqa.selenium.remote.RemoteWebDriver.populateWebDriverException(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)		
	at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.pages.Homepage_Quafox. <init>(Homepage_Quafox.java:22)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:9)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		
	The state of the s		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

Status Duratio	Step / Hook Details	#
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>	

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

Status Duratio	Step / Hook Details	#
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>	

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		


#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

DETAILED SECTION -- 33 --

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	image		
	Names Names - World Basses - World Shapes - Plant		
	Quifox.com		
	Register Account and an area of the same and a same and		
	Notices Million Notes member Notes member Notes member Notes member Notes member Notes member		
	**** (MZ MASK (MZ **** (MZ MASK (MZ **** (MZ MASK (MZ **** (MZ MASK (MZ		

#	Step / Hook Details	Status	Duration
2	Then Locate the search box.	SKIPPED	0.005 s
3	When Enter the text string "laptop" in the search box.	SKIPPED	0.004 s
4	Then Verify that the search box accepts the text input.	SKIPPED	0.002 s
5	When Enter a text string with leading and trailing spaces.	SKIPPED	0.002 s
6	And Click the search button.	SKIPPED	0.002 s
7	Then Confirm that clicking the search button initiates a search.	SKIPPED	0.005 s
8	And Upon clicking, the search results page loads.	SKIPPED	0.005 s
9	Then Confirm that the search results display relevant products containing "Laptop".	SKIPPED	0.001 s

Verify Search Functionality with Category Selection



#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page	FAILED	37.633 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		

	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
1	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	43 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error:		
	web view not found (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS		
	X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	0341a006f697a46cec82508794d3779d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d, userDataDir: /var/folders/js/1lc7jcwx1ws}, fedcm:accounts:		
	true, goog:chromeOptions: {debuggerAddress: localhost:50184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration
	mac, proxy: Proxy(), se:cdp: ws://localhost:50184/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 0341a006f697a46cec82508794d3779d		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)		
	at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.pages.Homepage_Quafox. <init>(Homepage_Quafox.java:22)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:9)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10) at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10) at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)</init></init></init>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0341a006f697a46cec82508794d3779d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d, userDataDir: /var/folders/js/1lc7jcwx1ws}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50184/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0341a006f697a46cec82508794d3779d at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.hooks.Hooks.takeScreenshot(Hooks.java:107)	CKIDDED	0.002.0
3	Then Locate the drop-down menu for product categories.	SKIPPED SKIPPED	0.002 s 0.003 s
4	And Confirm that the drop-down menu is visible and clickable. When Click the drop-down menu and ensure that all available categories are displayed.	SKIPPED	0.003 s 0.002 s
5	Then Select the "Laptops & Notebooks" category.	SKIPPED	0.002 s
6	And Enter the keyword "laptop" in the search box.	SKIPPED	0.003 S
7	When Click the search button.	SKIPPED	0.001 s
8	Then Confirm that the search results display products that are both relevant to "laptop" and belong to the "Laptops & Notebooks" category.	SKIPPED	0.002 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
	(Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64',		
	os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[0341a006f697a46cec82508794d3779d, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d, userDataDir: /var/folders/js/1lc7jcwx1ws}, fedcm:accounts:		
	true, goog:chromeOptions: {debuggerAddress: localhost:50184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	mac, proxy: Proxy(), se:cdp: ws://localhost:50184/devtoo, se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false,		
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 0341a006f697a46cec82508794d3779d		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)		
	at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.hooks.Hooks.tearDown(Hooks.java:129)		