

# Cucumber Report

Mar 13, 2025, 11:05:15 AM

Start : Mar 13, 11:04:11.261 AM

End : Mar 13, 11:05:14.250 AM

Duration : 1 m 2.989 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 8  
FAILED - 2  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Static_Header_Test_cases</u>	1 m 2.989 s	2	0	2	0	14	8	2	4

#	Feature Name	Scenario Name
1	<u>Static_Header_Test_cases</u>	<u>11_validate Managing My Wishlist</u>
2		<u>11_validate Managing My Wishlist</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Static_Header	2	0	2	0	1	0	1	0
@validate_Managing_My_Wishlist	2	0	2	0	1	0	1	0
@Tc_11	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Static_Header_Test_cases</u>	2	0	2	0	1 m 2.989 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Static_Header_Test_cases</u>	<u>11_validate Managing My Wishlist</u>	7	4	1	2	34.639 s
2		<u>11_validate Managing My Wishlist</u>	7	4	1	2	28.268 s




## Static\_Header\_Test\_cases

<b>FAILED</b>	DURATION - 1 m 2.989 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 14 Pass - 8 Fail - 2 Skip - 4	
/ 11:04:11.261 AM // 11:05:14.250 AM /					


## 11\_validate Managing My Wishlist

FAILED		DURATION - 34.639 s			Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 11:04:11.269 AM // 11:04:45.908 AM /						
Static_Header_Test_cases						
@Static_Header @validate_Managing_My_Wishlist @Tc_11						



#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.429 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	image 		
2	And I navigate to the managing My Wishlist URL	PASSED	2.108 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	image		




#	Step / Hook Details	Status	Duration
			
3	When I log in to the account with "teamaqa35@gmail.com" and "teamA1234@"	PASSED	2.276 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	<p>image</p> 		
4	Then I click on "My Wishlist"	PASSED	0.988 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	<p>image</p> 		
5	And I add "iMac" to the wishlist	FAILED	20.099 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div[2]/div/div[2]/div[2]/div/div[2]/div[2]/button[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37cb62939042a2f79d7a94aaa124d4a, findElement {using=xpath, value=/html/body/div[2]/div[2]/div/div[2]/div[2]/div/div[2]/div[2]/button[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50242}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50242/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37cb62939042a2f79d7a94aaa124d4a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		





#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.MyAccount_Page.add_to_the_wishlist(MyAccount_Page.java:126) at com.pdl.step_definitions.C_Static_Header_Steps.i_add_to_the_wishlist(C_Static_Header_Steps.java:164) at ?.I add "iMac" to the wishlist(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:60) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.228 s
6	Then I remove "iMac" from the wishlist	SKIPPED	0.003 s
7	When I verify item count updates	SKIPPED	0.007 s

## 11\_validate Managing My Wishlist

FAILED		DURATION - 28.268 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:04:45.982 AM // 11:05:14.250 AM /						
Static_Header_Test_cases						
@Static_Header @validate_Managing_My_Wishlist @Tc_11						

#	Step / Hook Details	Status	Duration
1	Given Navigate to registration "static header" "URL" link .	PASSED	1.217 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	image 		
2	And I navigate to the managing My Wishlist URL	PASSED	1.749 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	image 		
3	When I log in to the account with "" and ""	PASSED	1.607 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	image 		

#	Step / Hook Details	Status	Duration
4	Then I click on "My Wishlist"	PASSED	0.934 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	<p>image</p> 		
5	And I add "Nikon D300" to the wishlist	FAILED	20.052 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div[2]/div/div[2]/div[2]/div/div[2]/div[2]/button[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37cb62939042a2f79d7a94aaa124d4a, findElement {using=xpath, value=/html/body/div[2]/div[2]/div/div[2]/div[2]/div/div[2]/div[2]/button[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50242}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50242/devtoo..., se.cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37cb62939042a2f79d7a94aaa124d4a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p>		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.MyAccount_Page.add_to_the_wishlist(MyAccount_Page.java:126) at com.pdl.step_definitions.C_Static_Header_Steps.i_add_to_the_wishlist(C_Static_Header_Steps.java:164) at ?.I add "Nikon D300" to the wishlist(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/3_REG_STATIC_HEADER/3_Static_Header_QA1.feature:60) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.349 s
6	Then I remove "Nikon D300" from the wishlist	SKIPPED	0.001 s
7	When I verify item count updates	SKIPPED	0.002 s