

# Cucumber Report

Mar 9, 2025, 11:54:57 PM

**Start : Mar 09, 11:53:36.115 PM**

**End : Mar 09, 11:54:52.956 PM**

**Duration : 1 m 16.841 s**

Features







PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 3  
SKIPPED - 0

Steps


PASSED - 12  
FAILED - 3  
SKIPPED - 18




| <b>Feature</b>                    |  |                 |  | <b>Scenario</b> |          |          |          | <b>Step</b> |          |          |          |
|-----------------------------------|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| <b>Name</b>                       |  | <b>Duration</b> |  | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>    | <b>P</b> | <b>F</b> | <b>S</b> |
| <u>product_catalog_Test_cases</u> |  | 1 m 16.841 s    |  | 3               | 0        | 3        | 0        | 33          | 12       | 3        | 18       |

| # | Feature Name                      | Scenario Name                                     |
|---|-----------------------------------|---|
| 1 | <u>product_catalog_Test_cases</u> | 06_Validate Access Browse through product catalog |
| 2 |                                   | 06_Validate Access Browse through product catalog |
| 3 |                                   | 06_Validate Access Browse through product catalog |

| <b>TAG</b>                               | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |          |
|--|-----------------|----------|----------|----------|----------------|----------|----------|----------|----------|
|  | <b>Name</b>     | <b>T</b> | <b>P</b> | <b>F</b> | <b>S</b>       | <b>T</b> | <b>P</b> | <b>F</b> | <b>S</b> |
| @Tc_06                                   |                 | 3        | 0        | 3        | 0              | 1        | 0        | 1        | 0        |
| @Validate_Browse_through_product_catalog |                 | 3        | 0        | 3        | 0              | 1        | 0        | 1        | 0        |
| @product_catalog                         |                 | 3        | 0        | 3        | 0              | 1        | 0        | 1        | 0        |



| # | Feature Name                                      | T | P | F | S | Duration     |
|---|---|---|---|---|---|--------------|
| 1 | <a href="#"><u>product_catalog_Test_cases</u></a> | 3 | 0 | 3 | 0 | 1 m 16.841 s |




| # | Feature Name                      | Scenario Name  | T  | P | F | S | Duration |
|---|-----------------------------------|--|----|---|---|---|----------|
| 1 | <u>product_catalog_Test_cases</u> | <u>06_Validate Access Browse through product catalog</u> | 11 | 4 | 1 | 6 | 28.938 s |
| 2 |                                   | <u>06_Validate Access Browse through product catalog</u> | 11 | 4 | 1 | 6 | 23.635 s |
| 3 |                                   | <u>06_Validate Access Browse through product catalog</u> | 11 | 4 | 1 | 6 | 24.071 s |




## product\_catalog\_Test\_cases




### 06\_Validate Access Browse through product catalog






| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website.<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br> | PASSED | 0.132 s  |
|   |   | PASSED | 0.432 s  |
| 2 | When The user is on the homepage<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image                               | PASSED | 0.016 s  |
|   |   | PASSED | 0.227 s  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
| 3 | And The user clicks on the product catalog option in the static top menu  | PASSED | 0.292 s  |
|   | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>  | PASSED | 0.253 s  |
| 4 | And The product catalog displays all available products on the website  | PASSED | 0.002 s  |
|   | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>  | PASSED | 0.253 s  |
| 5 | And Each product includes accurate details such as "iMac", "\$122.00", and "Just when you thought iMac had everything"<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//*[@id="content"]/div[2]/div/div[2]/div[1]/h4/a"} (Session info: chrome=133.0.6943.142) For documentation on<br>this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info:<br>version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver<br>info: org.openqa.selenium.chrome.ChromeDriver Command: [c85bbc6ad6dee7f5eea0e135d0d66f83, findElement {using=xpath,<br>value=//*[@id="content"]/div[2]/div/div[2]/div[1]/h4/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...},<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55780}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55780/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: c85bbc6ad6dee7f5eea0e135d0d66f83<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | FAILED | 20.114 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:113) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97) at ?.Each product includes accurate details such as "iMac", "\$122.00", and "Just when you thought iMac had everything"(file:///C:/EAL_iENTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'. </pre> |         |          |
|    | <p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>   | PASSED  | 0.315 s  |
| 6  | And The catalog is organized with appropriate categories  | SKIPPED | 0.009 s  |
| 7  | And The user verifies that filters are available and functional   | SKIPPED | 0.004 s  |
| 8  | And Clicking on a category displays only the relevant products  | SKIPPED | 0.004 s  |
| 9  | And Applying a filter displays only the products matching the selected criteria   | SKIPPED | 0.010 s  |
| 10 | And The user navigates back and forth between categories, filters, and search results   | SKIPPED | 0.003 s  |
| 11 | Then The navigation should be smooth without errors or glitches   | SKIPPED | 0.006 s  |

## 06\_Validate Access Browse through product catalog








| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website.<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br> | PASSED | 0.179 s  |
| 2 | When The user is on the homepage<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>                          | PASSED | 0.028 s  |
| 3 | And The user clicks on the product catalog option in the static top menu<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image  | PASSED | 0.463 s  |
|   |  | PASSED | 0.287 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
| 4 | And The product catalog displays all available products on the website  | PASSED | 0.004 s  |
|   | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>   | PASSED | 0.277 s  |
| 5 | And Each product includes accurate details such as "MacBook", "\$602.00", and "Intel Core 2 Duo processor"<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//*[@id='content']/div[2]/div/div/div[2]/div[1]/h4/a"} (Session info: chrome=133.0.6943.142) For documentation on<br>this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info:<br>version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver<br>info: org.openqa.selenium.chrome.ChromeDriver Command: [c85bbc6ad6dee7f5eea0e135d0d66f83, findElement {using=xpath,<br>value=//*[@id='content']/div[2]/div/div/div[2]/div[1]/h4/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...},<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55780}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55780/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: c85bbc6ad6dee7f5eea0e135d0d66f83<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | FAILED | 20.061 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:113) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97) at ?.Each product includes accurate details such as "MacBook", "\$602.00", and "Intel Core 2 Duo processor"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'. </pre> |         |          |
|    | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.300 s  |
|    | image   |         |          |
|    |   |         |          |
| 6  | And The catalog is organized with appropriate categories  | SKIPPED | 0.003 s  |
| 7  | And The user verifies that filters are available and functional   | SKIPPED | 0.013 s  |
| 8  | And Clicking on a category displays only the relevant products  | SKIPPED | 0.003 s  |
| 9  | And Applying a filter displays only the products matching the selected criteria   | SKIPPED | 0.004 s  |
| 10 | And The user navigates back and forth between categories, filters, and search results   | SKIPPED | 0.003 s  |
| 11 | Then The navigation should be smooth without errors or glitches   | SKIPPED | 0.003 s  |

## 06\_Validate Access Browse through product catalog



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website.<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>                | PASSED | 0.143 s  |
| 2 | When The user is on the homepage<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>  | PASSED | 0.025 s  |
| 3 | And The user clicks on the product catalog option in the static top menu<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br> | PASSED | 0.398 s  |
| 4 | And The product catalog displays all available products on the website<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br><br>image<br>  | PASSED | 0.004 s  |
| 5 | And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket."<br><br>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)   | FAILED | 20.091 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/div[2]/div/div[2]/div[1]/h4/a"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c85bbc6ad6dee7f5eea0e135d0d66f83, findElement {using=xpath, value=//*[@id="content"]/div[2]/div/div[2]/div[1]/h4/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55780}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55780/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c85bbc6ad6dee7f5eea0e135d0d66f83 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:113) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97) at ?.Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket."(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'.</pre> |        |          |
|   | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image   | PASSED | 0.331 s  |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    |      |         |          |
| 6  | And The catalog is organized with appropriate categories                              | SKIPPED | 0.005 s  |
| 7  | And The user verifies that filters are available and functional                       | SKIPPED | 0.003 s  |
| 8  | And Clicking on a category displays only the relevant products                        | SKIPPED | 0.005 s  |
| 9  | And Applying a filter displays only the products matching the selected criteria       | SKIPPED | 0.006 s  |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.005 s  |
| 11 | Then The navigation should be smooth without errors or glitches                       | SKIPPED | 0.003 s  |