

Cucumber Report

Mar 8, 2025, 11:54:38 PM

Start : Mar 08, 11:53:36.245 PM

End : Mar 08, 11:54:36.764 PM

Duration : 1 m 0.519 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 2
SKIPPED - 0

Steps


PASSED - 10
FAILED - 2
SKIPPED - 2




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>product_catalog_Test_cases</u>		1 m 0.519 s		2	0	2	0	14	10	2	2

#	Feature Name	Scenario Name
1	<u>product_catalog_Test_cases</u>	<u>04_Validate View static top menu</u>
2		<u>04_Validate View static top menu</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_View_static_top_menu		2	0	2	0	1	0	1	0
@Tc_04		2	0	2	0	1	0	1	0
@product_catalog		2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>product_catalog_Test_cases</u>	2	0	2	0	1 m 0.519 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>product_catalog_Test_cases</u>	<u>04_Validate View static top menu</u>	7	5	1	1	34.125 s
2		<u>04_Validate View static top menu</u>	7	5	1	1	26.314 s




product_catalog_Test_cases



04_Validate View static top menu




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.156 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.538 s
	image		
2	And Click the link and its accessible and clickable	PASSED	0.550 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	image		

#	Step / Hook Details	Status	Duration
			
3	When Upon clicking on the link it should redirect the user to the registration web page.	PASSED	1.581 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.503 s
4	And The static top menu is visible and accessible in every page "Your Store" Website.	PASSED	0.833 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.456 s
5	And Locate and click on the "catagories" option in the static top menu.	PASSED	0.335 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.425 s
6	Then Upon clicking the static top menu its responsive and usable on desktop and mobile devices. org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a305adb8542564a23c258c8bde22e3a3, clickElement {id=f}.	FAILED	20.339 s




#	Step / Hook Details	Status	Duration
	<p>0809792BCB204ED82AC8D15A88BFAF05.d.BA4AB4F99FCB298F2878E821DD2DF430.e.180]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfuri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65329}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65329/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a305adb8542564a23c258c8bde22e3a3)] -> xpath: //*[@id="menu"]/div[1]/button] Session ID: a305adb8542564a23c258c8bde22e3a3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.static_top_menu_its_responsive_and_usable_on_desktop_and_mobile_devices(Homepage_Quafox.java:62) at com.pdl.step_definitions.B_ProductCatalog_Steps. upon_clicking_the_static_top_menu_its_responsive_and_usable_on_desktop_and_mobile_devices(B_ProductCatalog_Steps.java:41) at ?.Upon clicking the static top menu its responsive and usable on desktop and mobile devices.(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:14) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.590 s

#	Step / Hook Details	Status	Duration
7	And Confirm the "<Menu option>" page loads successfully.	SKIPPED	0.006 s


04_Validate View static top menu



#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	image 	PASSED	0.299 s
2	And Click the link and its ccessible and clickable AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	image	PASSED	0.341 s

#	Step / Hook Details	Status	Duration
			
3	When Upon clicking on the link it should redirect the user to the registration web page.	PASSED	0.737 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.650 s
4	And The static top menu is visible and accessible in every page "Your Store" Website.	PASSED	0.675 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.368 s
5	And Locate and click on the "catagories" option in the static top menu.	PASSED	0.142 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.354 s
6	Then Upon clicking the static top menu its responsive and usable on desktop and mobile devices. org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a305adb8542564a23c258c8bde22e3a3, clickElement {id=f}.	FAILED	20.098 s

#	Step / Hook Details	Status	Duration
	<p>0809792BCB204ED82AC8D15A88BFAF05.d.BDD05DCA9B54E471FB49870EA31FB498.e.258]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfuri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65329}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65329/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a305adb8542564a23c258c8bde22e3a3)] -> xpath: //*[@id="menu"]/div[1]/button] Session ID: a305adb8542564a23c258c8bde22e3a3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.static_top_menu_its_responsive_and_usable_on_desktop_and_mobile_devices(Homepage_Quafox.java:62) at com.pdl.step_definitions.B_ProductCatalog_Steps. upon_clicking_the_static_top_menu_its_responsive_and_usable_on_desktop_and_mobile_devices(B_ProductCatalog_Steps.java:41) at ?.Upon clicking the static top menu its responsive and usable on desktop and mobile devices.(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:14) * Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.592 s

#	Step / Hook Details	Status	Duration
			
7	And Confirm the "<Menu option>" page loads successfully.	SKIPPED	0.001 s