Cucumber Report

| Start : Mar 17, 1:17:59.604 PM	End : Mar 17, 1:18:08.628 PM	Duration : 9.024 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 8

1

1

9

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Search Functionality Test Cases	*9.024 s*	*1*	*0*	*1*	*0*	*9*	*0*	*1*	*8*

#	Feature Name	Scenario Name
1	*Search Functionality Test Cases*	*Verify Search Functionality Works Correctly*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SearchFunctionality	1	0	1	0	1	0	1	0
@TC_34	1	0	1	0	1	0	1	0
@Validate_Search_Functionality	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Search Functionality Test Cases	1	0	1	0	9.024 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search Functionality Test Cases	Verify Search Functionality Works Correctly	9	0	1	8	9.019 s

Search Functionality Test Cases

FAILED	DURATION - 9.024 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
/ 1:17:59.604 PM // 1:18:08.628 PM /					

Verify Search Functionality Works Correctly

FAILED	DURATION - 9.019 s		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
/ 1:17:59.609 PM // 1:18:08.628 PM /				
Search Functionality Test Cases				
@SearchFunctionality @TC_34 @Validate_Search_Functionality				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page	FAILED	1.352 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

#	Step / Hook Details	Status	Duration
	at io.cumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 43 more Caused by: org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [46869f84a02f2fdc71fa69e61e5aef7e, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: /var/ folders/js/1lc7jcwx1ws...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50068/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46869f84a02f2fdc71fa69e61e5aef7e		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)		
	at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.pages.Homepage_Quafox.<init>(Homepage_Quafox.java:24)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:9)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10)		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10) at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10) at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10) at com.pdl.step_definitions.G_SearchFunctionality_Steps.<init>(G_SearchFunctionality_Steps.java:10) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.141 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46869f84a02f2fdc71fa69e61e5aef7e, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: /var/folders/js/1lc7jcwx1ws...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50068/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46869f84a02f2fdc71fa69e61e5aef7e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)
	  at com.pdl.utilities.Driver.getDriver(Driver.java:49)
	  at com.pdl.hooks.Hooks.takeScreenshot(Hooks.java:107)		

2	Then Locate the search box.	SKIPPED	0.003 s
3	When Enter the text string "laptop" in the search box.	SKIPPED	0.005 s
4	Then Verify that the search box accepts the text input.	SKIPPED	0.004 s
5	When Enter a text string with leading and trailing spaces.	SKIPPED	0.003 s
6	And Click the search button.	SKIPPED	0.007 s
7	Then Confirm that clicking the search button initiates a search.	SKIPPED	0.003 s
8	And Upon clicking, the search results page loads.	SKIPPED	0.004 s
9	Then Confirm that the search results display relevant products containing "Laptop".	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.7.6', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46869f84a02f2fdc71fa69e61e5aef7e, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: /var/folders/js/1lc7jcwx1ws...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50068/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 46869f84a02f2fdc71fa69e61e5aef7e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)
	  at com.pdl.utilities.Driver.getDriver(Driver.java:49)
	  at com.pdl.hooks.Hooks.tearDown(Hooks.java:129)		