

Cucumber Report

Mar 8, 2025, 10:20:57 PM

Start : Mar 08, 10:20:27.985 PM

End : Mar 08, 10:20:55.482 PM

Duration : 27.497 s

Features




PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 24
FAILED - 6
SKIPPED - 108




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Registration_Mandatory_Field_Test_cases</u>		27.497 s		6	0	6	0	138	24	6	108

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	27.497 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	23	4	1	18	8.953 s
2		<u>03_Validate User registers for an account</u>	23	4	1	18	3.738 s
3		<u>03_Validate User registers for an account</u>	23	4	1	18	3.555 s
4		<u>03_Validate User registers for an account</u>	23	4	1	18	3.896 s
5		<u>03_Validate User registers for an account</u>	23	4	1	18	3.550 s
6		<u>03_Validate User registers for an account</u>	23	4	1	18	3.594 s




Registration_Mandatory_Field_Test_cases




03_Validate User registers for an account







#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.079 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	image		
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation	PASSED	0.131 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	image		



#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.106 s
4	And The "teamA1234@" and "teamA1234@" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.548 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.119 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	image		
			
6	Then The system rejects the invalid inputs	SKIPPED	0.003 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.000 s
11	When I enter the correct "123456"	SKIPPED	0.000 s
12	Then "<Registration status>" is successful	SKIPPED	0.000 s
13	When I enter an incorrect OTP	SKIPPED	0.000 s
14	Then An error message is displayed	SKIPPED	0.001 s
15	And The OTP expires after a set time	SKIPPED	0.001 s
16	When I request to resend the OTP	SKIPPED	0.001 s
17	Then The OTP is resent successfully	SKIPPED	0.001 s
18	When Registration is successful	SKIPPED	0.001 s
19	Then The user is redirected to the homepage	SKIPPED	0.001 s
20	And A welcome message appears with the user's name	SKIPPED	0.002 s
21	And The user can log in immediately	SKIPPED	0.001 s
22	When Registration is unsuccessful	SKIPPED	0.002 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.086 s
2	Then I enter an "user2@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.126 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.189 s

#	Step / Hook Details	Status	Duration
4	And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.614 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	FAILED	0.253 s
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.003 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.003 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.004 s
11	When I enter the correct "123456"	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
12	Then "<Registration status>" is successful	SKIPPED	0.002 s
13	When I enter an incorrect OTP	SKIPPED	0.002 s
14	Then An error message is displayed	SKIPPED	0.005 s
15	And The OTP expires after a set time	SKIPPED	0.002 s
16	When I request to resend the OTP	SKIPPED	0.002 s
17	Then The OTP is resent successfully	SKIPPED	0.003 s
18	When Registration is successful	SKIPPED	0.002 s
19	Then The user is redirected to the homepage	SKIPPED	0.003 s
20	And A welcome message appears with the user's name	SKIPPED	0.001 s
21	And The user can log in immediately	SKIPPED	0.000 s
22	When Registration is unsuccessful	SKIPPED	0.004 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

03_Validate User registers for an account







#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.059 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	image		
2	Then I enter an "user3@test.com" address and verify proper email format validation	PASSED	0.220 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s



#	Step / Hook Details	Status	Duration
	image 		
3	And I enter a valid password that adheres to policy requirements	PASSED	0.173 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	image 		
4	And The "Strong@123" and "WrongPass" fields match	PASSED	0.430 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image 		
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions_AA.Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14)	FAILED	0.256 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	image		
6	Then The system rejects the invalid inputs	SKIPPED	0.002 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.002 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.002 s
11	When I enter the correct "123456"	SKIPPED	0.001 s
12	Then "<Registration status>" is successful	SKIPPED	0.003 s
13	When I enter an incorrect OTP	SKIPPED	0.001 s
14	Then An error message is displayed	SKIPPED	0.004 s
15	And The OTP expires after a set time	SKIPPED	0.003 s
16	When I request to resend the OTP	SKIPPED	0.004 s
17	Then The OTP is resent successfully	SKIPPED	0.004 s
18	When Registration is successful	SKIPPED	0.003 s
19	Then The user is redirected to the homepage	SKIPPED	0.003 s
20	And A welcome message appears with the user's name	SKIPPED	0.002 s
21	And The user can log in immediately	SKIPPED	0.001 s
22	When Registration is unsuccessful	SKIPPED	0.002 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s

03_Validate User registers for an account





#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.147 s
2	Then I enter an "existing@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.228 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.253 s




#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.721 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	FAILED	0.181 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.001 s
11	When I enter the correct "123456"	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
12	Then "<Registration status>" is successful	SKIPPED	0.001 s
13	When I enter an incorrect OTP	SKIPPED	0.002 s
14	Then An error message is displayed	SKIPPED	0.002 s
15	And The OTP expires after a set time	SKIPPED	0.002 s
16	When I request to resend the OTP	SKIPPED	0.003 s
17	Then The OTP is resent successfully	SKIPPED	0.002 s
18	When Registration is successful	SKIPPED	0.004 s
19	Then The user is redirected to the homepage	SKIPPED	0.001 s
20	And A welcome message appears with the user's name	SKIPPED	0.002 s
21	And The user can log in immediately	SKIPPED	0.003 s
22	When Registration is unsuccessful	SKIPPED	0.003 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.004 s

03_Validate User registers for an account




#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.076 s
			
2	Then I enter an "user5@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
		PASSED	0.236 s

#	Step / Hook Details	Status	Duration
	image 		
3	And I enter a valid password that adheres to policy requirements	PASSED	0.112 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	image 		
4	And The "Strong@123" and "Strong@123" fields match	PASSED	0.650 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image 		
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions_AA_AAA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14)	FAILED	0.135 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	image		
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.002 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.001 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.003 s
11	When I enter the correct "000000"	SKIPPED	0.002 s
12	Then "<Registration status>" is successful	SKIPPED	0.002 s
13	When I enter an incorrect OTP	SKIPPED	0.002 s
14	Then An error message is displayed	SKIPPED	0.004 s
15	And The OTP expires after a set time	SKIPPED	0.003 s
16	When I request to resend the OTP	SKIPPED	0.005 s
17	Then The OTP is resent successfully	SKIPPED	0.002 s
18	When Registration is successful	SKIPPED	0.001 s
19	Then The user is redirected to the homepage	SKIPPED	0.003 s
20	And A welcome message appears with the user's name	SKIPPED	0.002 s
21	And The user can log in immediately	SKIPPED	0.001 s
22	When Registration is unsuccessful	SKIPPED	0.001 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s

03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page . AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.064 s
2	Then I enter an "user6@test.com" address and verify proper email format validation AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.228 s
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.202 s
		PASSED	0.230 s
		PASSED	0.289 s
		PASSED	0.289 s

#	Step / Hook Details	Status	Duration
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.576 s
5	When I insert invalid data inputs java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:93) at jdk.internal.reflect.GeneratedMethodAccessor74.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at com.pdl.pages.Registration_Quafox.enter_invalid_data(Registration_Quafox.java:220) at com.pdl.step_definitions.AA_Registration_02_Step_Definition.i_insert_invalid_data_inputs(AA_Registration_02_Step_Definition.java:37) at ?.I insert invalid data inputs(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:14) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	FAILED	0.156 s
6	Then The system rejects the invalid inputs	SKIPPED	0.001 s
7	When I insert a duplicate email address	SKIPPED	0.001 s
8	Then The system does not accept duplicate email addresses	SKIPPED	0.001 s
9	When I complete the form with valid details	SKIPPED	0.002 s
10	Then An OTP is sent to the correct email or phone number	SKIPPED	0.001 s
11	When I enter the correct "Expired"	SKIPPED	0.002 s
12	Then "<Registration status>" is successful	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
13	When I enter an incorrect OTP	SKIPPED	0.002 s
14	Then An error message is displayed	SKIPPED	0.002 s
15	And The OTP expires after a set time	SKIPPED	0.001 s
16	When I request to resend the OTP	SKIPPED	0.001 s
17	Then The OTP is resent successfully	SKIPPED	0.001 s
18	When Registration is successful	SKIPPED	0.001 s
19	Then The user is redirected to the homepage	SKIPPED	0.001 s
20	And A welcome message appears with the user's name	SKIPPED	0.000 s
21	And The user can log in immediately	SKIPPED	0.001 s
22	When Registration is unsuccessful	SKIPPED	0.000 s
23	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s