


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Search_Functionality_Test_Cases	12.723 s	2	1	1	0	26	13	0	13	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search_Functionality_Test_Cases	Validate Sorting the search results by name, price or rating


TAG		Scei	nario		Featur			re	
Name	T	P	F	S	T	P	F	S	
@Validate_"Sorting_the_search_results_by_name,_price_or_rating"	2	1	1	0	1	0	1	0	
@Tc_36	2	1	1	0	1	0	1	0	
@Search_Functionality	2	1	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Search_Functionality_Test_Cases	2	1	1	0	12.723 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search_Functionality_Test_Cases	Validate Sorting the search results by name, price or rating	13	13	0	0	8.163 s
2		Validate Sorting the search results by name, price or rating	13	0	0	13	4.532 s

DETAILED SECTION

Search_Functionality_Test_Cases



Validate Sorting the search results by name, price or rating




#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.614 s
	image		
	Total Value Factor Fact		
2	When Locate the "Sort By" drop-down menu on the search results page	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	image		
	Culture Com Cultu		

#	Step / Hook Details	Status	Duration
3 Th	hen Verify that the "Sort By" menu is visible	PASSED	0.002 s
AF	FTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
ima	nage		
	Constant to the constant of th		
4 Th	hen Click the drop-down and check for available sorting options Name (A-Z)	PASSED	0.001 s
AF	FTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
ima	nage		
	Contractors The state of the s		
5 Ar	nd Click the drop-down and check for available sorting options Name (Z-A)	PASSED	0.001 s
AF	FTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
ima	nage		
	The first part of the first pa		
6 Ar	nd Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
AF	FTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
ima	nage		
	Control of the contro		
7 Ar	nd Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.002 s
	FTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
ima	nage		

#	Step / Hook Details	Status	Duration
	The state of the s		
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	image		
	Option come to the second seco		
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	image Odicion Odici	_	
10	Then Verify that the search results are updated accordingly	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	image		
	Action Leaves to the second se		
11	And Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image	1	

#	Step / Hook Details	Status	Duration
	Value de la value		
12	And Repeat for other sorting options to ensure each one sorts the results correctly	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image		
	Garden Scott Company C		
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	image		
	States St		

Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	1.106 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\tnazm\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64057}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64057/devtoo, se:cdp\Version: 133.0.6943.142, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:124) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.japly(CommonMethods.java:138) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		
1	Given Perform a search using either keyword or category search to generate a results page	SKIPPED	0.005 s
2	When Locate the "Sort By" drop-down menu on the search results page	SKIPPED	0.002 s
3	Then Verify that the "Sort By" menu is visible	SKIPPED	0.005 s
4	Then Click the drop-down and check for available sorting options Name (A-Z)	SKIPPED	0.003 s
5	And Click the drop-down and check for available sorting options Name (Z-A)	SKIPPED	0.001 s
6	And Click the drop-down and check for available sorting options Price (Low-High)	SKIPPED	0.006 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	SKIPPED	0.007 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	SKIPPED	0.002 s
9	And Select a sorting option Price (Low-High) from the drop-down	SKIPPED	0.002 s
10	Then Verify that the search results are updated accordingly	SKIPPED	0.001 s
11	And Confirm that the products are now sorted in ascending order by price	SKIPPED	0.003 s
12	And Repeat for other sorting options to ensure each one sorts the results correctly	SKIPPED	0.003 s
13	And Ensure that during and after sorting, each product listing still displays an image, name, and price	SKIPPED	0.005 s