Start: Mar 17, 12:58:06.904 PM End: Mar 17, 12:59:32.309 PM **Duration: 1 m 25.405 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 9 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 80 20 80 90 90 10 10 100 100 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Search Functionality Test Cases	1 m 25.405 s	1	0	1	0	9	0	1	8

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search Functionality Test Cases	Verify Search Functionality Works Correctly


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SearchFunctionality	1	0	1	0	1	0	1	0
@TC_34	1	0	1	0	1	0	1	0
@Validate_Search_Functionality	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Search Functionality Test Cases	1	0	1	0	1 m 25.405 s	

SCENARIOS SUMMARY -- 6




7	# Feature Name	Scenario Name	T	P	F	S	Duration
	Search Functionality Test Cases	Verify Search Functionality Works Correctly	9	0	1	8	1 m 25.401 s

DETAILED SECTION -- 7 -

Search Functionality Test Cases

FAILED	DURATION - 1 m 25.405 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:58:06.904 PM //	12:59:32.309 PM /	Pass - 0	1	Pass - 0	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

Verify Search Functionality Works Correctly



#	Step / Hook Details	Status	Duration
1	Given Navigate to the website's home page	FAILED	1 m 17.116 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.pdl.step_definitions.G_SearchFunctionality_Steps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

ŧ	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
- 1	aused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	43 more Caused by: java.lang.StackOverflowError		
	at java.base/java.util.TreeMap\$TreeMapSpliterator. <init>(TreeMap.java:3036)</init>		
	at java.base/java.util.TreeMap\$EntrySpliterator. <init>(TreeMap.java:3293)</init>		
- 1	at java.base/java.util.TreeMap\$EntrySet.spliterator(TreeMap.java:1409)		
- 1	at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.spliterator(Collections.java:1844)		
- 1	at java.base/java.util.Collections\$UnmodifiableMap\$UnmodifiableEntrySet.stream(Collections.java:1849)		
	at org.openqa.selenium.SharedCapabilitiesMethods.abbreviate(SharedCapabilitiesMethods.java:111)		
- 1	at org.openqa.selenium.SharedCapabilitiesMethods.toString(SharedCapabilitiesMethods.java:84)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.ImmutableCapabilities.toString(ImmutableCapabilities.java:184)		
	at org.openqa.selenium.remote.RemoteWebDriver.populateWebDriverException(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800)		
	at com.pdl.utilities.Driver.getDriver(Driver.java:49)		
	at com.pdl.pages.Homepage_Quafox. <init>(Homepage_Quafox.java:22)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:9)</init>		
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		
	The state of the s		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

Status Duratio	Step / Hook Details	#
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>	

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

Duration	Status	Step / Hook Details	#
		at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>	

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		

DETAILED SECTION -- 33 --

#	Step / Hook Details	Status	Duration
	at com.pdl.step_definitions.G_SearchFunctionality_Steps. <init>(G_SearchFunctionality_Steps.java:10)</init>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	image		0.2110
	Notes* Voted Status * Facus Fa	1	
	Quince come in the contract of		
	Register Account		
	No force files 500 000 000 000 000 000 000 000 000 00		
	160 Mod Mod 400 Mod Mod 100 Mod Mod 100 Mod Mod		
	Name (last)		

DETAILED SECTION -- 34 --

#	Step / Hook Details	Status	Duration
2	Then Locate the search box.	SKIPPED	0.005 s
3	When Enter the text string "laptop" in the search box.	SKIPPED	0.006 s
4	Then Verify that the search box accepts the text input.	SKIPPED	0.003 s
5	When Enter a text string with leading and trailing spaces.	SKIPPED	0.005 s
6	And Click the search button.	SKIPPED	0.010 s
7	Then Confirm that clicking the search button initiates a search.	SKIPPED	0.009 s
8	And Upon clicking, the search results page loads.	SKIPPED	0.003 s
9	Then Confirm that the search results display relevant products containing "Laptop".	SKIPPED	0.005 s