Duration : 15.105 s Start: Mar 15, 10:47:45.926 PM End: Mar 15, 10:48:01.031 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 88 % 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Registration_Test_cases	15.105 s	1	0	1	0	9	8	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Registration_Test_cases	01_Validate User accesses the registration web page


TAG		Scenario		Feature				
Name	T	P	F	S	T	P	F	S
@Validate_User_accesses_the_registration_web_page	1	0	1	0	1	0	1	0
@Registration	1	0	1	0	1	0	1	0
@Tc_01	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Registration_Test_cases	1	0	1	0	15.105 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Registration_Test_cases	01_Validate User accesses the registration web page	9	8	1	0	15.093 s

DETAILED SECTION -- 7 --

Registration_Test_cases

FAILED	DURATION - 15.105 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 10:47:45.926 PM /	// 10:48:01.031 PM /	Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

01_Validate User accesses the registration web page



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page using the provided URL	PASSED	0.961 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	image		
	Quinc com		
	President Account		
	Name		
	va		
	Name Section Section		
2	Then Click the link	PASSED	0.748 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	image	1	

3 When clicking on the link it should redirect the user to the registration web page. AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) Then Insert all the valid credentials "Team" "aqa" teamaqa36@gmail.com" "teamA1234@". AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) PASSED 0.223 s AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) PASSED 0.229 s AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) PASSED 0.296 s Then Insert "teamA1234@" in the field of teleohone number. AFTER_STEP - com.pdl. hooks. Hooks. takeScreenshot(lo.cucumber.java.Scenario) PASSED 0.246 s AFTER_STEP - com.pdl. hooks.	#	Step / Hook Details	Status	Duration
AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber java.Scenario) AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber java.Scenario)		Total State of Part of		
Image 4 Then Insert all the valid credentials "Team" "aqa" "teamaqa36@gmail.com" "teamA1234@". AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.229 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.229 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s	3	When clicking on the link it should redirect the user to the registration web page.	PASSED	0.193 s
4 Then Insert all the valid credentials "Team" "aqa""teamaqa36@gmail.com" "teamA1234@". AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) Image Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) Image AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)		image		
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) passed aFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)		The state of the s		
image 5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.takeScreenshot(io.cucumber.java.Scenario) image 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s PASSED 0.308 s	4	Then Insert all the valid credentials "Team" "aqa""teamaqa36@gmail.com" "teamA1234@".	PASSED	1.376 s
5 Then Insert "teamA1234@" in the field of confirm password. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s PASSED 0.246 s PASSED 0.308 s		image		
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s PASSED 0.246 s PASSED 0.308 s		See Section 1. Section 1. See Section 1. See Section 1. See Section 1. See Sectio		
6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s 0.308 s	5	Then Insert "teamA1234@" in the field of confirm password.	PASSED	0.229 s
6 Then Insert "4438832669" in the field of teleohone number. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.246 s 0.308 s		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s		image]	
AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s		The control of the		
	6	Then Insert "4438832669" in the field of teleohone number.	PASSED	0.246 s
image		AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
			1	

#	Step / Hook Details	Status	Duration
	Section Sect		
7	Then Click on the continue button.	PASSED	0.828 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	image		
	Name of the state		
8	Then select the privacy policy box in order to agree .	PASSED	0.197 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	image		
	The state of the		
9	And Click on the attached link and it redirect them to the login page.	FAILED	0.825 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23ea50c991257772814494f8b1c6e53c, findElement {using=css selector, value=//*[@id="content"]/div/div/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61, userDataDir: C:\Users\syfur\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59328}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59328/devtoo, se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23ea50c991257772814494f8b1c6e53c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation.findElement(Element(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.opender.getalter.g		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image image	PASSED	0.326 s