

# Cucumber Report

Mar 15, 2025, 1:07:37 PM

**Start : Mar 15, 1:07:11.989 PM**

**End : Mar 15, 1:07:35.760 PM**

**Duration : 23.771 s**

Features







PASSED - 5  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 6  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 54  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>		
<u>Search_Functionality_Test_Cases</u>	15.340 s	2	2	0	0	26	26	0	0		
<u>Add_To_Cart_Test_Cases</u>	3.199 s	1	1	0	0	8	8	0	0		
<u>Add_To_Cart_Test_Cases</u>	1.817 s	1	1	0	0	5	5	0	0		
<u>Checkout_Functionality_Test_Cases</u>	1.716 s	1	1	0	0	7	7	0	0		
<u>Checkout_Functionality_Test_Cases</u>	1.590 s	1	1	0	0	8	8	0	0		

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@Validate_ "Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0
@Add_To_Cart	2	2	0	0	2	2	0	0
@Validate_ "Adding_a_product_to_the_cart_from_the_Any_page_that_-contains_Product_View"	1	1	0	0	1	1	0	0
@Tc_37	1	1	0	0	1	1	0	0
@Tc_38	1	1	0	0	1	1	0	0
@Validate_ "Add_multiple_products_to_cart"	1	1	0	0	1	1	0	0
@Checkout_Functionality	2	2	0	0	2	2	0	0
@Tc_39	1	1	0	0	1	1	0	0
@Validate_Checkout_Button	1	1	0	0	1	1	0	0
@Tc_40	1	1	0	0	1	1	0	0
@Validate_Checkout_As_A_Guest_Button	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Search_Functionality_Test_Cases</u>	2	2	0	0	15.340 s
2	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	3.199 s
3	<u>Add_To_Cart_Test_Cases</u>	1	1	0	0	1.817 s
4	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.716 s
5	<u>Checkout_Functionality_Test_Cases</u>	1	1	0	0	1.590 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Search_Functionality_Test_Cases</u>	<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	12.156 s
2		<u>Validate Sorting the search results by name, price or rating</u>	13	13	0	0	3.141 s
3	<u>Add_To_Cart_Test_Cases</u>	<u>Validate Adding a product to the cart from the Any page that contains Product View</u>	8	8	0	0	3.199 s
4		<u>Validate Add multiple products to cart</u>	5	5	0	0	1.817 s
5	<u>Checkout_Functionality_Test_Cases</u>	<u>Validate Checkout Button</u>	7	7	0	0	1.716 s
6		<u>Validate Checkout As A Guest Button</u>	8	8	0	0	1.590 s

## Search\_Functionality\_Test\_Cases

PASSED	DURATION - 15.340 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
	/ 1:07:11.989 PM // 1:07:27.329 PM /				

## Validate Sorting the search results by name, price or rating

PASSED	DURATION - 12.156 s	Search_Functionality_Test_Cases		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
	/ 1:07:12.006 PM // 1:07:24.162 PM /	@Validate_"Sorting_the_search_results_by_name,_ _price_or_rating" @Tc_36 @Search_Functionality			


#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.043 s
		PASSED	1.028 s
2	When Locate the Sort By drop-down menu on the search results page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.002 s
		PASSED	0.201 s

#	Step / Hook Details	Status	Duration
3	Then Verify that the Sort By menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.003 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.002 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.003 s
6	And Click the drop-down and check for available sorting options Price (Low-High) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.002 s
7	And Click the drop-down and check for available sorting options Price (High-Low) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.006 s
		PASSED	0.273 s
9	And Select a sorting option Price (Low-High) from the drop-down AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
		PASSED	0.352 s
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.297 s
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.243 s

#	Step / Hook Details	Status	Duration
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.002 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.001 s

### Validate Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.030 s
	<b>image</b>	PASSED	0.181 s


#	Step / Hook Details	Status	Duration
			
2	When Locate the Sort By drop-down menu on the search results page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.155 s
3	Then Verify that the Sort By menu is visible AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
		PASSED	0.139 s
4	Then Click the drop-down and check for available sorting options Name (A-Z) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.000 s
		PASSED	0.158 s
5	And Click the drop-down and check for available sorting options Name (Z-A) AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a>	PASSED	0.001 s
		PASSED	0.184 s

#	Step / Hook Details	Status	Duration
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s


#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.004 s
11	Then Confirm that the products are now sorted in ascending order by price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
12	Then Repeat for other sorting options to ensure each one sorts the results correctly AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
		PASSED	0.250 s

#	Step / Hook Details	Status	Duration
			

### Add\_To\_Cart\_Test\_Cases



### Validate Adding a product to the cart from the Any page that contains Product View




#	Step / Hook Details	Status	Duration
1	Given Ensure that that the Add to Cart button is visible and clickable	PASSED	0.006 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
			
2	When Hover over the Add to Cart button	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s


#	Step / Hook Details	Status	Duration
	image 		
3	Then Check if product is in stock	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.325 s
4	And Check if product is out of stock	PASSED	0.011 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.361 s
5	Then Click Add to Cart for an in-stock product	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.317 s
6	Then Ensure confirmation message style	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.346 s

#	Step / Hook Details	Status	Duration
			
7	Then Add the product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.002 s
8	And Add another product to the cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.001 s

### Add\_To\_Cart\_Test\_Cases

PASSED	DURATION - 1.817 s	Scenarios	Steps
/ 1:07:30.603 PM // 1:07:32.420 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	Total - 5 Pass - 5 Fail - 0 Skip - 0
			

Validate Add multiple products to cart




#	Step / Hook Details	Status	Duration
1	Given Ensure that each Add to Cart button is visible and clickable  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.002 s
2	When Click Add to Cart for the first product  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.004 s
3	And Click Add to Cart for the second product  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.001 s
4	Then Add more products to the cart  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.002 s
		PASSED	0.201 s

#	Step / Hook Details	Status	Duration
			
5	Then Check the cart icon updates after each addition AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED PASSED	0.000 s 0.200 s


## Checkout\_Functionality\_Test\_Cases



## Validate Checkout Button




#	Step / Hook Details	Status	Duration
1	Given Launch the browser and navigate to the correct URL	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s


#	Step / Hook Details	Status	Duration
	image 		
2	Then Verify that the shopping cart option is visible and accessible	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	image 		
3	When Verify that user are able to search for a product and add it to the shopping cart	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image 		
4	Then Verify that the checkout button is enabled	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	image 		
5	When Verify that user are able to Remove all items from the shopping cart	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image 		




#	Step / Hook Details	Status	Duration
			
6	Then Verify that the checkout button is disabled AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s
7	Then Attempt to click the disabled checkout button and verify the displayed error message AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.001 s

## Checkout\_Functionality\_Test\_Cases



Validate Checkout As A Guest Button



#	Step / Hook Details	Status	Duration
1	When Add a product to the shopping cart  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.001 s
2	And Click on the checkout button  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.002 s
3	Then Verify that the checkout page displays the “Checkout as a Guest” option  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.003 s
4	When Select “Checkout as a Guest” and proceed  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.001 s
		PASSED	0.132 s

#	Step / Hook Details	Status	Duration
5	Then Verify that the billing and delivery details fields include first name, last name, email, telephone, address, city, postcode, and country	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	image 		
6	And Verify that at least one delivery method and one payment method is available	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	image 		
7	When Complete the checkout process as a guest	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	image 		
8	Then Verify that the order confirmation page displays the order number, order details, payment details, and delivery details	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	image 		

#	Step / Hook Details	Status	Duration
			