

# Cucumber Report

Mar 10, 2025, 12:29:48 AM

**Start : Mar 10, 12:28:29.099 AM**

**End : Mar 10, 12:29:46.554 AM**

**Duration : 1 m 17.455 s**

Features






PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 3  
SKIPPED - 0

Steps


PASSED - 12  
FAILED - 3  
SKIPPED - 18




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>product_catalog_Test_cases</u>		1 m 17.455 s		3	0	3	0	33	12	3	18

#	Feature Name	Scenario Name
1	<u>product_catalog_Test_cases</u>	06_Validate Access Browse through product catalog
2		06_Validate Access Browse through product catalog
3		06_Validate Access Browse through product catalog

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Tc_06		3	0	3	0	1	0	1	0
@Validate_Browse_through_product_catalog		3	0	3	0	1	0	1	0
@product_catalog		3	0	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<a href="#"><u>product_catalog_Test_cases</u></a>	3	0	3	0	1 m 17.455 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>product_catalog_Test_cases</u>	<u>06_Validate Access Browse through product catalog</u>	11	4	1	6	28.796 s
2		<u>06_Validate Access Browse through product catalog</u>	11	4	1	6	23.824 s
3		<u>06_Validate Access Browse through product catalog</u>	11	4	1	6	24.657 s




## product\_catalog\_Test\_cases



## 06\_Validate Access Browse through product catalog






#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.122 s
		PASSED	0.418 s
2	When The user is on the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.016 s
		PASSED	0.223 s



#	Step / Hook Details	Status	Duration
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.312 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.253 s
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.222 s
5	And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Its the small iPod with one very big idea: video. "  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='column-left']/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d7319b2696b791ce9a484a56b5cafc, findElement {using=xpath, value=//*[@id='column-left']/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59507}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59507/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4d7319b2696b791ce9a484a56b5cafc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	20.268 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:114) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97)       at ?.Each product includes accurate details such as "iPod Nano", "\$122.00", and "Its the small iPod with one very big idea: video. "(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/ 2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.299 s
6	And The catalog is organized with appropriate categories	SKIPPED	0.007 s
7	And The user verifies that filters are available and functional	SKIPPED	0.005 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.005 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.004 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.005 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.004 s

## 06\_Validate Access Browse through product catalog




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.180 s
2	When The user is on the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.027 s
3	And The user clicks on the product catalog option in the static top menu  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.491 s

#	Step / Hook Details	Status	Duration
			
4	And The product catalog displays all available products on the website	PASSED	0.006 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.282 s
5	And Each product includes accurate details such as "MacBook", "\$602.00", and "Intel Core 2 Duo processor"  <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="column-left"]/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d7319b2696b791ce9a484a56b5caffc, findElement {using=xpath, value=//*[@id="column-left"]/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59507}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59507/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4d7319b2696b791ce9a484a56b5caffc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</pre>	FAILED	20.265 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:114) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97) at ?.Each product includes accurate details such as "MacBook", "\$602.00", and "Intel Core 2 Duo processor"(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	image		
			
6	And The catalog is organized with appropriate categories	SKIPPED	0.002 s
7	And The user verifies that filters are available and functional	SKIPPED	0.012 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.002 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.002 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.002 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.001 s

## 06\_Validate Access Browse through product catalog



#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.133 s
2	When The user is on the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.022 s
3	And The user clicks on the product catalog option in the static top menu  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.506 s
4	And The product catalog displays all available products on the website  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.004 s
5	And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket."	FAILED	20.313 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="column-left"]/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d7319b2696b791ce9a484a56b5caffc, findElement {using=xpath, value=//*[@id="column-left"]/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59507}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59507/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4d7319b2696b791ce9a484a56b5caffc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:114) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:97) at ?.Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket."(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.617 s

#	Step / Hook Details	Status	Duration
			
6	And The catalog is organized with appropriate categories	SKIPPED	0.002 s
7	And The user verifies that filters are available and functional	SKIPPED	0.002 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.002 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.002 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.001 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.000 s