

Cucumber Report

Mar 10, 2025, 8:13:03 AM

Start : Mar 10, 8:11:33.141 AM

End : Mar 10, 8:13:02.072 AM

Duration : 1 m 28.931 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 3
SKIPPED - 0

Steps


PASSED - 24
FAILED - 3
SKIPPED - 6




| Feature | | | | Scenario | | | | Step | | | |
|-----------------------------------|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | | Duration | | T | P | F | S | T | P | F | S |
| <u>product_catalog_Test_cases</u> | | 1 m 28.931 s | | 3 | 0 | 3 | 0 | 33 | 24 | 3 | 6 |

| # | Feature Name | Scenario Name |
|---|-----------------------------------|---|
| 1 | <u>product_catalog_Test_cases</u> | 06_Validate Access Browse through product catalog |
| 2 | | 06_Validate Access Browse through product catalog |
| 3 | | 06_Validate Access Browse through product catalog |

| TAG | Scenario | | | | Feature | | | | |
|--|-----------------|----------|----------|----------|----------------|----------|----------|----------|----------|
| | Name | T | P | F | S | T | P | F | S |
| @Tc_06 | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Validate_Browse_through_product_catalog | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |
| @product_catalog | | 3 | 0 | 3 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>product_catalog_Test_cases</u> | 3 | 0 | 3 | 0 | 1 m 28.931 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|--|----|---|---|---|----------|
| 1 | <u>product_catalog_Test_cases</u> | <u>06_Validate Access Browse through product catalog</u> | 11 | 8 | 1 | 2 | 32.791 s |
| 2 | | <u>06_Validate Access Browse through product catalog</u> | 11 | 8 | 1 | 2 | 27.919 s |
| 3 | | <u>06_Validate Access Browse through product catalog</u> | 11 | 8 | 1 | 2 | 28.024 s |





product_catalog_Test_cases







06_Validate Access Browse through product catalog




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.143 s |
| | | PASSED | 0.390 s |
| 2 | When The user is on the homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.016 s |
| | | PASSED | 0.227 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.267 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.284 s |
| | image | | |
| |  | | |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | image | | |
| |  | | |
| 5 | And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Its the small iPod with one very big idea: video." | PASSED | 0.106 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.229 s |
| | image | | |
| |  | | |
| 6 | And The catalog is organized with appropriate categories | PASSED | 1.369 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.443 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | And The user verifies that filters are available and functional | PASSED | 0.213 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.544 s |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 1.081 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.453 s |
| 9 | And Applying a filter displays only the products matching the selected criteria org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a399c19b544f544a907393d82c9a3605, clickElement {id=f-10149783DDA3188AF5C1B2805F05A86F.d.8620FE6B45D6811A72AD322E4ECBDEF6.e.183}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51400/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a399c19b544f544a907393d82c9a3605)] -> xpath: /html/body/div[1]/nav/div[2]/ul/li[1]/div/a] Session ID: a399c19b544f544a907393d82c9a3605 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | FAILED | 20.436 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.Applying_filter_displays_only_the_products_matching_the_selected_criteria(Homepage_Quafox.java:159) at com.pdl.step_definitions.B_ProductCatalog_Steps. applying_a_filter_displays_only_the_products_matching_the_selected_criteria(B_ProductCatalog_Steps.java:123) at ?.Applying a filter displays only the products matching the selected criteria(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:39) * Not displayable characters are replaced by '?'. </pre> | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.411 s |
| | image | | |
| |  | | |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.006 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.002 s |


06_Validate Access Browse through product catalog




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.253 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.399 s |
| | image | | |
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.020 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.301 s |
| | image | | |
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.426 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
| | image | | |
| |  | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And The product catalog displays all available products on the website AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.003 s |
| 5 | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.217 s |
| 6 | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.737 s |
| 7 | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.208 s |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 0.725 s |





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> | PASSED | 0.536 s |
| 9 | <p>And Applying a filter displays only the products matching the selected criteria</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a399c19b544f544a907393d82c9a3605, clickElement {id=f}.</pre> <pre>10149783DDA3188AF5C1B2805F05A86F.d.8EB9F989DB5C022ED53FCDF523BE41B5.e.236] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51400/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a399c19b544f544a907393d82c9a3605)] -> xpath: /html/body/div[1]/nav/div[2]/ul/li[1]/div/a] Session ID: a399c19b544f544a907393d82c9a3605</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)</pre> | FAILED | 20.327 s |





| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre>at com.pdl.pages.Homepage_Quafox.Applying_filter_displays_only_the_products_matching_the_selected_criteria(Homepage_Quafox.java:159) at com.pdl.step_definitions.B_ProductCatalog_Steps.applying_a_filter_displays_only_the_products_matching_the_selected_criteria(B_ProductCatalog_Steps.java:123) at ?.Applying a filter displays only the products matching the selected criteria(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:39) * Not displayable characters are replaced by '?'.</pre> | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.486 s |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.005 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.005 s |

06_Validate Access Browse through product catalog




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to the "<website name>" e-commerce website. | PASSED | 0.167 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.294 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 2 | When The user is on the homepage | PASSED | 0.023 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.264 s |
| | image | | |
| |  | | |
| 3 | And The user clicks on the product catalog option in the static top menu | PASSED | 0.374 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.291 s |
| | image | | |
| |  | | |
| 4 | And The product catalog displays all available products on the website | PASSED | 0.003 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.300 s |
| | image | | |
| |  | | |
| 5 | And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket." | PASSED | 0.222 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.297 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 6 | And The catalog is organized with appropriate categories | PASSED | 0.699 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.419 s |
| |  | | |
| 7 | And The user verifies that filters are available and functional | PASSED | 0.269 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.449 s |
| |  | | |
| 8 | And Clicking on a category displays only the relevant products | PASSED | 0.667 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.463 s |
| |  | | |
| 9 | And Applying a filter displays only the products matching the selected criteria | FAILED | 20.317 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a399c19b544f544a907393d82c9a3605, clickElement {id=f}. | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>10149783DDA3188AF5C1B2805F05A86F.d.FB855CA4598B8714CB2A4B6783AE29A2.e.288]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfuri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51400/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a399c19b544f544a907393d82c9a3605)] -> xpath: /html/body/div[1]/nav/div[2]/ul/li[1]/div/a] Session ID: a399c19b544f544a907393d82c9a3605</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor72.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.Applying_filter_displays_only_the_products_matching_the_selected_criteria(Homepage_Quafox.java:159) at com.pdl.step_definitions.B_ProductCatalog_Steps. applying_a_filter_displays_only_the_products_matching_the_selected_criteria(B_ProductCatalog_Steps.java:123) at ?.Applying a filter displays only the products matching the selected criteria(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:39) * Not displayable characters are replaced by '?'.</p> | | |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.776 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 10 | And The user navigates back and forth between categories, filters, and search results | SKIPPED | 0.000 s |
| 11 | Then The navigation should be smooth without errors or glitches | SKIPPED | 0.001 s |