

# Cucumber Report

Mar 10, 2025, 12:52:58 AM

**Start : Mar 10, 12:52:33.793 AM**

**End : Mar 10, 12:52:53.981 AM**

**Duration : 20.188 s**

Features







PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 3  
SKIPPED - 0

Steps


PASSED - 15  
FAILED - 3  
SKIPPED - 15




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>product_catalog_Test_cases</u>		20.188 s		3	0	3	0	33	15	3	15

#	Feature Name	Scenario Name
1	<u>product_catalog_Test_cases</u>	06_Validate Access Browse through product catalog
2		06_Validate Access Browse through product catalog
3		06_Validate Access Browse through product catalog

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Tc_06		3	0	3	0	1	0	1	0
@Validate_Browse_through_product_catalog		3	0	3	0	1	0	1	0
@product_catalog		3	0	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<a href="#"><u>product_catalog_Test_cases</u></a>	3	0	3	0	20.188 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>product_catalog_Test_cases</u>	<u>06_Validate Access Browse through product catalog</u>	11	5	1	5	10.685 s
2		<u>06_Validate Access Browse through product catalog</u>	11	5	1	5	4.487 s
3		<u>06_Validate Access Browse through product catalog</u>	11	5	1	5	4.870 s





## product\_catalog\_Test\_cases




## 06\_Validate Access Browse through product catalog




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.139 s
		PASSED	0.397 s
2	When The user is on the homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.015 s
		PASSED	0.213 s





#	Step / Hook Details	Status	Duration
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.305 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
			
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
			
5	And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Its the small iPod with one very big idea: video."	PASSED	0.128 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
			
6	And The catalog is organized with appropriate categories	FAILED	1.514 s
	<pre>java.lang.AssertionError: Verify catalog_is_organized_with_appropriate_categories expected [Desktops] but found [Phones &amp; PDAs] at org.testng.Assert.failAssert(Assert.java:111)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Homepage_Quafox.catalog_is_organized_with_appropriate_categories(Homepage_Quafox.java:131) at com.pdl.step_definitions.B_ProductCatalog_Steps.the_catalog_is_organized_with_appropriate_categories(B_ProductCatalog_Steps.java:106)     at ?.The catalog is organized with appropriate categories(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:36) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.453 s
7	And The user verifies that filters are available and functional	SKIPPED	0.009 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.003 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.003 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.005 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.003 s

## 06\_Validate Access Browse through product catalog




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.174 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.267 s
2	When The user is on the homepage	PASSED	0.034 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.279 s
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.450 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.268 s
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.239 s
5	And Each product includes accurate details such as "MacBook", "\$602.00", and "Intel Core 2 Duo processor"	PASSED	0.210 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
6	<p>And The catalog is organized with appropriate categories</p> <pre>java.lang.AssertionError: Verify catalog_is_organized_with_appropriate_categories expected [Desktops] but found [Phones &amp; PDAs] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Homepage_Quafox.catalog_is_organized_with_appropriate_categories(Homepage_Quafox.java:131) at com.pdl.step_definitions.B_ProductCatalog_Steps.the_catalog_is_organized_with_appropriate_categories(B_ProductCatalog_Steps.java:106) at ?.The catalog is organized with appropriate categories(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:36) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.670 s
	<b>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.385 s
7	And The user verifies that filters are available and functional	SKIPPED	0.002 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.002 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.002 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.003 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.002 s

## 06\_Validate Access Browse through product catalog



#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.158 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	image		
2	When The user is on the homepage	PASSED	0.030 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	image		
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.394 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	image		

#	Step / Hook Details	Status	Duration
4	And The product catalog displays all available products on the website  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.003 s
5	And Each product includes accurate details such as "iPod Nano", "\$122.00", and "Video in your pocket."  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.219 s
6	And The catalog is organized with appropriate categories  java.lang.AssertionError: Verify catalog_is_organized_with_appropriate_categories expected [Desktops] but found [Phones & PDAs] at org.testng.Assert.failAssert.java:111) at org.testng.Assert.failNotEqualsAssert.java:1578) at org.testng.Assert.assertEqualsImplAssert.java:150) at org.testng.Assert.assertEqualsAssert.java:132) at org.testng.Assert.assertEqualsAssert.java:656) at com.pdl.pages.Homepage_Quafox.catalog_is_organized_with_appropriate_categories(Homepage_Quafox.java:131) at com.pdl.step_definitions.B_ProductCatalog_Steps.the_catalog_is_organized_with_appropriate_categories(B_ProductCatalog_Steps.java:106) at ?.The catalog is organized with appropriate categories(file:///C:/EAL_iINTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.688 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.464 s

#	Step / Hook Details	Status	Duration
			
7	And The user verifies that filters are available and functional	SKIPPED	0.002 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.003 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.003 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.003 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.003 s