

Cucumber Report

Mar 12, 2025, 1:21:20 PM

Start : Mar 12, 1:21:04.443 PM

End : Mar 12, 1:21:18.497 PM

Duration : 14.054 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 0
SKIPPED - 13




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Search_Functionality_Test_Cases</u> | 14.054 s | 2 | 1 | 1 | 0 | 26 | 13 | 0 | 13 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>Search_Functionality_Test_Cases</u> | <u>Validate Sorting the search results by name, price or rating</u> |

| TAG | Scenario | | | | Feature | | | |
|--|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Validate_ "Sorting_the_search_results_by_name,_price_or_rating" | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Tc_36 | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Search_Functionality | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Search_Functionality_Test_Cases</u> | 2 | 1 | 1 | 0 | 14.054 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|----|----------|
| 1 | <u>Search_Functionality_Test_Cases</u> | <u>Validate Sorting the search results by name, price or rating</u> | 13 | 13 | 0 | 0 | 9.054 s |
| 2 | | <u>Validate Sorting the search results by name, price or rating</u> | 13 | 0 | 0 | 13 | 4.950 s |


Search_Functionality_Test_Cases





| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 14.054 s | Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0 |  | Steps Total - 26 Pass - 13 Fail - 0 Skip - 13 |  |
| / 1:21:04.443 PM // 1:21:18.497 PM / | | | | | |




Validate Sorting the search results by name, price or rating

| | | | | |
|--|---------------------------|--|--|---|
| PASSED | DURATION - 9.054 s |  | Steps Total - 13 Pass - 13 Fail - 0 Skip - 0 |  |
| / 1:21:04.454 PM // 1:21:13.508 PM / | | | | |
| Search_Functionality_Test_Cases | | | | |
| @Validate_"Sorting_the_search_results_by_name,_price_or_rating" @Tc_36 @Search_Functionality | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Perform a search using either keyword or category search to generate a results page | PASSED | 0.006 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.586 s |
| | image  | | |
| 2 | When Locate the "Sort By" drop-down menu on the search results page | PASSED | 0.003 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | image  | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then Verify that the “Sort By” menu is visible | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | image  | | |
| 4 | Then Click the drop-down and check for available sorting options Name (A-Z) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | image  | | |
| 5 | And Click the drop-down and check for available sorting options Name (Z-A) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | image  | | |
| 6 | And Click the drop-down and check for available sorting options Price (Low-High) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | image  | | |
| 7 | And Click the drop-down and check for available sorting options Price (High-Low) | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.157 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And Click the drop-down and check for available sorting options Rating (Highest) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| |  | | |
| 9 | And Select a sorting option Price (Low-High) from the drop-down | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.264 s |
| |  | | |
| 10 | Then Verify that the search results are updated accordingly | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.169 s |
| |  | | |
| 11 | And Confirm that the products are now sorted in ascending order by price | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 12 | And Repeat for other sorting options to ensure each one sorts the results correctly | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | image  | | |
| 13 | And Ensure that during and after sorting, each product listing still displays an image, name, and price | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | image  | | |

Validate Sorting the search results by name, price or rating

| | | | | | | | | |
|---|--|--------------------|--|---|--|---|--|--|
| FAILED | | DURATION - 4.950 s | |  | Steps Total - 13 Pass - 0 Fail - 0 Skip - 13 |  | | |
| / 1:21:13.547 PM // 1:21:18.497 PM / | | | | | | | | |
| Search_Functionality_Test_Cases | | | | | | | | |
| @Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - com.pdl.hooks.Hooks.setUp() | FAILED | 2.385 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium. | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <p>chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\tnazm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63115}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63115/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:124) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)</p> | | |
| 1 | Given Perform a search using either keyword or category search to generate a results page | SKIPPED | 0.003 s |
| 2 | When Locate the “Sort By” drop-down menu on the search results page | SKIPPED | 0.001 s |
| 3 | Then Verify that the “Sort By” menu is visible | SKIPPED | 0.001 s |
| 4 | Then Click the drop-down and check for available sorting options Name (A-Z) | SKIPPED | 0.001 s |
| 5 | And Click the drop-down and check for available sorting options Name (Z-A) | SKIPPED | 0.001 s |
| 6 | And Click the drop-down and check for available sorting options Price (Low-High) | SKIPPED | 0.002 s |
| 7 | And Click the drop-down and check for available sorting options Price (High-Low) | SKIPPED | 0.001 s |
| 8 | And Click the drop-down and check for available sorting options Rating (Highest) | SKIPPED | 0.002 s |
| 9 | And Select a sorting option Price (Low-High) from the drop-down | SKIPPED | 0.004 s |
| 10 | Then Verify that the search results are updated accordingly | SKIPPED | 0.007 s |
| 11 | And Confirm that the products are now sorted in ascending order by price | SKIPPED | 0.001 s |
| 12 | And Repeat for other sorting options to ensure each one sorts the results correctly | SKIPPED | 0.004 s |
| 13 | And Ensure that during and after sorting, each product listing still displays an image, name, and price | SKIPPED | 0.002 s |