

Cucumber Report

Mar 10, 2025, 10:30:22 AM

Start : Mar 10, 10:29:30.226 AM

End : Mar 10, 10:30:20.812 AM

Duration : 50.586 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 6
SKIPPED - 0

Steps


PASSED - 66
FAILED - 6
SKIPPED - 60




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Registration_Mandatory_Field_Test_cases</u>		50.586 s		6	0	6	0	132	66	6	60

#	Feature Name	Scenario Name
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>
2		<u>03_Validate User registers for an account</u>
3		<u>03_Validate User registers for an account</u>
4		<u>03_Validate User registers for an account</u>
5		<u>03_Validate User registers for an account</u>
6		<u>03_Validate User registers for an account</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@Validate_User_registers_for_an_account		6	0	6	0	1	0	1	0
@Registration		6	0	6	0	1	0	1	0
@Tc_03		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	6	0	6	0	50.586 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registration_Mandatory_Field_Test_cases</u>	<u>03_Validate User registers for an account</u>	22	11	1	10	11.817 s
2		<u>03_Validate User registers for an account</u>	22	11	1	10	7.071 s
3		<u>03_Validate User registers for an account</u>	22	11	1	10	7.947 s
4		<u>03_Validate User registers for an account</u>	22	11	1	10	7.933 s
5		<u>03_Validate User registers for an account</u>	22	11	1	10	8.051 s
6		<u>03_Validate User registers for an account</u>	22	11	1	10	7.626 s





Registration_Mandatory_Field_Test_cases










03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.102 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	image		
2	Then I enter an "teamamaqa35@gmail.com" address and verify proper email format validation	PASSED	0.101 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	image		


#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements	PASSED	0.105 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	image		
			
4	And The "teamA1234@" and "teamA1234@" fields match	PASSED	0.371 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image		
			
5	When I insert invalid data inputs	PASSED	0.216 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	image		
			
6	Then The system rejects the invalid inputs	PASSED	0.020 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	image		


#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.315 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.139 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.654 s
10	When I enter the correct "123456" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.012 s
		PASSED	0.191 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.235 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.059 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.194 s
13	Then An error message is displayed	SKIPPED	0.003 s
14	And The OTP expires after a set time	SKIPPED	0.002 s





#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.002 s
20	And The user can log in immediately	SKIPPED	0.002 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s




03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.039 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	image		
			
2	Then I enter an "user2@test.com" address and verify proper email format validation	PASSED	0.180 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	image		


#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.136 s
4	And The "WeakPass" and "WeakPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.520 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.334 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.026 s
			0.183 s
			0.185 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.310 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.151 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.732 s
10	When I enter the correct "123456" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.021 s
		PASSED	0.210 s





#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.187 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.013 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.178 s
13	Then An error message is displayed	SKIPPED	0.002 s
14	And The OTP expires after a set time	SKIPPED	0.001 s





#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.002 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.000 s
19	And A welcome message appears with the user's name	SKIPPED	0.003 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.006 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s




03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.051 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	image		
2	Then I enter an "user3@test.com" address and verify proper email format validation	PASSED	0.162 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	image		


#	Step / Hook Details	Status	Duration
			
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.205 s
4	And The "Strong@123" and "WrongPass" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.647 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.298 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.034 s
		PASSED	0.203 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.349 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.163 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.828 s
10	When I enter the correct "123456" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.013 s
		PASSED	0.172 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.191 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.018 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.202 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s





#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.000 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s




03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.041 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	image		
2	Then I enter an "existing@test.com" address and verify proper email format validation	PASSED	0.180 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	image		


#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.175 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.488 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.468 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.063 s
			0.210 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.498 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.096 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.840 s
10	When I enter the correct "123456" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.015 s
		PASSED	0.197 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.206 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.018 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.175 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.000 s





#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.000 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.000 s
20	And The user can log in immediately	SKIPPED	0.000 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.000 s




03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.054 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	image		
2	Then I enter an "user5@test.com" address and verify proper email format validation	PASSED	0.171 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image		


#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.174 s
4	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.242 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.565 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.203 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.441 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.197 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.223 s


#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.504 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.148 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.818 s
10	When I enter the correct "000000" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.018 s
		PASSED	0.200 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.185 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.010 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.185 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.001 s




#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.001 s
16	Then The OTP is resent successfully	SKIPPED	0.000 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.000 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.002 s




03_Validate User registers for an account



#	Step / Hook Details	Status	Duration
1	Given Navigate to the registration page .	PASSED	0.085 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	image		
			
2	Then I enter an "user6@test.com" address and verify proper email format validation	PASSED	0.091 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	image		

#	Step / Hook Details	Status	Duration
3	And I enter a valid password that adheres to policy requirements AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.182 s
4	And The "Strong@123" and "Strong@123" fields match AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.616 s
5	When I insert invalid data inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.376 s
6	Then The system rejects the invalid inputs AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.020 s

#	Step / Hook Details	Status	Duration
			
7	When I insert a duplicate email address AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.354 s
8	Then The system does not accept duplicate email addresses AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.128 s
9	When I complete the form with valid details AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.729 s
10	When I enter the correct "Expired" AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.015 s
		PASSED	0.197 s

#	Step / Hook Details	Status	Duration
			
11	Then "<Registration status>" is successful	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.188 s
12	When I enter an incorrect OTP java.lang.AssertionError: otp is invalid expected [Invalid otp] but found [Register Account] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.pdl.pages.Registration_Quafox.i_enter_an_incorrect_otp(Registration_Quafox.java:277) at com.pdl.step_definitions_AA_Registration_02_Step_Definition.i_enter_an_incorrect_otp(AA_Registration_02_Step_Definition.java:73) at ?.I enter an incorrect OTP(file:///C:/EAL_INTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/1_REGISTRATION/Registration_Mandatory_Field_02.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.012 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.209 s
13	Then An error message is displayed	SKIPPED	0.001 s
14	And The OTP expires after a set time	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
15	When I request to resend the OTP	SKIPPED	0.002 s
16	Then The OTP is resent successfully	SKIPPED	0.001 s
17	When Registration is successful	SKIPPED	0.001 s
18	Then The user is redirected to the homepage	SKIPPED	0.001 s
19	And A welcome message appears with the user's name	SKIPPED	0.001 s
20	And The user can log in immediately	SKIPPED	0.001 s
21	When Registration is unsuccessful	SKIPPED	0.001 s
22	Then The user is unable to access restricted pages without logging in	SKIPPED	0.001 s