NOTRE DAME UNIVERSITY BANGLADESH

Technical Writing Lab Task-08

Course Code: CSE-3207
Course Title: Technical Writing Presentation
Lab Task Topic: Referencing and Citation in LaTeX

Submitted by:

Name: Istiak Alam
ID: 0692230005101005
Batch: CSE-20

Submission Date: May 14, 2025

Submitted to:

Md. Tahmid Hasan
Lecturer,
Notre Dame University Bangladesh

Question : Add Referencing in LaTeX

1 Code in Texmaker:

```
\documentclass{article}
\usepackage{natbib}
\begin{document}
\citet{Brooks1997Methodology}
show that \ldots. Clearly,
all odd numbers are prime
\citep{Jacobson1999Towards}.
\bibliography{reference}
% if `bib-example' is the name of
% your bib file
\bibliographystyle{plainnat}
% try changing to abbrvnat
\end{document}
```

Combined Code for 4 Tables:

```
Combining 4 tables : \\

\setlength{\extrarowheight}{20pt}
\begin{tabular}{cc}

 \setlength{\extrarowheight}{7pt}
\begin{tabular}{|c|c|c|c|}
\hline
A & \multicolumn{3}{c|}{C} \\
\hline
\multirow{2}{*}{B} & \multirow{2}{*}{D} &
\multirow{2}{*}{E} & F \\
\cline{4-4}
 &  &  & G \\
\hline
\multicolumn{4}{|c|}{H} \\
\hline
\multicolumn{4}{|c|}{I} \\
\hline
\end{tabular}  &

\noindent
\makebox[0pt][l]{
\hspace{-0.9cm}

\setlength{\extrarowheight}{12pt}
\begin{tabular}{|c|c|c|c|}
\hline
\multicolumn{2}{|c|}{P} & \multicolumn{2}{c|}{R} \\
\hline
\multicolumn{2}{|c|}{Q} & \multicolumn{2}{c|}{S} \\
\hline
T & V & X & \multirow{2}{*}{Z}\\
\cline{1-3}
U & W & Y &  \\
\hline
\end{tabular} } \\

\raisebox{2.85cm}{
\makebox[0pt][l]{
\hspace{-1.7cm}

 \setlength{\extrarowheight}{1.5pt}
\begin{tabular}{|c|c|c|c|}
\hline
\multirow{3}{*}{J} & \multirow{3}{*}{K} &
```

```
\multirow{3}{*}{L} & M \\
\cline{4-4}
 &  &  & N \\
\cline{4-4}
 &  &  & O \\
\hline
\end{tabular} } } &

\raisebox{2.2cm}{
\makebox[0pt][l]{
\hspace{-0.82cm}
\begin{tikzpicture}[scale=0.48]
    % Here I use a rectangle border
    \draw[thick] (0,0) rectangle (6,3);


    % Here is a diagonals
    \draw[thick] (0,0) -- (6,3);
    \draw[thick] (0,3) -- (6,0);

    % using node for text
    \node at (3,2.5) {THIS};
    \node at (1,1.5) {IS};
    \node at (5,1.5) {NOT};
    \node at (3,0.5) {EASY};
\end{tikzpicture} } } \\

\end{tabular}
```