



NOTRE DAME UNIVERSITY

BANGLADESH

Computer Networks Project Report

Course Code: CSE-3204

Course Title: Computer Networks Lab

Project Title: Failover Network Using Redundant Paths

Batch : CSE (19+20)

Submitted by:

Sazzad Jelani

ID: 0692220005101003

Nafisa Tabassum

ID: 0692220005101008

Sadia Islam Mim

ID: 0692220005101010

Istiaq Alam (CSE 20)

ID: 0692230005101005

Submission Date: June 8, 2025

Submitted to:

Dr. Fernaz Narin Nur

Adjunct Professor,

Notre Dame University Bangladesh

Abstract

This lab report provides a comprehensive overview of essential computer networking hardware components and configurations encountered in practical networking environments. The main objective of this lab was to familiarize students with various networking tools and equipment such as cable testers, cable tracers, RS-232 cables, fiber optic duplex cables, SFP modules, and to understand the physical and logical aspects of network devices like switches and routers.

Through hands-on activities, we learned how to identify, test, and properly connect network cables using T-568B wiring standards, configure routers for Dynamic NAT and DHCP, and establish effective connections between switches and routers. The report also discusses the conceptual framework of the OSI Model to better understand the layer-wise interaction of network protocols and hardware.

By engaging in these exercises, students developed a strong foundational understanding of how computer networks are physically built and logically managed, which is crucial for further studies and careers in networking and IT infrastructure. The inclusion of real-world scenarios and step-by-step procedures reinforced the theoretical knowledge with practical implementation, bridging the gap between textbook learning and field expertise.

Table of Contents

1	Introduction	1
2	Router Configuration :	2
2.0.1	Router N1	2
2.0.2	Router N2	3
2.0.3	Router N3	3
2.0.4	Router N4	3
3	DHCP Configuration Examples	4
3.0.1	CSE	4
3.0.2	ECE	4
3.0.3	ICT	4
3.0.4	SH	4
3.0.5	AdminT	4
4	Testing	6

Chapter 1

Introduction

The rapid growth of computer networks and internet-based technologies has significantly increased the demand for reliable and high-performance network infrastructure. Understanding the physical hardware components that form the foundation of such networks is essential for any networking professional or student. This lab report provides a comprehensive overview of various fundamental hardware tools and equipment used in networking environments.

In this report, we explore the practical application and functionality of essential devices such as cable tracers, cable testers, RS-232 cables, fiber optic duplex cables, and SFP modules. We also study network components like switches and routers, along with their configurations and interconnections. A key focus is placed on the T-568B Ethernet cabling standard, which defines the proper arrangement of wire pairs in twisted-pair cables for effective network communication.

Additionally, the report covers the Open Systems Interconnection (OSI) model, a conceptual framework that categorizes and standardizes the functions of a communication system into seven distinct layers. Each hardware topic is supported with descriptions and relevant images to aid in practical understanding.

This lab aims to enhance student's hands-on skills in identifying, using, and configuring networking hardware, thereby building a strong foundation for designing and managing robust network systems.

Chapter 2

Router Configuration :

2.0.1 Router N1

```
hostname N1
interface GigabitEthernet0/0
  ip address 172.05.16.1 255.255.255.252
  no shutdown
interface GigabitEthernet0/1
  ip address 172.05.16.5 255.255.255.252
  no shutdown
interface GigabitEthernet0/2
  ip address 172.05.16.9 255.255.255.252
  no shutdown
exit
ip routing
```

2.0.2 Router N2

```
hostname N2
interface GigabitEthernet0/0
  ip address 172.05.16.2 255.255.255.252
  no shutdown
interface GigabitEthernet0/1
  ip address 172.05.16.13 255.255.255.252
  no shutdown
exit
ip routing
```

2.0.3 Router N3

```
hostname N3
interface GigabitEthernet0/0
  ip address 172.05.16.6 255.255.255.252
  no shutdown
interface GigabitEthernet0/1
  ip address 172.05.16.17 255.255.255.252
  no shutdown
interface GigabitEthernet0/2
  ip address 172.05.16.25 255.255.255.252
  no shutdown
exit
ip routing
```

2.0.4 Router N4

```
hostname N4
interface GigabitEthernet0/0
  ip address 172.05.16.10 255.255.255.252
  no shutdown
interface GigabitEthernet0/1
  ip address 172.05.16.21 255.255.255.252
  no shutdown
interface GigabitEthernet0/2
  ip address 172.05.16.29 255.255.255.252
  no shutdown
exit
ip routing
```

Chapter 3

DHCP Configuration Examples

3.0.1 CSE

```
ip dhcp pool CSE
network 172.05.0.0 255.255.248.0
default-router 172.05.0.1
dns-server 8.8.8.8
```

3.0.2 ECE

```
ip dhcp pool ECE
network 172.05.8.0 255.255.252.0
default-router 172.05.8.1
dns-server 8.8.8.8
```

3.0.3 ICT

```
ip dhcp pool ICT
network 172.05.12.0 255.255.254.0
default-router 172.05.12.1
dns-server 8.8.8.8
```

3.0.4 SH

```
ip dhcp pool SH
network 172.05.14.0 255.255.255.0
default-router 172.05.14.1
dns-server 8.8.8.8
```

3.0.5 AdminT

```
ip dhcp pool AdminT
network 172.05.15.0 255.255.255.128
default-router 172.25.15.1
dns-server 8.8.8.8
```


Chapter 4

Testing

In Cisco Packet Tracer, after giving packet on PC0 to Router17 & PC1 to PC3 (etc.) the packet send and receive is successful.