

Nama : Ita Arianti

NIM : 2007987

Prodi : Sistem informasi kelautan

## Jquery

### Latihan jquery :

#### 1. jQuery selectors

jQuery selectors digunakan untuk "menemukan" (atau memilih) elemen HTML berdasarkan nama, id, kelas, tipe, atribut, nilai atribut, dan banyak lagi. Ini didasarkan pada Pemilih CSS yang ada, dan selain itu, ia memiliki beberapa penyeleksi kustom sendiri. Semua pemilih di jQuery dimulai dengan tanda dolar dan tanda kurung: \$().

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

Exercise:

Use the correct selector to hide all odd table rows in a table.

```
$("#tr:odd").hide();
```

Show Answer

Submit Answer >

#### 2. jQuery Events

jQuery Selectors ✓

jQuery Events

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show

jQuery Fade

jQuery Slide

Exercise:

Use the `on()` method to attach a click event handler to all `<p>` elements.

```
$("#p").on(handler, function(){  
    $(this).hide();  
});
```

Show Answer

Submit Answer >

#### 3. jQuery hide and show

Completed 15 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- [Go to jQuery Hide and Show Tutorial](#)
- jQuery Fade
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to toggle between hiding and showing a <p> element.

Correct!

[Next >](#)

[Next Exercise >](#)

## 4. jQuery Fade

Completed 18 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4
- [Go to jQuery Fade Tutorial](#)
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to toggle between fading in and out a <div> element, when clicking on a button.

**Note:** The duration of the effect should be 1000 milliseconds.

```
$("#button").click(function(){
    $("#div").fadeToggle(1000);
});
```

[Show Answer](#)

[Submit Answer >](#)

## 5. jQuery slide

Completed 22 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4
- [Go to jQuery Slide Tutorial](#)
- jQuery Animate

## Exercise:

Use a jQuery method to toggle between sliding up and down a <div> element, when clicking on a button.

```
$("#button").click(function(){
    $("#div").slideToggle();
});
```

[Show Answer](#)

[Submit Answer >](#)

## 6. Jquery animate

jQuery Selectors	✓
jQuery Events	✓
jQuery Hide and Show	✓
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
<a href="#">Go to jQuery Animate Tutorial</a>	

## Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

**Note:** The duration of the effect should be "slow".

```
$("#div").animate({fontSize: '100px'}, "slow");
```

Show Answer

Submit Answer >

## 7. JQuery Stop

jQuery Selectors	✓
jQuery Events	✓
jQuery Hide and Show	✓
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
<a href="#">Go to jQuery Animate Tutorial</a>	

## Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

**Note:** The duration of the effect should be "slow".

```
$("#div").animate({fontSize: '100px'}, "slow");
```

Show Answer

Submit Answer >

## 8. jQuery get

jQuery Stop	✓
jQuery Get	
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
Exercise 4	
<a href="#">Go to jQuery Get Tutorial</a>	
jQuery Set	
jQuery Add	
jQuery Remove	

## Exercise:

Use a jQuery method to return the URL address of a link.

```
$("#a").link("href");
```

Show Answer

Submit Answer >

## 9. jQuery set

jQuery Get	✓
jQuery Set	
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
Exercise 4	
<a href="#">Go to jQuery Set Tutorial</a>	
jQuery Add	
jQuery Remove	
jQuery CSS Classes	
jQuery CSS	

## Exercise:

Use jQuery to change the text of a link to "Demo",  
and change the value of href's attribute value to "www.demo.com".

```
$("#myLink").text("Demo");  
$("#myLink").attr("href", "https://www.demo.com");
```

[Show Answer](#)[Submit Answer >](#)

## 10. jQuery add

Completed 37 of 60 Exercises:	
jQuery Set	✓
jQuery Add	
✓ Exercise 1	
Exercise 2	
<a href="#">Go to jQuery Add Tutorial</a>	
jQuery Remove	
jQuery CSS Classes	
jQuery CSS	
jQuery Dimensions	
jQuery Traversing	

## Exercise:

Use a jQuery method to insert the text "YES!" at the beginning of a <p> element.

```
$("#p").prepend("YES!");
```

[Show Answer](#)[Submit Answer >](#)

## 11. jQuery remove

jQuery Set	✓
jQuery Add	✓
jQuery Remove	
✓ Exercise 1	
✓ Exercise 2	
Exercise 3	
<a href="#">Go to jQuery Remove Tutorial</a>	
jQuery CSS Classes	
jQuery CSS	
jQuery Dimensions	
jQuery Traversing	

## Exercise:

Use a jQuery method to remove all <div> elements with class="test" and class="demo".

```
$("#div").remove(".test, .demo");
```

[Show Answer](#)[Submit Answer >](#)

## 12. jQuery CSS classes

Completed 44 of 60 Exercises:

- jQuery Remove ✓
- jQuery CSS Classes
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4**
- [Go to jQuery CSS Classes Tutorial](#)
- jQuery CSS
- jQuery Dimensions
- jQuery Traversing

## Exercise:

Use a jQuery method to toggle between adding and removing the "important" class from the <p> element on click.

```
$("p").click(function(){
    $(this).toggleClass("important");
});
```

Show Answer

Submit Answer >

## 13. jQuery CSS

Completed 48 of 60 Exercises:

- jQuery Remove ✓
- jQuery CSS Classes ✓
- jQuery CSS
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4**
- [Go to jQuery CSS Tutorial](#)
- jQuery Dimensions
- jQuery Traversing

Use the `css()` method to set the following styles for <p>:

Green background color, white text color, 25 pixels font size and a padding of 15 pixels.

```
$("p").css({
    "background-color": "green",
    "color": "white",
    "font-size": "25px",
    "padding": "15px"
});
```

Show Answer

Submit Answer >

## 14. JQuery dimensions

- jQuery CSS Classes ✓
- jQuery CSS ✓
- jQuery Dimensions
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- Exercise 5**
- [Go to jQuery Dimensions Tutorial](#)
- jQuery Traversing

## Exercise:

Use a jQuery method to get the height of a <div> element, including padding, border and margin.

```
$("div").outerHeight(true)
```

Show Answer

Submit Answer >

## 15. JQuery traversing

Completed 59 of 60 Exercises:

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

Exercise 6

## Exercise:

Use a jQuery method to get the first <div> element in the document.

```
$("#div").first();
```

Show Answer

Submit Answer >