

Proposals Identification





Figure 4.3: Mean Correct Proposal Generation Attempts by Template.



(a) Correct (b) Incorrect (Hard) (c) Incorrect (Medium) (d) Incorrect (Easy)

Figure 4.4: The 4 proposals found for template 00003 iteration 000.

🎯 **Goal**: create positive and negative samples to test the VLMs



Properties:

- 10k attempts per puzzle

- 20 correct proposals per template

- 3 incorrect proposal per correct proposal:

- 1 hard: displacement from 0 to 1 original radius

- 1 medium: displacement from 1 to 2 original radius

- 1 easy: displacement from 2 to 4 original radius

+ new radius between $\frac{1}{2}$ and $\frac{3}{2}$ of the original radius

Proposals Identification





Figure 4.3: Mean Correct Proposal Generation Attempts by Template.

🎯 **Goal**: create positive and negative samples to test the VLMs

⚙️ **Properties**:

- 10k attempts per puzzle
- 20 correct proposals per template
- 3 incorrect proposal per correct proposal:
  - 1 hard: displacement from 0 to 1 original radius
  - 1 medium: displacement from 1 to 2 original radius
  - 1 easy: displacement from 2 to 4 original radius

  + new radius between $\frac{1}{2}$ and $\frac{3}{2}$ of the original radius



(a) Correct (b) Incorrect (Hard) (c) Incorrect (Medium) (d) Incorrect (Easy)

Figure 4.4: The 4 proposals found for template 00003 iteration 000.

Experiments & Results