

Main results

- **Baseline Physical Perception**

- The more advanced models demonstrated basic competence in identifying whether objects are in contact

- **Confidence & Calibration**

- Confidence estimation weakened with increasing puzzle complexity

- **Binary Classification & Biases**

- Strong biases and significant improvement for Claude and GPT-4o with few-shot examples

- **Ranking & Comparative Reasoning**

- All models struggled, and adding examples didn’t improve the performance

- **Interactive Evaluation**

- Very low success rate, with frequent spatial errors (overlapping)

🔑 Takeaway: Current VLMs rely largely on learned correlations and struggle significantly with deep, iterative physical reasoning tasks

Main results

- **Baseline Physical Perception**
  - The more advanced models demonstrated basic competence in identifying whether objects are in contact
- **Confidence & Calibration**
  - Confidence estimation weakened with increasing puzzle complexity
- **Binary Classification & Biases**
  - Strong biases and significant improvement for Claude and GPT-4o with few-shot examples
- **Ranking & Comparative Reasoning**
  - All models struggled, and adding examples didn’t improve the performance
- **Interactive Evaluation**
  - Very low success rate, with frequent spatial errors (overlapping)

🔑 Takeaway: Current VLMs rely largely on learned correlations and struggle significantly with deep, iterative physical reasoning tasks

Future work