






Changes in Ball Proposals Between Consecutive Attempts












Interactive Evaluation Success Rates by Model
Success Rate (%)
100
80
60
40
20
0
5.3%
(4/75)
6.7%
(5/75)
claude-3.5-sonnet
gpt-4o


Interactive Evaluation Status Distribution by Template and Model
Status Distribution for claude-3.5-sonnet
GOAL_REACHED
GOAL_NOT_REACHED
OUTSIDE_BOUNDARIES
OVERLAPPING
00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
Count
0 2 4 6 8 10 12 14
Status Distribution for gpt-4o
GOAL_REACHED
GOAL_NOT_REACHED
OUTSIDE_BOUNDARIES
OVERLAPPING
00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
Count
0 2 4 6 8 10 12 14


Distribution of Statuses by Attempt Number
Status Distribution by Attempt for claude-3.5-sonnet
Count
0
5
10
15
20
3
19
1
19
22
2
13
1
15
Status Distribution by Attempt for gpt-4o
Count
0
5
10
15
20
2
16
22
2
18
18
1
1
13
2
Attempt 1
Attempt 2
Attempt 3
Attempt 4
Attempt 5
Status
GOAL_REACHED
OVERLAPPING
OUTSIDE_BOUNDARIES

Interactive Insertion



Insert the proposal in order to reach the goal.







Try

```
{
    "x": 20,
    "y": 45,
    "radius":
10
}
```




🎯 **Goal:** determine weather the model can ascertain if the target objects are in contact




Properties:

- # samples: 3 samples per template (150 total)
- No few-shot examples




Interactive Insertion




⚙️ **Properties:**

- # samples: 3 samples per template (150 total)
- No few-shot examples

🎯 **Goal:** determine weather the model can ascertain if the target objects are in contact





Conclusions & Future Work