

Use-Case Specification: Choose level

Version 1.1

Revision History

Date	Version	Description	Author
01.11.2017	1.0	Create UC	Team SuperWoman
13.11.2017	1.1	Added Narrative	Team SuperWoman

Table of Contents

1. Use-Case Name	4
1.1 Brief Description	4
1.2 Mockup	4
2. Flow of Events	5
2.1 Basic Flow	6
2.2 Narrative	6
3. Special Requirements	7
4. Preconditions	7
5. Postconditions	7
6. Extension Points	7


Use-Case Specification: Choose level


1. Use-Case Name

1.1 Brief Description

The user can choose a category and a level.


1.2 Mockup





2. Flow of Events

2.1 Basic Flow



2.2 Narrative

```
ChooseLevel_Test ⌵
1 Feature: ChooseLevel
2   As a user
3   I want to choose a category and a level of the choosen category
4
5   Scenario: ChooseLevel successful
6     Given User is on ChooseLevel page
7     When User clicks on a category
8     And Chooses a level which is unlocked
9     Then The level opens
10    And User can play the level
11
12   Scenario: ChooseLevel failed
13     Given User is on ChooseLevel page
14     When User chooses a level which is locked
15     Then User get shown an error message
16     And Should choose a new level
```

3. Special Requirements

4. Preconditions

5. Postconditions

6. Extension Points

n/a