

Bootstrap - Table

```
<table class="table">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-striped">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-bordered">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-hover">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-dark">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-dark table-striped">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-dark table-hover">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table table-borderless">
```

| Firstname | Lastname | Email |
|-----------|----------|------------------|
| John | Doe | john@example.com |
| Mary | Moe | mary@example.com |
| July | Dooley | july@example.com |

Bootstrap - Table

```
<table class="table">


  <tr class="table-primary">
    <td>Primary</td>
    <td>Joe</td>
    <td>joe@example.com</td>
  </tr>
```

| Firstname | Lastname | Email |
|-----------|------------|-------------------|
| Default | Defaultson | def@somemail.com |
| Primary | Joe | joe@example.com |
| Success | Doe | john@example.com |
| Danger | Moe | mary@example.com |
| Info | Dooley | july@example.com |
| Warning | Refs | bo@example.com |
| Active | Activeson | act@example.com |
| Secondary | Secondson | sec@example.com |
| Light | Angie | angie@example.com |
| Dark | Bo | bo@example.com |

Bootstrap – Responsive Table

```
<div class="table-responsive-sm">  
  <table class="table">  
    ...  
  </table>  
</div>
```

| # | Ism | Familiya | Yosh | Shahar | Mamlakat | Jinsi | Misol | Misol | Misol | IV |
|---|------|----------|------|----------|----------|-------|-------|-------|-------|----|
| 1 | Anna | Pitt | 35 | Nyu York | AQSH | Ayol | Ha | Ha | Ha | H |



Bootstrap - Table

| Class | Screen width |
|------------------------------------|--------------|
| <code>.table-responsive-sm</code> | < 576px |
| <code>.table-responsive-md</code> | < 768px |
| <code>.table-responsive-lg</code> | < 992px |
| <code>.table-responsive-xl</code> | < 1200px |
| <code>.table-responsive-xxl</code> | < 1400px |

```
<div class="table-responsive-sm">  
  <table class="table">  
    ...  
  </table>  
</div>
```

Bootstrap - Alerts

```
<div class="alert alert-success">  
  <strong>Success!</strong> This alert  
</div>
```

Success! This alert

Bootstrap - Alerts

```
<div class="alert alert-success">  
  <strong>Success!</strong> You should <a href="#" class="alert-link">read this message</a>.  
</div>
```

Success! You should [read this message.](#)

Bootstrap – Closing Alerts

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"></script>
```

```
<div class="alert alert-success alert-dismissible">
  <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
  <strong>Success!</strong> This alert box could indicate a successful or positive action.
</div>
```

Success! This alert box could indicate a successful or positive action.



Bootstrap – Animated Alerts

.fade va *.show* classlari ogohlantirish xabarini yopayotganda o'chirish effektini qo'shadi:

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"></script>
```

```
<div class="alert alert-success alert-dismissible fade show">
  <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
  <strong>Success!</strong> This alert box could indicate a successful or positive action.
</div>
```

Success! This alert box could indicate a successful or positive action.



Bootstrap - Button

```
<button type="button" class="btn">Basic</button>  
<button type="button" class="btn btn-primary">Primary</button>  
<button type="button" class="btn btn-secondary">Secondary</button>  
<button type="button" class="btn btn-success">Success</button>  
<button type="button" class="btn btn-info">Info</button>  
<button type="button" class="btn btn-warning">Warning</button>  
<button type="button" class="btn btn-danger">Danger</button>  
<button type="button" class="btn btn-dark">Dark</button>  
<button type="button" class="btn btn-light">Light</button>  
<button type="button" class="btn btn-link">Link</button>
```

Basic

Primary

Secondary

Success

Info

Warning

Danger

Dark

Light

[Link](#)

Bootstrap - Button

```
<a href="#" class="btn btn-success">Link Button</a>  
<button type="button" class="btn btn-success">Button</button>  
<input type="button" class="btn btn-success" value="Input Button">  
<input type="submit" class="btn btn-success" value="Submit Button">  
<input type="reset" class="btn btn-success" value="Reset Button">
```

Link Button

Button

Input Button

Submit Button

Reset Button

Bootstrap – button outline

```
<button type="button" class="btn btn-outline-primary">Primary</button>  
<button type="button" class="btn btn-outline-secondary">Secondary</button>  
<button type="button" class="btn btn-outline-success">Success</button>  
<button type="button" class="btn btn-outline-info">Info</button>  
<button type="button" class="btn btn-outline-warning">Warning</button>  
<button type="button" class="btn btn-outline-danger">Danger</button>  
<button type="button" class="btn btn-outline-dark">Dark</button>  
<button type="button" class="btn btn-outline-light text-dark">Light</button>
```

Primary

Secondary

Success

Info

Warning

Danger

Dark

Light

Bootstrap – button size

```
<button type="button" class="btn btn-primary btn-lg">Large</button>  
<button type="button" class="btn btn-primary">Default</button>  
<button type="button" class="btn btn-primary btn-sm">Small</button>
```

Large

Default

Small

Bootstrap – block level button

```
<div class="d-grid">  
  <button type="button" class="btn btn-primary btn-block">Full-Width Button</button>  
</div>
```

Full-Width Button

Bootstrap – active/disabled button

```
<button type="button" class="btn btn-primary active">Active Primary</button>  
<button type="button" class="btn btn-primary" disabled>Disabled Primary</button>  
<a href="#" class="btn btn-primary disabled">Disabled Link</a>
```

Active Primary

Disabled Primary

Bootstrap – spinner buttons

```
<button class="btn btn-primary">  
  <span class="spinner-border spinner-border-sm"></span>  
</button>
```

```
<button class="btn btn-primary">  
  <span class="spinner-border spinner-border-sm"></span>  
  Loading..  
</button>
```

```
<button class="btn btn-primary" disabled>  
  <span class="spinner-border spinner-border-sm"></span>  
  Loading..  
</button>
```

```
<button class="btn btn-primary" disabled>  
  <span class="spinner-grow spinner-grow-sm"></span>  
  Loading..  
</button>
```



Loading..



Loading..




Loading..

Bootstrap – button groups

.btn-group-lg, *.btn-group-lg* o'lchamlari


```
<div class="btn-group btn-group-lg">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
</div>
<hr>
<h3>Default Buttons:</h3>
<div class="btn-group">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
</div>
<hr>
<h3>Small Buttons:</h3>
<div class="btn-group btn-group-sm">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
</div>
...
```

Large Buttons:

A horizontal button group with three blue buttons labeled 'Apple', 'Samsung', and 'Sony'. The buttons are large and have rounded corners.


Apple Samsung Sony

Default Buttons:

A horizontal button group with three blue buttons labeled 'Apple', 'Samsung', and 'Sony'. The buttons are of default size and have rounded corners.

Apple Samsung Sony


Small Buttons:

A horizontal button group with three blue buttons labeled 'Apple', 'Samsung', and 'Sony'. The buttons are small and have rounded corners.

Apple Samsung Sony


Bootstrap – vertical button groups

```
<div class="btn-group-vertical">  
  <button type="button" class="btn btn-primary">Apple</button>  
  <button type="button" class="btn btn-primary">Samsung</button>  
  <button type="button" class="btn btn-primary">Sony</button>  
</div>
```



Bootstrap – Dropdown menu

```
<div class="btn-group">
  <button type="button" class="btn btn-primary dropdown-toggle" data-bs-toggle="dropdown">Sony</button>
  <ul class="dropdown-menu">
    <li><a class="dropdown-item" href="#">Tablet</a></li>
    <li><a class="dropdown-item" href="#">Smartphone</a></li>
  </ul>
</div>
```




Bootstrap – Progress bar

```
<div class="progress">  
  <div class="progress-bar" style="width:70%">70%</div>  
</div>
```



Bootstrap – animated Progress Bar

```
<div class="progress">  
  <div class="progress-bar progress-bar-striped progress-bar-animated" style="width:40%"></div>  
</div>
```



Bootstrap - Spinners

```
<div class="spinner-border"></div>
```



```
<div class="spinner-border text-muted"></div>  
<div class="spinner-border text-primary"></div>  
<div class="spinner-border text-success"></div>  
<div class="spinner-border text-info"></div>  
<div class="spinner-border text-warning"></div>  
<div class="spinner-border text-danger"></div>  
<div class="spinner-border text-secondary"></div>  
<div class="spinner-border text-dark"></div>  
<div class="spinner-border text-light"></div>
```



Bootstrap – Growing Spinner


```
<div class="spinner-grow text-muted"></div>  
<div class="spinner-grow text-primary"></div>  
<div class="spinner-grow text-success"></div>  
<div class="spinner-grow text-info"></div>  
<div class="spinner-grow text-warning"></div>  
<div class="spinner-grow text-danger"></div>  
<div class="spinner-grow text-secondary"></div>  
<div class="spinner-grow text-dark"></div>  
<div class="spinner-grow text-light"></div>
```



Bootstrap - collapse

```
<button type="button"
        class="btn btn-primary"
        data-bs-toggle="collapse"
        data-bs-target="#demo">Simple collapsible</button>
```

```
<div id="demo" class="collapse">
  Lorem ipsum dolor sit amet...
</div>
```



Bootstrap - Accordion

```
<div id="accordion">

  <div class="card">
    <div class="card-header">
      <a class="btn" data-bs-toggle="collapse" href="#collapseOne">
        Collapsible Group Item #1
      </a>
    </div>
    <div id="collapseOne" class="collapse show" data-bs-parent="#accordion">
      <div class="card-body">
        Lorem ipsum..
      </div>
    </div>
  </div>

  <div class="card">
    <div class="card-header">
      <a class="collapsed btn" data-bs-toggle="collapse" href="#collapseTwo">
        Collapsible Group Item #2
      </a>
    </div>
    <div id="collapseTwo" class="collapse" data-bs-parent="#accordion">
      <div class="card-body">
        Lorem ipsum..
      </div>
    </div>
  </div>

  <div class="card">
    <div class="card-header">
      <a class="collapsed btn" data-bs-toggle="collapse" href="#collapseThree">
        Collapsible Group Item #3
      </a>
    </div>
    <div id="collapseThree" class="collapse" data-bs-parent="#accordion">
      <div class="card-body">
        Lorem ipsum..
      </div>
    </div>
  </div>

</div>
```

Collapsible Group Item #1

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Collapsible Group Item #2

Collapsible Group Item #3

Bootstrap - Navs

Nav Menus

[Link](#) [Link](#) [Link](#) Disabled

```
<ul class="nav">
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link disabled" href="#">Disabled</a>
  </li>
</ul>
```

Bootstrap - Navs

Aligned Nav

[Link](#) [Link](#) [Link](#) [Disabled](#)

[Link](#) [Link](#) [Link](#) [Disabled](#)

```
<!-- Centered nav -->
```

```
<ul class="nav justify-content-center">
```

```
<!-- Right-aligned nav -->
```

```
<ul class="nav justify-content-end">
```

Bootstrap - Navs

Vertical Nav

Link

Link

Link

Disabled

```
<ul class="nav flex-column">
```

Bootstrap - Navs

Tabs



```
<ul class="nav nav-tabs">
  <li class="nav-item">
    <a class="nav-link active" href="#">Active</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link disabled" href="#">Disabled</a>
  </li>
</ul>
```

Bootstrap - Navs

Pills

Active

Link

Link

Disabled

```
<ul class="nav nav-pills">
  <li class="nav-item">
    <a class="nav-link active" href="#">Active</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link disabled" href="#">Disabled</a>
  </li>
</ul>
```

Bootstrap - Navs

Justified Tabs/pills

Justify the tabs/pills with the `.nav-justified` class (equal width):

Active

Link

Link

Disabled

Active

Link

Link

Disabled

```
<ul class="nav nav-pills nav-justified">..  
</ul>
```

```
<ul class="nav nav-tabs nav-justified">..  
</ul>
```

Bootstrap - Navs

Toggleable / Dynamic Tabs

Home

Menu 1

Menu 2

Menu 1

Ut enim ad minim veniam, quis nostrud e
commodo consequat.

```
<!-- Nav tabs -->
<ul class="nav nav-tabs">
  <li class="nav-item">
    <a class="nav-link active" data-bs-toggle="tab" href="#home">Home</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" data-bs-toggle="tab" href="#menu1">Menu 1</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" data-bs-toggle="tab" href="#menu2">Menu 2</a>
  </li>
</ul>

<!-- Tab panes -->
<div class="tab-content">
  <div class="tab-pane container active" id="home">...</div>
  <div class="tab-pane container fade" id="menu1">...</div>
  <div class="tab-pane container fade" id="menu2">...</div>
</div>
```


Bootstrap - Navbar

Link 1 Link 2 Link 3

Link 1

Link 2

Link 3

expand-xxl|xl|lg|md|sm

```
<nav class="navbar navbar-expand-sm bg-light">

  <div class="container-fluid">
    <!-- Links -->
    <ul class="navbar-nav">
      <li class="nav-item">
        <a class="nav-link" href="#">Link 1</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link 2</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Link 3</a>
      </li>
    </ul>
  </div>



</nav>
```

Bootstrap - Navbar



```
<nav class="navbar navbar-expand-sm bg-dark navbar-dark">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
  </div>
</nav>
```

Bootstrap - Navbar



Bootstrap - Navbar

```
<nav class="navbar navbar-expand-sm bg-dark navbar-dark">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">Logo</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#collapsibleNavbar">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Link</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
```

Bootstrap - Navbar

```
<nav class="navbar navbar-expand-sm bg-dark navbar-dark fixed-top">  
  ...  
</nav>
```

```
<nav class="navbar navbar-expand-sm bg-dark navbar-dark fixed-bottom">  
  ...  
</nav>
```

```
<nav class="navbar navbar-expand-sm bg-dark navbar-dark sticky-top">  
  ...  
</nav>
```

Bootstrap – Carousel



```
<!-- Carousel -->
<div id="demo" class="carousel slide" data-bs-ride="carousel">

  <!-- Indicators/dots -->
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#demo" data-bs-slide-to="0" class="active"></button>
    <button type="button" data-bs-target="#demo" data-bs-slide-to="1"></button>
    <button type="button" data-bs-target="#demo" data-bs-slide-to="2"></button>
  </div>

  <!-- The slideshow/carousel -->
  <div class="carousel-inner">
    <div class="carousel-item active">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
  </div>

  <!-- Left and right controls/icons -->
  <button class="carousel-control-prev" type="button" data-bs-target="#demo" data-bs-
slide="prev">
    <span class="carousel-control-prev-icon"></span>
  </button>
  <button class="carousel-control-next" type="button" data-bs-target="#demo" data-bs-
slide="next">
    <span class="carousel-control-next-icon"></span>
  </button>
</div>
```

Bootstrap - Carousel

`.carousel` – karusel hosil qiladi.

`.carousel-indicators` – Karusel uchun ko'rsatkichlarni qo'shadi. Bular har bir slaydning pastki qismidagi kichik nuqtalardir (bu karuselda nechta slayd borligini va foydalanuvchi hozirda qaysi slaydni ko'rayotganini ko'rsatadi)

`.carousel-inner` – Karuselga slaydlar qo'shadi

`.carousel-item` – Har bir slaydning mazmunini belgilaydi

`.carousel-control-prev` – Karuselga chap (oldingi) tugmani qo'shadi, bu foydalanuvchiga slaydlar orasiga qaytish imkonini beradi.

`. carousel-control-next` – Karuselga o'ng (keyingi) tugmani qo'shadi, bu foydalanuvchiga slaydlar orasida oldinga o'tish imkonini beradi.

`. carousel-control-prev-icon` – `.carousel-control-prev` bilan birgalikda "oldingi" tugmani yaratish uchun ishlatiladi

`. carousel-control-next-icon` – `.carousel-control-prev` bilan birgalikda "kiyingi" tugmani yaratish uchun ishlatiladi

Bootstrap - Carousel

```
<div class="carousel-item">
  
  <div class="carousel-caption">
    <h3>Los Angeles</h3>
    <p>We had such a great time in LA!</p>
  </div>
</div>
```

Slayd o'tish vaqti: *data-bs-interval*="10000"

Sensor yordamida o'tkazishga ruxsat berish:

data-bs-touch="true" | false

Bootstrap - Modal

```
<!-- Button to Open the Modal -->
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#myModal">
  Open modal
</button>

<!-- The Modal -->
<div class="modal" id="myModal">
  <div class="modal-dialog">
    <div class="modal-content">

      <!-- Modal Header -->
      <div class="modal-header">
        <h4 class="modal-title">Modal Heading</h4>
        <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
      </div>

      <!-- Modal body -->
      <div class="modal-body">
        Modal body..
      </div>

      <!-- Modal footer -->
      <div class="modal-footer">
        <button type="button" class="btn btn-danger" data-bs-dismiss="modal">Close</button>
      </div>

    </div>
  </div>
</div>
```

Bootstrap – add animation

```
<!-- Fading modal -->  
<div class="modal fade"></div>
```

Bootstrap – Modal size

```
<div class="modal-dialog modal-sm">
```

```
<div class="modal-dialog modal-lg">
```

```
<div class="modal-dialog modal-xl">
```

Bootstrap – Fullscreen Modal

```
<div class="modal-dialog modal-fullscreen">
```

| Class | Description |
|-----------------------------------------|-------------------------|
| <code>.modal-fullscreen-sm-down</code> | Fullscreen below 576px |
| <code>.modal-fullscreen-md-down</code> | Fullscreen below 768px |
| <code>.modal-fullscreen-lg-down</code> | Fullscreen below 992px |
| <code>.modal-fullscreen-xl-down</code> | Fullscreen below 1200px |
| <code>.modal-fullscreen-xxl-down</code> | Fullscreen below 1400px |
| | |


Bootstrap - Modal

```
<div class="modal-dialog">
```

```
<div class="modal-dialog modal-dialog-scrollable">
```

Bootstrap - Forms

```
<form action="#">
  <div class="mb-3 mt-3">
    <label for="email">Email:</label>
    <input type="email" class="form-control" id="email" placeholder="Enter email" name="email">
  </div>
  <div class="mb-3">
    <label for="pwd">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter password" name="pswd">
  </div>
  <div class="form-check mb-3">
    <label class="form-check-label">
      <input class="form-check-input" type="checkbox" name="remember"> Remember me
    </label>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```



Email:

Password:

☐ Remember me

Submit

Bootstrap - Forms

Copy

```
<form action="/action_page.php">
  <div class="mb-3 mt-3">
    <label for="email" class="form-label">Email:</label>
    <input type="email" class="form-control" id="email" placeholder="Enter email" name="email">
  </div>
  <div class="mb-3">
    <label for="pwd" class="form-label">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter password" name="pswd">
  </div>
  <div class="form-check mb-3">
    <label class="form-check-label">
      <input class="form-check-input" type="checkbox" name="remember"> Remember me
    </label>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```

Bootstrap - Forms

```
<label for="comment">Comments:</label>  
<textarea class="form-control" rows="5" id="comment" name="text"></textarea>
```

Comments:

Bootstrap – Inline Forms


```
<form>
  <div class="row">
    <div class="col">
      <input type="text" class="form-control" placeholder="Enter email" name="email">
    </div>
    <div class="col">
      <input type="password" class="form-control" placeholder="Enter password" name="pswd">
    </div>
  </div>
</form>
```

Enter email

Enter password

Bootstrap - Forms

```
<select class="form-select">
  <option>1</option>
  <option>2</option>
  <option>3</option>
  <option>4</option>
</select>
```




A Bootstrap form-select dropdown menu. The menu is open, showing a list of options: 1, 2, 3, and 4. The first option, '1', is highlighted with a blue background. The dropdown is styled with a light blue border and a white background. A small downward arrow is visible in the top right corner of the dropdown box.

Bootstrap - Forms

```
<form>
  <div class="input-group">
    <span class="input-group-text">@</span>
    <input type="text" class="form-control" placeholder="Username">
  </div>

  <div class="input-group">
    <input type="text" class="form-control" placeholder="Your Email">
    <span class="input-group-text">@example.com</span>
  </div>
</form>
```



@ Username

Your Email @example.com

Bootstrap - Forms


```
<div class="input-group mb-3">  
  <button class="btn btn-outline-primary" type="button">Basic Button</button>  
  <input type="text" class="form-control" placeholder="Some text">  
</div>
```

Basic Button

Some text

Bootstrap – Forms Floating Labels

```
<div class="form-floating mt-3 mb-3">  
  <input type="text" class="form-control" id="pwd" placeholder="Enter password" name="pswd">  
  <label for="pwd">Password</label>  
</div>
```



Password

Bootstrap – Form validation

```
<form action="/action_page.php" class="was-validated">
  <div class="mb-3 mt-3">
    <label for="uname" class="form-label">Username:</label>
    <input type="text" class="form-control" id="uname" placeholder="Enter username" name="uname"
required>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Please fill out this field.</div>
  </div>
  <div class="mb-3">
    <label for="pwd" class="form-label">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter password" name="pswd"
required>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Please fill out this field.</div>
  </div>
  <div class="form-check mb-3">
    <input class="form-check-input" type="checkbox" id="myCheck" name="remember" required>
    <label class="form-check-label" for="myCheck">I agree on blabla.</label>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Check this checkbox to continue.</div>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```

Bootstrap – Form validation

```
<form action="#" class="was-validated">
  <div class="mb-3 mt-3">
    <label for="uname" class="form-label">Username:</label>
    <input type="text" class="form-control" id="uname" placeholder="Enter
username" name="uname" required>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Please fill out this field.</div>
  </div>
  <div class="mb-3">
    <label for="pwd" class="form-label">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter
password" name="pswd" required>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Please fill out this field.</div>
  </div>
  <div class="form-check mb-3">
    <input class="form-check-input" type="checkbox" id="myCheck" name="remember" required>
    <label class="form-check-label" for="myCheck">I agree on blabla.</label>
    <div class="valid-feedback">Valid.</div>
    <div class="invalid-feedback">Check this checkbox to continue.</div>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```