Invigilator's Signature and Date

Set-1

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

Roll No.	
Registration No.	
Name	
Date of Exam	

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-A

(Answer All Questions)

Time: 30 Minutes **Full Marks = 2 × 7 = 14 Marks**

Question No	Question	Write the correct option here.
Q.No:1	Two html pages named as Page1.html and Page2.html are kept in d:\kiit directory. Page1.html contains a hyperlink ABC that links to a named link 123 in Page2.html. Which are true for html code in Page1? I. <a href="d\html\Page2.html ?#123">ABC</a> II. <a href="d\html\Page2.html#123">ABC</a> III. <a href=".\Page2.html ?#123">ABC</a> IV. <a href=".\Page2.html #123">ABC</a> (A) I only (B) III only (C) Both II and IV (D) Both 1 and III	

Q.No:2	Predict the output of the program?
	class A {
	static void f1(){System.out.print("a"); }}
	class B extends A {
	static void f1(){System.out.print("b"); }
	public static void main(String x[]){
	A [] z={new A(), new B(), new A()};
	for(int i=0;i<z.length;i++) {
	z[i].f1(); }
	B.f1();
	} }
	(A) abab
	(B) aaab
	(C) aaaa
	(D) compilation fails	

Q.No:3	Predict the output of the program?
	class Rocket {
	private void blast(){
	System.out.println("bang"); }
	}
	class Shuttele extends Rocket {
	private void blast(){
	System.out.println("sh-bang"); }
	
	public static void main(String x[]){
	new Shuttle().go();
	}
	void go(){
	blast();
	// Rocket.blast(); // line A
	} }
	
	(A) As the code stands, the output is bang
	(B) As the coe stands, compilation fails.
	(C) If line A is uncommented, the output is sh-bang.
	(D) If line A is uncommented, compilation fails.	

Q.No:4	Which of the following are true about inheritance in Java? 1) Private methods are final. 2) Protected members are accessible within a package and inherited classes outside the package. 3) Protected methods are final. 4) We cannot override private methods. (A) only 1 and 2 (B) 1,2 and 4 (C) 1, 2 and 3 (D) All of the above	

Q.No:5	Predict the output of the program
	class A{
	A(int x) {System.out.print("1");}
	A( ) {System.out.print("2");}
	static { System.out.print("3");}
	{ System.out.print("4");}
	{System.out.print("5");}
	static { System.out.print("6");}
	public static void main(String z[]){
	new A( );
	new A(10);
	}}
	
	(A)364521
	(B) (B)23456145
	(C) 36452451
	(D)(D) 213456	

Q.No:6	class Demo{
	public static void main(String x[]){
	String s1="kiit";
	String s2= new String("kiit");
	System.out.print(s1==s2);
	String s3="kiit";
	String s4= "kiit";
	System.out.print(" "+s3==s4);
	String s5 =new String("kiit");
	String s6= new String("kiit");
	System.out.print(" "+s5==s6); }}
	
	(A) false true false
	(B) false false false
	(C) false true true
	(D) false false true	

Q.No:7	Choose the correct statements about the user defined applet. 1. User defined applet is a subclass of Panel. 2. User defined applet is a subclass of Window. 3. init() and destroy() methods are called once. 4. start() and stop() methods are called several times. 5. paint() method is defined in Applet class (A) only 2,3,4, 5 are correct. (B) Only 1,3,4,5 are correct. (C) Only 1,3,4 are correct. (D) All are correct.	

****

Invigilator's Signature and Date

Set-1

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-B

(Answer Any Three Questions.)

Time: 1 Hour and 30 Minutes **Full Marks = 12 × 3 = 36 Marks**

Q.No:8 (a) Design a Bus ticket reservation form using HTML in tabular format as given below and on submission of the form it should display a pop up message with "registration Success" should be displayed. The form includes following fields.

Attributes	Type of Attribute
Name	Text Box
Gender	Radio Buttons (male, Female)
Age	Check Box(Below 5, 5-30, 30-60, 60-80)
Address	Text Box with 3 rows and 4 columns
Any ID proof	Radio Buttons(Voter card, Aadhar, Driving licence)
Date of Journey	Select option (three separate option for Date , Month and Year)
Mode of payment	Radio Button
Feedback (Comments)	Text Area with 3 rows and 4 columns
Submit	Button

(b) Write a program in html to design web page using following CSS properties.

1) background color of the page is yellow
2) Heading[Cascading Style Sheet] with black color and assign to the middle of the page
3) A paragraph background color with hex values
4) Display a double border for a paragraph with orange and cyan color

Q.No:9 (a) In HTML, differentiate between relative and In-text hyperlinks with example. Secondly, in java State two reasons with example programs when method overriding does not work with exception handling.

(b) Write a Program in Java to create a class Postpaid_Bill to generate Postpaid mobile bill with the given data members Mobile_number, customer_Id, bill_date, monthly_transactions[5] and member functions get_PostPaidbill()→to input all the details of given data members of the class.

getTotalAmount()→this method iterates through monthlyTransactions[5] and returns the total amount.

public String validateData() throws InputValidationException--this function is used to validate the given input data like Mobile_number should be of 10 digits, customer_id with 6 digit number should not be in alphanumeric format, bill date should be in dd-mm--yyyy format.

Q.No:10 (a) In HTML, Write down three ways to specify the background colour of an web page. Secondly, Write a program in java to display the following outputs applied on the string "Sun rises in the east" using stringbuffer class functions

Output 1)east the in rises Sun
Output 2)nuS sesir ni eth tsae
Output 3)tsae eth ni sesir nuS

(b) Define a class called Fuel_Manager that will be used to check the amount of fuel that is left in car after travelling a certain distance.The class have instance variables fuel_Capacity, fuel_in_tank, and efficiency. Include methods get_initial()-to store initial values of instance variables, add_fuel()-that calculates how much fuel can be filled depending upon the fuel already in the tank and the capacity of the tank, drive_distance() that returns how much distance can be travelled with the fuel available in the tank with the efficiency provided. Test the Fuel_Manager class though the object of the class.

Q.No:11 (a) Write a program in java to read a string "KIIT University#1" from a file "KIIT.txt" and perform the following operations and rewrite the string in the same file.

A. convert upper case letters to lower case and vice versa
B. Convert vowels into '@' symbols
C. Remove the number and '#' character.

(b) In HTML, differentiate between internal and external style sheets with examples. Secondly, Write a program in java for a Company Mind_Tree which have two types of employees- Software and Hardware each have unique employee ID. But only the Software employees get bonus on the eve of Foundation day. Given an interface with three methods as earning(), deduction() and bonus(). write a class for Hardware_Employee using class Software_Employee and the above interface to calculate the total earning of each Software employee for the user entered basic salary amount.Along with the above details find HRA(10% basic), DA(80% of basic) and TA(5% of basic) and gross Salary of both software and hardware employees.

****

Invigilator's Signature and Date

Set-2

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

Roll No.	
Registration No.	
Name	
Date of Exam	

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-A

(Answer All Questions)

Time: 30 Minutes **Full Marks = 2 × 7 = 14 Marks**

Question No	Question	Write the correct option here.
Q.No:1	The browser window is divided into 40% and 60% row wise and the 60% window is divided into equal halves column wise. Which statements are true for the said division using two <frameset>? I. <frameset rows="2*,3*"> <frameset cols="50%,*"> II. <frameset rows="40%,*"> <frameset cols="1*,1*> III. <frameset rows="4*,6*"> <frameset cols="2*,2*"> (A) Both I and II only (B) Both II and III only (C) Both I and III only (D) All	

Q.No:2	Predict the output of the program?
	class A {
	private final void f1(){System.out.print("a");}
	}
	class B extends A {
	private final void f1(){System.out.print("b");}
	public static void main(String x[]){
	new B().f1();
	} }
	
	(A) compilation fails
	(B) a
	(C) b
	(D) ab	

Q.No:3	Predict the output of the program?
	interface A{
	void f1(); }
	abstract class B{
	void f2(){System.out.print ("b");}}
	public class C extends B implements A {
	void f1(){System.out.print ("c");}
	public static void main(String x[]){
	new C( ).f1();
	new C( ).f2();
	}}
	
	(A) The class C will not compile.
	(B) The interface A will not compile.
	(C) Output will be bc.
	(D) The class B will not compile	

Q.No:4	Which of the following are true about constructors in java? 1. Constructor name should be same as class name. 2. If you don't define a constructor, a default constructor is provided automatically. 3. The default constructor provided automatically , calls super(). 4. this keyword can't be used inside a constructor. (A) 1,2 and 3 are correct (B) 2,3 and 4 are correct (C) 1,3 and 4 are correct (D) All options are correct	

Q.No:5	Predict the output of the program
	class A {
	static {
	System.out.print("C"); } }
	class B extends A {
	static {
	System.out.print("B");}}
	class C extends B{
	static {
	System.out.print("A");}}
	class Demo{
	public static void main(String x[]){
	C c= new C(); }
	}
	
	(A) ABC
	(B) A
	(C) CBA
	(D) Compilation error	

Q.No:6	Predict the output of the program
	class A {
	A(){System.out.println("B");
	} }
	class B extends A{
	B(){
	System.out.println("A");
	super();
	System.out.println("A");}
	public static void main(String x[]){
	B b= new B(); }
	
	}
	
	(A) BABA
	(B) BAA
	(C) ABA
	(D) Compilation fails	

Q.No:7	Choose the correct statements about the user defined applet. 1. Applets are embedded in another application. 2. The User defined applet is a java class that extends java.applet.Applet. 3. Applets are designed to be embedded within an HTML page. 4. An applet class will not be instantiated in main(). (A) only 1,2 and 3 are correct (B) only 1,3 and 4 are correct (C) only 1 and 2 are correct (D) All of the options are correct	

****

Invigilator's Signature and Date

Set-2

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-B

(Answer Any Three Questions.)

Time: 1 Hour and 30 Minutes **Full Marks = 12 × 3 = 36 Marks**

Q.No:8 (a) Design the following facebook registration form with the following fields.

Name -textbox
Email-email
Password -password
DOB -combo box(day,month,year)
Gender-radio button
Mobile- Number
Hobbies- checkbox(any 2)
Address -textbox with 4 rows and columns
Submit -Button

On clicking the submit button a pop up message should be displayed with "your facebook account has been successfully created".

(b) Design an web page with yellow background color and with following CSS properties.

1)Heading with center aligned.
2) A paragraph with blue text color and green background color.
3)A paragraph with red border and margin.
4)A paragraph background with rgb values.

Q.No:9 a) In HTML, write down three ways to specify the dimensions of frames with example. Secondly, in java How multiple inheritance is implemented in java? Explain with suitable example.

b)Write a Program in Java to create a class CreditCard_Bill to generate credit card bill with the given data members Creditcard_number, customer_Id, bill_date, customer_name, monthly_transactions[5] and member functions get_CreditCard_details()→to input all the details of given data members of the class, getTotalAmount()→this method iterates through credit and debit transactions of monthlyTransactions[5] and returns the total amount, public String validateData() throws InvalidCreditCardException--this function is used to validate the given input data like CreditCard_number should be of 16 digits, customer_name should not have any digits, bill date should be in mm-dd--yyyy format.

Q.No:10 a) In HTML, differentiate between three types of lists with example. Secondly, in java Is method overriding possible by changing return types of the method in java? How access specifies plays important role in packages?

b) Write a program in java to create a class Queue having data members- an array of 10 strings. It contains member functions Enqueue()- adding an element in the queue if there is space in the queue. Dequeue()- Removing elements from a queue if there are any elements in the queue

Display()-to display all elements in the array.Make sure your queue class work like First In First out principle.

Q.No:11 (a) In HTML, explain the syntax of <meta>,<img>,
 and <hr> tags with example. Secondly, in java Why do we declare main() method as public and static in java. Can't we use main()method without static keyword. Can we overload method method explain each with an example.

(b) Implement a package Arithmetic_progression which contains a class Arithmetic_PG having data member first term (a), common difference (d) and a integer n (for number of terms of the Arithmetic Progression series and member functions to calculate sum of arithmetic progression series. Create another package with class name Geometric_progression with class name Geometric_GP with first term (a), common ratio (r) and a integer n (for number of terms of the Geometric Progression series) and member functions to find the sum of series of geometric progression. Now import both the packages in a package called FIND_DIFFERENCE to find the difference of arithmetic series and geometric series with appropriate classes and functions.[Arithmetic Progression→ n/2[2a+(n-1)*d] geometric progression→$a(r^n-1)/(r-1)$]

****

Invigilator's Signature and Date

Set-3

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

Roll No.	
Registration No.	
Name	
Date of Exam	

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-A

(Answer All Questions)

Time: 30 Minutes **Full Marks = 2 × 7 = 14 Marks**

Question No	Question	Write the correct option here.
Q.No:1	Which of the following are action tag attributes? a) accept-charset.action.url.method.name b) Acccept-charset.action.method.enctype c) name. novalidate.rel.target.accept-charset d) action.url.get.action.method.enctype A) a.b and c B) only b and c C) a, c and d D) all	

Q.No:2	Predict the output of the program?
	class A {
	static String sing(){
	return "ha":}
	}
	class B extends A {
	static String sing(){
	return "la":}
	public static void main(String x[]){
	B b=new B();
	A c=new B();
	System.out.println(b.sing() + c.sing());
	} }
	A) lala
	B) laha
	C) hala
	D) compilation fails	

Q.No:3	Predict the output of the program?
	class A {
	static int x=7;
	public static void main(String z[]){
	new A().go(x);
	System.out.print(" "+x);
	}
	void go(int x){
	x++;
	for(int x=3; x<6; x++) ;
	System.out.print(" "+x);
	}}
	A) 5 7
	B) 5 8
	C) 8 7
	D) Compilation fails	

Q.No:4	Which of the following are true about constructors in java? 1. Constructor name should be same as class name. 2. If you don't define a constructor, a default constructor is provided automatically. 3. The default constructor provided automatically , calls super(). 4. this keyword can't be used inside a constructor. A) 1,2 and 3 are correct B) 2,3 and 4 are correct C) 1,3 and 4 are correct D) All options are correct	

Q.No:5	Predict the output of the program
	class A{
	static int x=0;
	A(){
	x=x+1;
	}
	public static void main(String z[]){
	new A( );
	A z=new A();
	System.out.println (A.count+" "+z.count +" "+count);
	}}
	A) Compilation error
	B) 2 2 2
	C) 2 1 2
	D) 2 1 1	

Q.No:6	Predict the output of the program
	class A {
	public static void main(String x[]){
	String s1="abc";
	String s2=s1;
	s1=s1+"d";
	System.out.print(s1==s2);
	StringBuffere s3=new StringBuffer("abc")
	StringBuffere s4=s3;
	s3.append("d");
	System.out.println(" "+s3==s4);
	}}
	A) true true
	B) false true
	C) true false
	D) false false	

Q.No:7	Choose the correct statements about the user defined applet. 1. init().start().stop().destroy() and paint() are defined in Applet class. 2. Out of init().start().stop().destroy() and paint() methods. paint() is not defined in Applet class. 3. Applet class is in java.awt package. 4. Applet class is in java.applet package. 5. init() and destroy() are called several times where as start() and stop() are called several once. 6. init() and destroy() are called once where as start() and stop() are called several times. A) Only 1.3.6 are correct. B) Only 2.4.5 are correct. C) Only 1.3.5 are correct. D) Only 2.4.6 are correct.	

****

Invigilator's Signature and Date

Set-3

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-B

(Answer Any Three Questions.)

Time: 1 Hour and 30 Minutes **Full Marks = 12 × 3 = 36 Marks**

Q.No:8 (a) Design the following facebook registration form with the following fields.

Name -textbox

Email-email

Password -password

DOB -combo box(day,month,year)

Gender-radio button

Mobile- Number

Hobbies- checkbox(any 2)

Address -textbox with 4 rows and columns

Submit -Button

On clicking the submit button a pop up message should be displayed with "your facebook account has been successfully created".

(b) Design an web page with yellow background color and with following CSS properties.

1)Heading with center aligned.

2) A paragraph with blue text color and green background color.

3)A paragraph with red border and margin.

4)A paragraph background with rgb values.

Q.No:9 (a) In HTML, differentiate between frame and Inline frame with example. Secondly, in java Which type of exceptions are propagated in functions by default in exception handling. Also differentiate the use of throws with respect to checked and unchecked exception.

(b) Write a program to propagate checked exceptions. Write a Program in Java to create a class Current_Bill to generate current bill with the given data members customer_Id, customer_name, bill_date, city and member functions get_customer_details()--to input all the details of given data members of the class, get_Total_Amount()--this method generates current bill with slab rates 0-50 units with each unit cost 5 rupees, 50-100 with each unit cost 7.5 rupees and >100, 10 rupees each unit and returns the total amount, public String validateData() throws InvalidCurrentBillException--this function is used to validate the given input data like customer_id should be of 5 digits, customer_name should not have any digits, bill date should be in dd-mm--yyyy format.

Q.No:10 (a) In HTML, write down the difference between get and post values of method attributes with example. Secondly, in java How to access private data members of other classes. Explain with an example program. Give a brief real world example for data abstraction.

(b) Write a program in java to read a sentence from a file from n^{th} character to m^{th} character where the values of m and n are user inputs and m<n. Throw an Invalid_Integer_Exception if m and n values are negative or n must not exceed than size of file. And your program is to print the characters to output screen.

Q.No:11 (a)Write a program in java to create a Doctor class having doctor_id, name, specialization and salary. Use PrintWriter class and its methods to write doctor details into a file called "doctor_details.txt" and also read data from same file using scanner class and its methods. Finally display his information onto your console/terminal.

(b) Design an applet in java to for the following diagram.

****

Invigilator's Signature and Date

Set-4

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

Roll No.	
Registration No.	
Name	
Date of Exam	

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-A

(Answer All Questions)

Time: 30 Minutes **Full Marks = 2 × 7 = 14 Marks**

Question No	Question	Write the correct option here.
Q.No:1	The browser window is divided into 40% and 60% row wise and the 60% window is divided into equal halves column wise. Which statements are true for the said division using two <frameset>? I. <frameset rows="2*,3*"> <frameset cols="50%,*"> II. <frameset rows="40%,*"> <frameset cols="1*,1*> III. <frameset rows="4*,6*"> <frameset cols="2*,2*"> A) Both I and II only B) Both II and III only C) Both I and III only D) All	

Q.No:2	Predict the output of the program?
	class A {
	static String sing(){
	return "ha":}
	}
	class B extends A {
	static String sing(){
	return "la":}
	public static void main(String x[]){
	B b=new B();
	A c=new B();
	System.out.println(b.sing() + c.sing());
	} }
	A) lala
	B) laha
	C) hala
	D) compilation fails	

Q.No:3	Predict the output of the program?
	class A {
	static int x=7;
	public static void main(String z[]){
	new A().go(x);
	System.out.print(" "+x);
	}
	void go(int x){
	x++;
	for(int x=3; x<6; x++) ;
	System.out.print(" "+x);
	}}
	A) 5 7
	B) 5 8
	C) 8 7
	D) Compilation fails	

Q.No:4	Which of the following are true about constructors in java? 1. Constructor name should be same as class name. 2. If you don't define a constructor, a default constructor is provided automatically. 3. The default constructor provided automatically, calls super(). 4. this keyword can't be used inside a constructor. A) 1,2 and 3 are correct B) 2,3 and 4 are correct C) 1,3 and 4 are correct D) All options are correct	

Q.No:5	Predict the output of the program
	class A{
	static int x=0;
	A(){
	x=x+1;
	}
	public static void main(String z[]){
	new A( );
	A z=new A();
	System.out.println (A.count+" "+z.count +" "+count);
	}}
	A) Compilation error
	B) 2 2 2
	C) 2 1 2
	D) 2 1 1	

Q.No:6	Predict the output of the program
	class A {
	public static void main(String x[]){
	String s1="abc";
	String s2=s1;
	s1=s1+"d";
	System.out.print(s1==s2);
	StringBuffere s3=new StringBuffer("abc")
	StringBuffere s4=s3;
	s3.append("d");
	System.out.println(" "+s3==s4);
	}}
	A) true true
	B) false true
	C) true false
	D) false false	

Q.No:7	Choose the correct statements about the user defined applet. 1. init().start().stop().destroy() and paint() are defined in Applet class. 2. Out of init().start().stop().destroy() and paint() methods, paint() is not defined in Applet class. 3. Applet class is in java.awt package. 4. Applet class is in java.applet package. 5. init() and destroy() are called several times where as start() and stop() are called several once. 6. init() and destroy() are called once where as start() and stop() are called several times. A) Only 1,3,6 are correct. B) Only 2,4,5 are correct. C) Only 1,3,5 are correct. D) Only 2,4,6 are correct.	

****

Invigilator's Signature and Date

Set-4

KIIT DEEMED TO BE UNIVERSITY

Spring End Semester Examination-2022

WEB TECHNOLOGY (IT2004)

4th Semester B.Tech

SECTION-B

(Answer Any Three Questions.)

Time: 1 Hour and 30 Minutes **Full Marks = 12 × 3 = 36 Marks**

Q.No:8 (a) Design a Bus ticket reservation form using HTML in tabular format as given below and on submission of the form it should display a pop up message with "registration Success" should be displayed. The form includes following fields.

Attributes	Type of Attribute
Name	Text Box
Gender	Radio Buttons (male, Female)
Age	Check Box(Below 5, 5-30, 30-60, 60-80)
Address	Text Box with 3 rows and 4 columns
Any ID proof	Radio Buttons(Voter card, Aadhar, Driving licence)
Date of Journey	Select option (three separate option for Date , Month and Year)
Mode of payment	Radio Button
Feedback (Comments)	Text Area with 3 rows and 4 columns
Submit	Button

B) Write a program in html to design web page using following CSS properties.

1) background color of the page is yellow
2) Heading[Cascading Style Sheet] with black color and assign to the middle of the page
3) A paragraph background color with hex values
4) Display a double border for a paragraph with orange and cyan color

Q.No:9 A) In HTML, differentiate between relative and In-text hyperlinks with example. Secondly, in java State two reasons with example programs when method overriding does not work with exception handling.

B) Write a Program in Java to create a class Postpaid_Bill to generate Postpaid mobile bill with the given data members Mobile_number, customer_Id, bill_date, monthly_transactions[5] and member functions get_PostPaidbill()→to input all the details of given data members of the class.

getTotalAmount()→this method iterates through monthlyTransactions[5] and returns the total amount.

public String validateData() throws InputValidationException--this function is used to validate the given input data like Mobile_number should be of 10 digits, customer_id with 6 digit number should not be in alphanumeric format, bill date should be in dd-mm--yyyy format.

Q.No:10 A) In HTML, write down three ways to specify the background colour of an web page. Secondly, Write a program in java to display the following outputs applied on the string "Sun rises in the east" using stringbuffer class functions

Output 1)east the in rises Sun
Output 2)nuS sesir ni eth tsae
Output 3)tsae eth ni sesir nuS

B) Define a class called Fuel_Manager that will be used to
check the amount of fuel that is left in car after travelling a certain distance. The class have instance variables fuel_Capacity, fuel_in_tank, and efficiency. Include methods get_initial()-to store initial values of instance variables, add_fuel()-that calculates how much fuel can be filled depending upon the fuel already in the tank and the capacity of the tank, drive_distance() that returns how much distance can be travelled with the fuel available in the tank with the efficiency provided. Test the Fuel_Manager class though the object of the class.

Q.No:11 (a) Write a program in java to read a string "KIIT University#1" from a file "KIIT.txt" and perform the following operations and rewrite the string in the same file.

A. convert upper case letters to lower case and vice versa
B. Convert vowels into '@' symbols
C. Remove the number and '#' character.

(b) In HTML, differentiate between internal and external style sheets with examples. Secondly, Write a program in java for a Company Mind_Tree which have two types of employees- Software and Hardware each have unique employee ID. But only the Software employees get bonus on the eve of Foundation day. Given an interface with three methods as earning(), deduction() and bonus(). write a class for Hardware_Employee using class Software_Employee and the above interface to calculate the total earning of each Software employee for the user entered basic salary amount.Along with the above details find HRA(10% basic), DA(80% of basic) and TA(5% of basic) and gross Salary of both software and hardware employees.

****