



PIMASCOR

Production handoff guide

How the service works, who does what,
and what to do when you need help

Prepared for PIMASCOR

English (US) | August 14, 2026

Start here

PIMASCOR is the protected workspace for moving operational and financial work through the right review, payment, and record-keeping steps.

The short version

PIMASCOR gives each person a clear work queue, keeps every handoff attributable, and preserves the history behind important decisions. You do not need to understand the technology to use it.

Sign in

Use the official HTTPS address. First-time users activate their account by email and choose their own password.

Follow the queue

The workspace shows what is waiting for you, what you can do, and what will happen next.

Keep the trail

Approvals, payments, evidence, and changes remain linked to the person, time, and reason behind them.

Use this guide when you need to:

- understand the full shipment and client-collection workflow;
- activate an account or recover access;
- know who can approve, pay, review, export, or close a record;
- understand what is backed up and what happens if something goes wrong;
- decide whether to use Support or Report for investigation.


A note about the handoff

This guide explains the hosted production service in everyday language. It intentionally leaves out source code, infrastructure instructions, network addresses, credentials, secret values, personal operator names, and direct support recipient addresses. Account holders receive their assigned login details through an approved secure channel.

PIMASCOR in one sentence

Think of PIMASCOR as a shared control folder with a receipt trail. Work moves from one accountable desk to the next, and the earlier steps stay visible.

The workflow chain



A useful analogy

A Budget Request is the purchase request, Approval is the manager signing it, DCS for Payment is the cashier releasing funds, Liquidation is the receipt envelope, Billing is the client charge, and Client Payments is the cash-receipt ledger.

Stage	What the person doing the work sees
Sales Quotations	Client, shipment reference, amount, validity, terms, and acceptance evidence.
Budget Requests	Separate Buying and Selling lines, classifications, dates, and the next reviewer.
Approval	One queue for records waiting for a decision, with evidence and context before action.
DCS for Payment	Approved payable items, paid and outstanding totals, proof, and payment history.
Liquidations	Actual expenses, receipts, released funds, variance, and closure evidence.
Billing and Client Payments	Client charges, approval/finalization status, received money, balances, and aging.

Who does what

PIMASCOR uses role-based access. People see the work that belongs to their responsibility, while the service checks permission again when an action is taken.

Role	Typical responsibility	Main actions
Admin	System owner and superuser	Manage access and settings, review activity, handle accounting exports, and perform approved administrative actions.
Requester	Sales or Processor work	Prepare quotations, create Budget Requests, record shipment expenses, and submit Liquidations for review.
Mich	Bookkeeping and review	Review initial Budget Requests, prepare Billing, review Liquidations, record Client Payments, and export permitted records.
GM	Approval owner	Approve or return submitted requests and Billing work, with a recorded decision and comment.
DCS / CEO / Chairman	Payment owner	Record DCS payments, place items on hold or return them, and use an emergency override only with a reason.

Menus are not the boundary

A hidden menu item is only a navigation choice. The service also checks the user and record permission when a direct link or action is used.

Approval is not payment

An approval says the request is authorized. Record Payment says money actually moved. They remain separate steps.

Bridge Accounting

Bridge Accounting is a business label mapped to Admin-level capability until a separate role is approved. The access should be treated as accountable and temporary to that decision.

The Administrator workspace can open a role-specific work area for operational checking. This does not sign in as another person. The signed-in Administrator remains the recorded actor.

First login and account activation

Production accounts are created intentionally, but no permanent password is created for them. Each account holder activates the account personally.

Step	What to do	What happens
1	Open the official PIMASCOR sign-in page and choose account activation.	PIMASCOR checks the assigned account and sends a one-time activation code to the assigned email.
2	Enter the six-digit code from the email.	The code is single-use and expires. It is not a password.
3	Choose and confirm a password of at least 12 characters.	The password is saved as a protected one-way value. No administrator can retrieve it.
4	Sign in again with the username or email and new password.	PIMASCOR sends a second one-time email verification code for normal sign-in.
5	Enter the code or use the secure one-click email option.	PIMASCOR starts a protected session and opens the first workspace allowed for the role.
6	Read the dated "What is new in PIMASCOR" message, if shown.	Continue or close it. The message will not repeat after acknowledgement is saved.

No password is sent by email

The activation email contains a one-time code. Account holders choose their own password inside PIMASCOR. Do not send a password, OTP, reset link, or screenshot of an access email to Support.

Production account slots


Functional group	Slots created	Activation note
Administrators	2	One team-level slot and one named administrator slot.
GM	1	Approval authority.
DCS / CEO / Chairman	1	Payment authority and reasoned emergency override.
Sales / Requesters	2	Quotation and request preparation.
Processors / Requesters	3	Shipment processing and Liquidation preparation.
Bookkeeper / Mich	1	Review, Billing, Liquidation closure, payments, and permitted exports.
Total	10	Assigned login identifiers are shared separately through a secure channel.

Official sign-in address

<https://delegateops.business/pimascor/>

Shipment workflow: moving a request through the system

The service keeps the original request intact while each stage records its own decision. This makes it easier to answer: who asked, who approved, what was paid, and what happened afterward?



After approval, the item moves into DCS for Payment. DCS can record a full or allowed staged payment, hold an item, return it for correction, resume it, or add a chronological note. Payment proof remains restricted to authorized roles.

Why the separation matters

The system never treats an approval as proof that money moved. It also never edits the original request to hide a later Additional Budget. The link between records stays visible.

Liquidation, Billing, and collection

After payment, the work shifts from planning to evidence, client charges, and money received.

Liquidation

The Requester records actual expenses and receipt details. Mich checks the evidence, confirms physical originals when required, and closes the record after any return or reimbursement proof is present.

Billing

Billing can start after GM approval. Mich or Admin prepares the draft, GM or Admin approves it, and an explicit finalization freezes the record. The original stays visible if a correction is needed.

Client Payments

Mich or Admin records money received and allocates it across finalized Billing records for the same client. The service shows Unpaid, Partially Collected, or Fully Collected.

Liquidation variance

If the calculation shows...	The next evidence needed
Zero variance	Mich can verify and close after checking the receipts.
Money remaining	Proof that the remaining funds were returned.
Overspend	Proof of reimbursement and, where appropriate, a linked Additional Budget.

Billing is a controlled client-charge record

The interface uses the word "Billing" until Bridge Accounting approves the official tax-document terminology. The preview is not automatically an official tax invoice. The printed or saved PDF is generated from the selected record, not from a generic template with placeholder amounts.

What users see

The interface is designed to make the next safe action clear, even for someone who does not work with software every day.

PIMASCOR Support Profile Sign out

Shipment Profitability

- Sales Quotations
- Budget Requests
- Approval
- Liquidations
- Billing

Selling
PHP 1.2M

Actual spend
PHP 860K

Margin
28%

Open next task

A role-aware workspace

Menus and queues use everyday task names. Requester users are limited to their own work, while management roles see the records needed for review.

Clear verbs

Save Draft, Submit for Approval, Approve or Reject, Record Payment, Finalize Billing, and Close Liquidation mean different things and stay separate.

A calm response to errors

Messages appear in a centered dialog with a plain explanation and a safe next step. They remain visible until the user deliberately dismisses them.

Other user-facing behavior

- Protected documents open in a view-only, no-store viewer with loading, retry, and failure states.
- A dated release message appears once after a release and does not interrupt the sign-in form.
- The Support action stays available in the top bar. It opens a compact dialog on desktop and mobile.
- PIMASCOR can be installed as an app-like shortcut after sign-in on supported browsers. Installation does not bypass login or role checks.
- The service formats Philippine currency and dates for the operating context while keeping currency choices visible in the record.

What happens behind the scenes

PIMASCOR works like a combination of a teller window, an approval register, and a protected filing cabinet.

Permission check

Every protected page and action checks the signed-in account and the record. A direct link cannot be used to bypass the role boundary.

Audit trail

Important actions keep the actor, time, reason, version, and evidence needed to explain what happened later.

Protected documents

Uploaded files stay in private storage. The viewer checks access before showing them, and authorized downloads are recorded.

Safe corrections

Finalized financial records are not silently overwritten. Voids, replacement proposals, and Credit Memos keep the original history visible.

What the activity monitor covers

The Admin activity view summarizes business-system events such as workflow actions, configuration changes, money movements, and security signals. It is not employee surveillance. It does not capture passwords, email codes, keys, full bank details, keystrokes, screenshots, webcams, or unrelated personal activity.

The practical result

If a record changes, the change should be explainable. If a person cannot perform an action, the reason should be visible. If a file is downloaded, the access should be attributable.

Behind the scenes	What this means for PIMASCOR
Role and record checks	The right user sees the right records and actions.
Append-only history	Important decisions do not disappear when a record moves forward.
Private storage	Protected files are not placed at a public web address.
Validation	The service checks amounts, statuses, versions, and required evidence before saving.

Documents, downloads, and exports

PIMASCOR treats a view, a download, and a full record export as different actions with different controls.

Action	Who can use it	What happens
View a protected document	Authorized users	The file opens in a protected viewer. Access is checked before display.
Download a protected document	Authorized supervisory roles	The download is separately authorized and recorded. Requesters remain view-only for protected payment proof.
CSV accounting export	Admin, Mich, GM, and DCS in the production workflow	A current operational data file is generated for permitted records. It is not a general-ledger import by itself.
Full record archive	Authorized roles when enabled	The archive includes operational records and eligible attachments, but not passwords, sessions, verification codes, or storage credentials.
Quotation or Billing PDF	Users who can open the record	The document is generated from the selected saved record, with its client, shipment, amounts, terms, and dates.

Private by default

Exports are kept in private storage. PIMASCOR does not email a public bearer link. The user returns to the authenticated export page to download.

Temporary availability

A completed full archive is available for one hour. The production workflow allows two accepted archive requests per organization per Philippine calendar week.

Handle with care


Exports can contain business records and attachments. Store them only in an approved location and do not forward them casually.

A download is not a backup

CSV and full-record exports are working copies for authorized business use. Disaster recovery relies on the separate encrypted production backup process and an owner-led restore procedure.

Backups and recovery

Backups are designed to protect production records without giving everyday users a button that could replace live data by mistake.



Question	Plain-language answer
What is covered?	The production database, production upload files, and the service configuration needed for recovery.
Who can see status?	Admin and DCS can see non-sensitive completion information inside Accounting.
Who can restore?	The named service owner or approved operator. The web app cannot restore, replace, delete, or re-encrypt production data.
How does a restore start?	The operator lists available snapshots, runs a dry run, restores into a quarantine area, checks the result, and obtains approval before any cutover.
What is not claimed?	The current release provides scheduled base backups and deduplication. It does not claim continuous WAL or point-in-time recovery until that separate capability is tested.

Support attachment retention

Support-ticket attachment files follow a shorter support-evidence lifecycle and are deleted when a ticket closes. The conversation and attachment metadata may remain in the database, but a closed attachment file should not be assumed recoverable from the host backup.

If you believe data is missing, stop before creating replacement records. Note the record reference, time, and what you expected to see, then use Support or Report for investigation. The operator can verify the live record and the backup catalog without exposing backup credentials.

Support and incident reporting

Use Support for questions and ordinary help. Use Report for investigation when the application itself shows an unexpected failure.

Support

Open Support from the top bar. Submit a question, suggestion, or ordinary help request. PIMASCOR creates a ticket number, keeps the conversation, and shows status and replies.

Report for investigation

When the app detects a failure, it explains the problem and offers Dismiss or Report for investigation. Reporting creates a private reference for the support team to inspect.

When the result is uncertain

If a save, payment, or recording action may have completed, check the relevant list before repeating it. The browser may not know whether the server finished.

What happens after a report

1	PIMASCOR creates or confirms a private incident reference.
2	The report keeps safe context such as the role, page, action, time, error code, and correlation reference.
3	Separate notifications go to the designated administrative and technical support channels.
4	The dialog closes after delivery is confirmed. If delivery fails, it stays open so the user can retry or dismiss it.

Never place secrets in Support

Do not include passwords, OTPs, reset links, browser cookies, API keys, storage credentials, full bank details, or complete sensitive documents in a ticket or incident report. Support messages are not a secure secret-transfer channel.

Routine success messages, validation warnings, and normal workflow updates are not incidents. They do not create a support ticket, an incident record, or an email unless the user chooses the reporting action.

Common situations

Most problems have a safe next step. Use the table before escalating.

Situation	What to do	What PIMASCOR does
The activation email did not arrive	Check the assigned mailbox and spam folder. Confirm that the account holder is using the assigned email. Contact Support if it still does not arrive.	The account remains pending until activation succeeds. No password is sent automatically.
You forgot your password	Select Forgot password? and enter your username or email.	An eligible activated user receives a one-time reset link. The link expires, works once, and never signs the user in automatically.
A save or submit message appears	Read the next step. Correct the form. Before trying again, check the relevant list for a record that may already have been saved.	The dialog explains whether the action was rejected, failed, or needs another role to act.
A payment result is unclear	Do not repeat the payment immediately. Check the DCS for Payment queue and the record history, then report if the status is still unclear.	The service keeps payment history and proof metadata separate from the approval decision.
You need a document copy	Open the record and use the permitted view or download action.	Access is checked again and authorized downloads are recorded.
You want app-like access	After sign-in, follow the PWA installation instructions for Safari on iPhone/iPad, Chrome on Android, or a compatible desktop browser.	The installed shortcut still requires login, role checks, email verification, and normal session expiry.
A new release message appears	Read it and choose Continue to workspace or close it.	The message normally appears once per user after acknowledgement is saved.

Acceptance and the first 24 hours

Use this as a practical orientation checklist. Live acceptance evidence and the formal sign-off remain separate records.

Before users begin

Access

Confirm the production sign-in address, the assigned account holder, the activation mailbox, and the backup owner for access decisions.

Workflow

Test one path from quotation through Budget Request, approval, payment, Liquidation, Billing, and Client Payment using approved test data.

Support

Name the client-side support contact and the person who can coordinate with the service operator when a report needs investigation.

After acceptance

Check	Why it matters
Each owner and backup owner can sign in through a separate named account.	Avoids shared access and gives the handoff a clear decision owner.
Temporary commissioning access is rotated or removed.	Reduces the number of people who can reach production after handoff.
One controlled backup completion is visible in Accounting.	Confirms that the scheduled recovery protection is producing evidence.
A dry run and quarantine restore review are completed by the named service owner.	Checks that recovery is possible without overwriting live production.
Privacy, retention, export, and support contacts are confirmed.	Keeps operational handling aligned with PIMASCOR governance.

What this PDF does not claim

This guide describes the designed production workflow and the handoff boundary. It does not, by itself, prove that a live VPS, mailbox, backup, restore rehearsal, browser matrix, or provider configuration has passed acceptance. Record those results in the acceptance checklist.

Security and handoff boundary

The client guide is meant to teach the service, not to become a container for credentials or infrastructure access.

Included in this guide	Intentionally not included
How users sign in, activate, reset access, and use their workspaces.	Passwords, OTP values, reset links, cookies, tokens, API keys, storage credentials, and secret values.
Role responsibilities and the handoff between quotation, payment, Liquidation, Billing, and collection.	VPS IP addresses, technical operator identities, private host paths, deployment scripts, source code, and infrastructure configuration.
What happens during document viewing, downloads, exports, backups, support, and incident reporting.	Live production data copies, database dumps, backup repositories, private attachments, and full document archives.
The account slot structure and the fact that each account holder must activate personally.	Personal names and direct support recipient addresses. Assigned login details are transferred separately through an approved secure channel.

Ownership questions to settle at acceptance

- Who is the primary service owner for recovery and production decisions?
- Who is the backup owner if the primary owner is unavailable?
- Who receives ordinary Support questions from PIMASCOR users?
- Who can approve exports, retention changes, and access changes?
- Which support or source-transfer responsibilities are included in the written agreement?

Safe transfer rule

Use named provider invitations or an approved password manager for access. Do not transfer credentials through the PDF, ordinary email, chat, screenshots, or tickets.

The hosted-service handoff does not include source code or intellectual-property transfer. A source or IP package requires a separate written agreement and controlled transfer.

Glossary and reference notes

These short definitions are here so the application language stays consistent across teams.

Term	Meaning in PIMASCOR
Admin	The full-privilege application administrator. Actions remain attributable to the signed-in Admin account.
Requester	A Sales or Processor user who prepares quotations, requests, and shipment expense records for assigned work.
GM	The normal approval owner for requests and Billing decisions.
DCS	The payment owner. The same business person may also be identified as CEO or Chairman.
Mich	The bookkeeper and reviewer role for initial checks, Liquidations, Billing, Client Payments, and permitted exports.
Liquidation	The record of actual shipment spending and the evidence used to explain any remaining balance or overspend.
Finalized Billing	A client-charge record whose content is frozen. Corrections preserve the original history.
Full record archive	An authorized export of operational records and eligible attachments. It is not a disaster-recovery backup.

Writing and design basis

This guide uses plain language, active voice, descriptive headings, readable contrast, and a predictable structure. The layout was reviewed against current accessibility and security guidance, including:

- [W3C Web Content Accessibility Guidelines \(WCAG\) 2.2](#)
- [Google developer documentation style guidance on active voice](#)
- [NIST SP 800-61 Revision 3 incident response guidance](#)
- [CISA backup guidance, including the 3-2-1 pattern](#)
- [OWASP password recovery guidance](#)
- [PDF Association guidance on accessible, tagged PDF structure](#)

The handoff in one line

PIMASCOR gives the right person the right next action, keeps the evidence behind each decision, and provides a controlled path for recovery when the unexpected happens.