

MRP LIST No 02/26
EFFECTIVE FROM 07.09.2026.

CONTENTS

	Page No
• CAM OPERATED ROTARY SWITCHES	1-3
• LIMIT SWITCHES	4
• PLUG IN RELAYS	4
• CONTROL & SIGNALLING UNITS	5-8
• PUSH BUTTON STATIONS	9
(In FRP, Cast Aluminum, Thermoplastic Enclosure)	
• JUNCTION BOXES	9
(In FRP, Cast Aluminum, Sheet Steel Enclosure)	
• NEON JEWEL LIGHTS	9
• ANALOG & DIGITAL PANEL METERS	10
• INDUSTRIAL HOOTERS	11
• ELECTRONIC BUZZERS	11
• HRC FUSE FITTINGS	11
• HRC FUSE BASES	11
• HEAVY DUTY FOOT SWITCHES	11

Rotary Switches 6A - 200A 	Limit Switches IP-65, Ip-67 	Plug in Relay 2C/O & 3C/O 
Control & Signaling Units Ø 22.5, 25.5, 30.5 MM 	Push Button Stations 	Junction Boxes 
Neon Jewel Light Ø 8, 10, 15 MM 	Analog & Digital Panel Meters 	Current Transformers Tape Wound & Resin Cast 
DC Shunts 	Industrial Hooters 12V - 220V AC/DC 	Electronic Buzzers 12V - 220V AC/DC 
HRC Fuse Fittings 20A-125A 	H.R.C. Fuse Bases 160A-630A 	Heavy Duty Foot Switches 1NO+1NC & 2NO+2NC 

Cam Operated Rotary Switches

SWITCHES -6 AMPS. TYPE "HG 91C"

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
ON-OFF 	1 2 3 4	HG001 HG002 HG003 HG004	130 145 160 190	SIX WAY NO-OFF 60° 	1 2 3	HG052 HG072 HG092	230 435 520
TWO WAY NO - OFF 90° 	1 2 3 4	HG037 HG038 HG039 HG040	150 190 230 280	SIX WAY WITH - OFF 45° 	1 2 3	HG063 HG083 HG103	280 435 610
TWO WAY WITH - OFF 60° 	1 2 3 4	HG025 HG026 HG027 HG028	150 190 230 280	SEVEN WAY NO - OFF 45° 	1 2 3	HG064 HG084 HG104	280 445 620
THREE WAY NO - OFF 60° 	1 2 3 4	HG049 HG069 HG089 HG120	155 225 320 400	SEVEN WAY WITH - OFF 45° 	1 2 3	HG053 HG073 HG093	280 450 620
THREE WAY WITH - OFF 90° 	1 2 3 4	HG060 HG080 HG100 HG131	170 225 360 435	EIGHT WAY NO - OFF 45° 	1 2 3	HG054 HG074 HG094	310 510 610
FOUR WAY NO - OFF 90° 	1 2 3 4	HG050 HG070 HG190 HG121	180 240 340 510	EIGHT WAY WITH - OFF 30° 	1 2	HG065 HG085	310 500
FOUR WAY WITH - OFF 60° 	1 2 3 4	HG061 HG081 HG101 HG132	200 330 425 530	NINE WAY NO - OFF 30° 	1 2	HG055 HG075	330 530
FIVE WAY WITH - OFF 60° 	1 2 3	HG051 HG071 HG091	210 370 490	NINE WAY WITH - OFF 30° 	1 2	HG066 HG086	335 590
FIVE WAY NO - OFF 60° 	1 2 3	HG062 HG082 HG102	210 360 485	TEN WAY WITH - OFF 30° 	1 2	HG056 HG076	340 590

SWITCHES -6 AMPS. TYPE "HG 91C"

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
TEN WAY NO-OFF 30° 	1 2	HG067 HG087	570 610	ELEVEN WAY WITH - OFF 90° 	1 2	HG068 HG088	440 650
ELEVEN WAY NO - OFF 30° 	1 2	HG057 HG077	700 750	TWELVE WAY NO - OFF 30° 	1 2	HG058 HG078	640 760

AMMETER SELECTOR SWITCHES

SWITCHING	POLE	AMP.	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF B • R Y	3 3	6 10	HG91C HG101C	HG325 HG325	To read current to be used with CT with off -DO-	230 270
OFF L • R B OFF	3	10	HG101C	HG721	Current in each phase and leakage or out of balance current with off	490
OFF B • R Y	3 3 3 3	16 25 40 63	HG121C HG241C HG461C HG561C	HG710 HG710 HG710 HG710	Ammeter Selector Switch without CT's	910 1020 2650 2260

VOLTMETER SELECTOR SWITCHES

OFF B • R YB	3 3	6 10	HG91C HG101C	HG312 HG312	Voltage between Phase with off -DO-	170 245
OFF RY RN YB YN BR BN	3 3	6 10	HG91C HG101C	HG313 HG313	Voltage between Phase and neutral with off -DO-	280 470
OFF BN • RN YN	3 3 3	10 6 10	HG101C HG91C HG101C	HG314 HG311 HG311	Voltage between Phase to Phase and phase to neutral without off Voltage between Phase to neutral with off Voltage between Phase to neutral with off	460 300 335

AMMETER VOLTMETER COMBINED SELECTOR -10 AMPS

SWITCHING	POLE	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF P • P1 P2	3	HG101C	HG338	Voltage between Phase to neutral in current off that phase	510

SWITCHES WITH METAL BOX: (60 DEG)

SWITCHING	AC3	TYPE	CAT NO.	PRICE (IN RS.)
Three poles reversing	16 25	H220 H241	HG913 HG913	800 950
Three pole ON-OFF	16 25	H220 H241	HG244 HG244	800 950

Prices mentioned above is for Switch+SS Enclosure + Operating handle



CAUTION! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

Cam Operated Rotary Switches

SWITCHES-6A,10A,16A,25A,32A,40A,63A,100A

SWITCHES	POLE	CAT NO.	6 A (Rs.)	10 A (Rs.)	16 A HG121C (Rs.)	25 A HG241/ H220 (Rs.)	32 A HG341/ H225	40 A H461C H540C (Rs.)	63 A H561C H563C (Rs.)	100 A HG608 (Rs.)
ON-OFF 	1	HG195	130	205	240	290	335	455	505	2480
	2	HG198	150	245	280	345	390	555	660	3100
	3	HG197	160	270	315	425	460	600	840	3700
	4	HG196	190	305	335	510	530	665	950	4200
ON-OFF 	1	HG191	130	205	240	290	335	455	505	2480
	2	HG192	150	245	280	345	390	555	660	3100
	3	HG199	160	270	315	425	460	600	840	3700
	4	HG194	190	305	335	510	530	665	960	4200
TWO WAY- WITH NO-OFF 	1	HG037	150	255	300	335	365	530	590	3140
	2	HG038	190	305	335	435	500	660	950	4500
	3	HG039	230	360	445	630	680	815	1260	5770
	4	HG040	280	425	500	840	865	970	1560	7220
TWO WAY- WITH-OFF 	1	HG151	150	255	300	335	365	530	645	3140
	2	HG152	190	305	335	435	500	660	960	4500
	3	HG153	230	360	445	630	680	815	1260	5770
	4	HG154	280	425	500	840	865	970	1560	7220
THREE WAY- WITH-OFF 	1	HG060	170	285	310	330	385	570	630	3180
	2	HG080	225	330	370	515	545	790	900	4570
	3	HG100	360	415	600	735	795	1030	1320	5930
	4	HG131	435	540	730	910	990	1350	1580	7440
FOUR WAY- WITH NO-OFF 	1	HG050	180	295	380	475	500	700	940	3190
	2	HG070	240	410	435	555	600	820	1040	4810
	3	HG090	340	418	670	855	945	1055	1360	6270
	4	HG121	510	540	740	1040	1080	1400	1800	7660
FIVE WAY- WITH-OFF 	1	HG051	210	310	405	520	600	830	920	-
	2	HG071	370	470	545	-	-	-	-	-
	3	HG091	490	840	1040	1195	1250	1480	1700	-
SIX WAY- WITH NO-OFF 	1	HG052	230	410	470	595	665	715	810	4590
	2	HG072	435	540	670	1020	1040	1090	1340	8940
	3	HG092	520	1000	1120	1175	1210	1380	1780	14960
SEVEN WAY- WITH-OFF 	1	HG064	280	455	525	665	695	745	1110	-
	2	HG084	445	590	685	1015	1050	1105	1720	-
	3	HG104	620	890	1090	1315	1430	2010	2420	-
EIGHT WAY WITH NO-OFF 	1	HG054	340	565	595	630	695	845	-	-
	2	HG074	540	670	965	1060	1130	1370	-	-
	3	HG094	640	1005	1350	1430	1430	1640	-	-

PRICES OF CAM SWITCHES FOR DC RATINGS ON REQUEST.

SPRING RETURN SWITCHES FOR CONTROL CIRCUITS

SWITCHING 60°/45°	POLE	CAT NO.	DESCRIPTION	16A PRICE (IN RS.)	HG-241 (25A) PRICE (IN RS.)
	1	HG351	ON-OFF with Spring Return to OFF	500	755
	2	HG352		525	835
	3	HG353		590	1000
	4	HG354		680	1100
	1	HG361	Double Throw spring return both sides to OFF	525	835
	2	HG362		750	1100
	3	HG363		820	1350
	1	HG364	Three positions with one position spring to OFF	480	850
	2	HG365		710	1120
	3	HG369		760	1380
	1	HG371	Two position spring return Switch 2 To 1	500	900
	2	HG372		690	1100
	3	HG373		740	1350
	1	HG300	Start Stop Switches Spring Return to center position	590	850
	2	HG388		690	1100

SPRING RETURN SWITCHES FOR CONTROL CIRCUITS (T.N.C)

SWITCHING	POLE	CAT NO.	AMPS	CONTACT CONFIGURATION	PRICE (IN Rs.)
	2	HG009	25	2NO+2NC	1050
	3	HG244	25	3NO+3NC	1500
	2	HG009	32	2NO+2NC	1450
	3	HG244	32	3NO+3NC	1850

*TNC switches as per requirement in different contact configuration specific programmed can also be manufactured at short notice.

ROTARY SWITCHES FOR MOTOR DUTIES

Vaishno Hotline make cam operated rotary switches suitable for switching, controlling & starting three phases for 440-volt 50 Hz squirrel cage induction motors up to 55kw & for AC3 & AC4 duties conforming to IS: and IEC: DIN/VDE

TYPE	AC3	ON-OFF 60Deg. HG-003,	3Pole Forward-Off Rev. HG-211	Star-Delta HG-200	Two speed forward HG-212	Two speeds for. Rev. HG-217
HG121	16	450	340	450	-	-
HG241/H220	25	750	450	575	900	950
HG341/H225	32	930	460	735	-	-
HG461/H540	40	1070	1140	1130	-	-
HG561/H563	63	1270	1375	1390	-	-
H608	100	3760	3510	-	-	-



CAUTION! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

Cam Operated Rotary Switches SPARES FOR ROTARY SWITCHES INDICATING PLATES (FRONT PLATES)

S.No.	Description	Size in mm.	Price (in Rs.)	S.No.	Description	Size in mm.	Price (in Rs.)
1	6 & 10 Amps	32 X 32	35	3	25 & 32 Amps	64 X 64	65
2	6 & 10 Amps	48 X 48	45	4	40- 200 Amps	88 X 88	70

Plates of size 32*32, 48*48 and 48* 60 can be supplied with hot stamping aluminum finish.
Price will be higher by 20% over the normal plate price.

SPECIAL INDICATING PLATES

1	Up to 16 Amps	48 x 60	50	3	40 To 200 Amps	104 X 104	95
2	16 to 32 Amps	64 x 18	75	4	Up to 16 Amps	48 X 60 Alum. Finish	100

SCRIPT PLATE (MARKING PLATE)

1	FOR 6 & 10 Amps	32*32	20	4	40 To 200 Amps	88 *88	35
2	Up to 16 Amps	48*48	25	5	Up to 16 Amps Small Legend	48*60	25
3	16 to 32 Amps	64*64	35	6	Plate 16 - 32 Amps Big Legend Plate		25

* HOT STAMPING ALUMINIUM PLATE CAN ALSO BE OFFERED IN SIZE 32*32, 48*48, 48*60 & 64*60.
PRICE WILL BE HIGHER BY 20% OVER THE NORMAL PRICE

KNOBS

1	Round Knob 6 & 10A	48 *48 48 *60	50	3	Tear drop for 16 to 32 A	64*64 64*80	60
2	Tear drop for 6 to 16 A	48 *48 48 *60	50	4	Tear drop for 40 to 200 A	88*88 104*104	80

HANDLE

1	Flag handle for 6-10 A.	32*32	50	5	Ball handle for 40 to 200A	88*88 104*104	120
2	Flag handle for 16 A.	48*48 48*60	60	6	Pistol Grip handle for 16 to 32A	64*64 64*80	90
3	Flag handle for 25 & 32 A.	64*64 64*80	70	7	Long handle for 16 to 32A	64*64 64*80	90
4	Ball handle for 16-32A	64*64 64*80	90	8	Lever handle for 40 to 200A	88*88 104*104	120

MOUNTING PLATES (USED FOR REAR MOUNTING)

1	6 to 16A	48*48	25				
2	25 & 32A	64*64	30				
3	40 & 63A	88*88	40				

WALL TYPE MOUNTING BOXES (UPTO 32 AMPS-MAX. 4 CONTACTS)

1	Aluminum Enclosure-B17	800	2	SS Enclosure-B-17 (Metal Box) M-17	600
---	------------------------	-----	---	------------------------------------	-----

LOCKS

1	B63 for 16-32A (25&32A only in H220/H225 Type)	400	2	B63 for 16-63A (40 and 63A only in H540/H563 Type)	550
---	---	-----	---	---	-----

PAD LOCKS

1	B33 for 16A	65*65	160	4	B33 for 100&200A	95*95	490
2	B33 for 25&32A	80*80	240	5	B30 for 40-63A	98*126	450
3	B33 for 40& 63 A	95*95	360	6	B30 for 100 &200 A	98*126	500

DOOR INTERLOCK(B42)

1	For 16,25 &32A	260	1	For 48*48 & 48*60 Plate	60
2	For 40 & 63A	360	2	For 64*64 & 64*80 Plate	95
3	For 100& 200A	510	3	For 88*88 & 104*104 Plate	160

PANEL FIXING screws (100 Nos./Pkt.)

Door clutch (B41 without interlock) can also be offered and the price will be same as per the price of door interlock(B42)

SHROUDING COVER (Maximum 6 Contact round type)

1	For 16A	40	1	For 100&200 Amps	80
2	For 25-63A	65	2	Special Cover for extended terminal 63-200 Amp (Maximum 2 contact stage (ie) 4contacts)	460

FIGURE KEY (C/W) LOCK (CASTLE LOCK)

PRICE (IN RS.)

1	Any alpha bate /Numeric 1 lock & 1Key	680
---	---------------------------------------	-----

Tailor made Rotary Cam Switches as per specific customer requirement can also be manufactured at very short notice on request.



Limit Switch

IP-67 OIL TIGHT LIMIT SWITCH WITH 1 NO + 1 NC CONTACTS WITH METAL ROLLER LEVER

DESCRIPTION	LEVER LENGTH (mm)	ROLLER		SPRING RETURN TYPE		MAINTAINED TYPE	
		DIA.	WDTH.	CAT NO.	PRICE	CAT NO.	PRICE
ROLLER LEVER	38MM	19MM					
ROLLER LEVER	76.2MM	19MM	8MM	VLL1	900	VLL1-M	1000
ROLLER LEVER	50MM	19MM	8MM	VLL2	900	VLL2-M	1000
ROLLER LEVER	64MM	19MM	8MM	VLL3	930	-	-
ROLLER LEVER	50MM	16MM	8MM	VLL4	900	-	-
OFFSET ROLLER LEVER	50MM	16MM	16MM	VLL0	900	-	-
ADJUSTABLE ROLLER LEVER	From 32MM TO 82.5MM	19MM	8MM	VLLA	900	VLLA-M	1000
FORK ROLLER LEVER	Both Roller in line	19MM	8MM	VLLF	950	VLLF-M	1200
OFFSET FORK ROLLER LEVER	Both in Offset	19MM	8MM	VLLFO	950	VLLFO-M	1200
TOP PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLTPR	900	-	-
TOP PUSH BUTON OPERATOR	Adjustable upto 8MM	11.1MM	4MM	VLLTPBA	900	-	-
SIDE PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLSPR	960	-	-
SIDE PUSH BUTTON OPERATOR	Adjustable upto 8MM	-	-	VLLSPBA	960	-	-
CAT WHISKER (Nylon Rod)	130MM Long	-	-	VLLCW	900	-	-
SIDE OPERATING LEVER WITH STEEL ROD	-	-	-	VLLJW	900	VLLJW-M	1200
PULL CORD TYPE	-	-	-	VLLPC	1250	-	-
BELT SWAY TYPE	-	-	-	VLLBS	1250	-	-
TOP PUSH NORMAL ROLLER OPERATOR	-	-	-	VLLTPN	900	-	-
GENERAL PURPOSE TOP PLUNGER OPERATOR	-	-	-	VLLGS	850	-	-
GENERAL PURPOSE ANGULAR ROLLER LEVER	-	-	-	VLLGSA	850	-	-

FOR LIMIT SWITCH WITH 2NO+2NC CONTACTS PLEASE ADD RS. 410/- IN THE ABOVE PRICES

LIMIT SWITCH - 1NO + 1NC CONTACT ARRANGEMENT

Execution	Design	Arrangement	STD PKG	NO. Of CONTACTS	CAT NO.	PRICE (in Rs.)
OPEN	With Push Button	Normal Action	30	INO+INC	LS-000-0	150
		Snap Action	30	INO+INC	LS-000-1	160
	With Push Rod and Protective Cover	Normal Action	30	INO+INC	LS-1010-0	170
		Snap Action	30	INO+INC	LS-1010-1	180
In Oil tight Die Cast Aluminum Enclosure	With Normal Roller Lever IP-65 D.O.P	Normal Action	1	INO+INC	LS-100-0	490
		Snap Action	1	INO+INC	LS-100-1	500
In Non-Oil Tight Die Cast Aluminum Enclosure	With Normal Roller Lever	Normal Action	1	INO+INC	ELS-100-0	400
		Snap Action	1	INO+INC	ELS-100-1	410

A=AC D=DC

HSC SERIES PLUG-IN RELAY

PART NUMBER	COIL VOLTS	COIL OHMS	PRICE(Rs.)
2C/O HSC 6D	6V DC	30	150
2C/O HSC 12D	12V DC	200	150
2C/O HSC 24D	24V DC	500	145
2C/O HSC48D	48V DC	2250	170
2C/OHSC 110D	110V DC	10	200
3C/O HSC 12D	12V DC	150	190
3C/O HSC 24D	24V DC	500	190
3C/O HSC 48D	48V DC	2250	220
3C/O HSC 110D	110V DC	10K	235
2C/O HSC 6A	6V AC	7	160
2C/O HSC 12A	12V AC	30	160
2C/O HSC 24A	24V AC	110	160
2C/OHSC 110A	110V AC	2400	170
2C/O HSC 240A	240VAC	9500	210
3C/O HSC 24A	24V AC	110	200
3C/O HSC 110A	110V AC	2400	200
3C/O HSC 240A	240V AC	9500	235

SCREW TERMINAL RELAY SOCKETS WITH DIN RAIL MOUNTING, PANEL MOUNTING

PART NUMBER	PRICE(Rs.)
RS 8E (8 PIN)	60
RS 11E(11PIN)	65
RETAINING CLIP	10



*OPTION: Relays with LED can be supplied at an additional charge of Rs. 10/



CAUTION! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL

TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

Control & Signaling Devices Ø 22.5mm

PUSH BUTTON Ø22.5MM

DESCRIPTION	STD. PK. G.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
FLUSH BUTTON	24	2XVAF-1 2XVAF-2 2XVAF-3 2XVAF-4 2XVAF-5 2XVAF-6	78	6XVAF-1 6XVAF-2 6XVAF-3 6XVAF-4 6XVAF-5 6XVAF-6 6XVAF-7 6XVAF-8	72
PROJECTING BUTTON	12	2XVAP-2 2XVAP-3 2XVAP-4 2XVAP-6 2XVAP-8	85	6XVAP-2 6XVAP-3 6XVAP-4 6XVAP-6 6XVAP-8	80
BOOTED BUTTON	24	2XVAB-2 2XVAB-3 2XVAB-4 2XVAB-6 2XVAB-8	115	6XVAB-2 6XVAB-3 6XVAB-4 6XVAB-6 6XVAB-8	110
MUSHROOM BUTTON	10	2XVAM-2 2XVAM-3 2XVAM-4	110	6XVAM-2 6XVAM-3 6XVAM-4	105
JUMBO MUSHROOM BUTTON	10	2XVAJ-3 2XVAJ-4	170	6XVAJ-3 6XVAJ-4	160
PUSH TO ON PUSH TO OFF	12	2XVAPPN-3 2XVAPPN-4	150	6XVAPPN-3 6XVAPPN-4	145
MUSHROOM PRESS TO LOCK TURN TO RESET	10	2XVAPR-3 2XVAPR-4	150	6XVAPR-3 6XVAPR-4	140
TWIN ACTUATOR SPRING RETURN GREEN KNOB MARKED 1 & RED KNOB MARKED 0	12	2XVADB	140	6XVADB	130

KEY LOCKABLE MAINTAINED POSITION

DESCRIPTION	STD. PKG.	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
KEY REMOVABLE IN-PRESSED (ACTUATED) POSITION	10	2XVAK-1L-4	350	-	-
BOTH PRESSED AND UNPRESSED POSITION	10	2XVAK-3L-4	350	-	-
KEY REMOVABLE IN-UNPRESSED (UNACTUATED) POSITION	10	2XVAK-2L-4	350	-	-
EMERGENCY STOP PRESS TO LOCK KEY TO RESET	10	2XVAK-PL-4	350	6XVAK-PL-4	340

SELECTOR MAINTAINED CONTACT

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2 POSITION	12	2XVA2S	190	6XVA2S	185
*3 POSITION	12	2XVA3S	190	6XVA3S	185

KEY SELECTOR WITH LOCKING OPTION

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC	ZEL
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT POSITION - LEFT POSITION - RIGHT & LEFT POSITION	12	2XVA1-2CL 2XVA2-2CL 2XVA3-2CL	350 350 350	- 6XVA2-2CL -	- 340 -
-3- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT & LEFT POSITION - LEFT, CENTRE & RIGHT POSITION - CENTRE POSITION	12	2XVA4-3CL 2XVA5-3CL 2XVA6-3CL	350 350 350	- - 6XVA6-3CL	- - 340

3 position Selector with or without key locking Option, all contacts open in center position.

**SPRING RETURN SELECTOR BUTTON WITH
LOCKING OPTION Ø22.5mm**

DESCRIPTION	STD. PKG.	METALIC BEZEL				PLASTIC BEZEL			
		WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE		WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-Left to Right	12	2XVAS-1	200	2XVAS-1A	350	6XVAS-1	185	6XVAS-1A	330
-Right to Left	12	2XVAS-2	200	2XVAS-2A	350	6XVAS-2	185	6XVAS-2A	330

-2 POSITION- Spring Return from:

-Left to Right	12	2XVAS-1	200	2XVAS-1A	350	6XVAS-1	185	6XVAS-1A	330
-Right to Left	12	2XVAS-2	200	2XVAS-2A	350	6XVAS-2	185	6XVAS-2A	330

-3 POSITION- Spring Return from:

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITHOUT KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in center position	12	2XVAS-3	200	6XVAS-3	-
Right to Centre maintained on Left all contact open in center position	12	2XVAS-4	200	6XVAS-4	-
Left to Centre & Right to center. all contacts open in center position	12	2XVAS-5	200	6XVAS-5	195
DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITH KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in center position	12	2XVAS-3A	350	6XVAS-3A	-
Right to Centre maintained on Left all contact open in center position	12	2XVAS-4A	350	6XVAS-4A	-
Left to Centre & Right to center. all contacts open in center position	12	2XVAS-5A	350	6XVAS-5A	340

CONTACT BLOCK SUITABLE FOR Ø22.5MM BUTTON

DESCRIPTION	STD. PKG.	FOR 2XV SERIES		FOR 6XV SERIES	
		REAR CONNECTION		REAR CONNECTION	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
With NO Contacts	50	V1	62	H	60
With NC Contacts	50	V2	62	1	60
With NO Contact Gold plated	50	V7	95	H	-
*With 1NO +1NC Contacts	20	*V3	110	2	-
10 A NO / NC	50	V1/V2	80	-	-
DESCRIPTION	STD. PKG.	FRONT CONNECTION		FRONT CONNECTION	
		FRONT CONNECTION		FRONT CONNECTION	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
With NO Contacts	50	V4	62		
With NC Contacts	50	V5	62		
*With 1NO +1NC Contacts	20	V6	110		

**V3 (1NO+1NC) Blocks are supplied with Special Mounting Bracket, only these Brackets should be used while mounting Push Button. Contact Blocks are added on Type and can be stacked up to 4NO+4NC Contact.

***SUFFIX COLOR CODE: WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8**



LUMINOUS BUTTON Ø22.5MM WITH BA-9S FILAMENT BULB

DESCRIPTION	STD. PKG.	LUMINOUS SPRING RETURN				LUMINOUS 2 POSITION SELECTOR				LUMINOUS 3 POSITION SELECTOR			
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
Luminous Button with Lamp Holder with Polycarbonate Lense with Bulb but without Contact Element	12	2XVALSTR-3 2XVALSTR-4 2XVALSTR-5 2XVALSTR-6 2XVALSTR-7 2XVALSTR-8	170	2XVALST-3 2XVALST-4 2XVALST-5 2XVALST-6 2XVALST-7 2XVALST-8	150	2XVA2SILR-3 2XVA2SILR-4 2XVA2SILR-5 2XVA2SILR-6 2XVA2SILR-7 2XVA2SILR-8	280	2XVA2SIL-3 2XVA2SIL-4 2XVA2SIL-5 2XVA2SIL-6 2XVA2SIL-7 2XVA2SIL-8	270	2XVA3SILR-3 2XVA3SILR-4 2XVA3SILR-5 2XVA3SILR-6 2XVA3SILR-7 2XVA3SILR-8	270	2XVA3SIL-3 2XVA3SIL-4 2XVA3SIL-5 2XVA3SIL-6 2XVA3SIL-7 2XVA3SIL-8	280

PILOT LIGHT Ø22.5MM WITH BA-9S FILAMENT BULB

DESCRIPTION	STD PKG	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Pilot Light with Polycarbonate Lense with Lamp Holder and Lense Assembly with BA-9S Filament Bulb	12	2XVILR-3 2XVILR-4 2XVILR-5 2XVILR-6 2XVILR-7	125	2XVIL-3 2XVIL-4 2XVIL-5 2XVIL-6 2XVIL-7	120

Luminous Twin Button Ø22.5 mm With BA-9S Filament Bulb

DESCRIPTION	STD. PKG.	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
TWIN LUMINOUS ACTUATOR WITH FLUSH GREEN KNOB MARKED 1& RED KNOB MARKED 0 WITH LAMP HOLDER, WITH AMBER LENSE WITH BULB BUT WITHOUT CONTACT ELEMENT	12	2XVADBLSTR-3 2XVADBLSTR-4	240 240	2XVADBLST-3 2XVADBLST-4	220 220

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



VAISHNO **HOTLINE**

LED CONTROL & SIGNALLING DEVICES Ø22.5MM LED INDICATORS

DESCRIPTION	STD KG.	STANDARD		STANDARD TYPE		BAREL TYPE	
		CAT NO.	PRICE	CAT NO.	PRICE	CAT NO.	PRICE
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, 110V,48V,24V AC/DC supply	12	2XVLDIL-S-1	230	6XVLDIL-S-1	220	2XVLDIL-BN-1	185
		2XVLDIL-S-3	160	6XVLDIL-S-3	150	2XVLDIL-BN-3	110
		2XVLDIL-S-4	160	6XVLDIL-S-4	150	2XVLDIL-BN-4	110
		2XVLDIL-S-5	160	6XVLDIL-S-5	150	2XVLDIL-BN-5	110
		2XVLDIL-S-6	230	6XVLDIL-S-6	220	2XVLDIL-BN-6	185
		2XVLDIL-S-8	160	6XVLDIL-S-8	150	2XVLDIL-BN-8	110
Do-but suitable for common voltages from 24V AC/DC to 220V AC/DC ratings- Multi voltages	12	2XVLDIL-U1	300	—	—	2XVLDIL-BN-U1	265
		2XVLDIL-U2	230			2XVLDIL-BN-U2	190
		2XVLDIL-U3	230			2XVLDIL-BN-U3	190
		2XVLDIL-U4	230			2XVLDIL-BN-U4	190
		2XVLDIL-U5	230			2XVLDIL-BN-U5	190
		2XVLDIL-U6	300			2XVLDIL-BN-U6	265
		2XVLDIL-U7	300			2XVLDIL-BN-U7	265
		2XVLDIL-U8	230			2XVLDIL-BN-U8	190

LED LUMINOUS BUTTON Ø22.5MM

DESCRIPTION	STD PKG	METAL BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE	CAT NO.	PRICE
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, 110V,48V,24V AC/DC supply Luminous Spring Return	12	2XVLDLST-1	290	6XVLDLST-1	280
		2XVLDLST-3	220	6XVLDLST-3	210
		2XVLDLST-4	220	6XVLDLST-4	210
		2XVLDLST-5	220	6XVLDLST-5	210
		2XVLDLST-6	290	6XVLDLST-6	280
		2XVLDLST-8	220	6XVLDLST-8	210
Do-But 2-Position Luminous Selector	12	2XVLD2SL-1	440		
		2XVLD2SL-3	360		
		2XVLD2SL-4	360		
		2XVLD2SL-5	360		
		2XVLD2SL-6	440		
		2XVLD2SL-8	360		
Do-But 3-Position Luminous Selector	12	2XVLD3SL-1	460		
		2XVLD3SL-3	370		
		2XVLD3SL-4	370		
		2XVLD3SL-5	370		
		2XVLD3SL-6	460		
		2XVLD3SL-8	370		

Luminous Twin Button Ø22.5MM With Led Indicators

DESCRIPTION	STD. PKG.	IN METALIC BAZEL		IN PLASTIC BAZEL	
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
LED TWIN LUMINOUS ACTUATOR WITH FLUSH GREEN KNOB MARKED 1& RED KNOB MARKED 0 WITH CLUSTER/ CHIP LED, WITH AMBER LENSE BUT WITHOUT CONTACT ELEMENT FOR 24V,110V,220V SUPPLY	12	2XVADBLD	270	6XVADBLD	250

PUSH BUTTON Ø30.5MM

DESCRIPTION	STD PKG	STANDARD		BARREL TYPE	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Flush	30	ASRM-2	190	STS-2	160
		ASRM-3	190	STS-3	160
		ASRM-4	190	STS-4	160
		ASRM-6	190	STS-6	160
		ASRM-8	190	STS-8	160
Projecting	20	ASRU-2	200		
		ASRU-3	200		
		ASRU-4	200		
		ASRU-6	200		
		ASRU-8	200		
Mushroom	20	AST-2	230	STM-2	170
		AST-3	230	STM-3	170
		AST-4	230	STM-4	170
		AST-6	230	STM-6	170
		AST-8	230	STM-8	170
Stay put.	10	ASPR-4	250		
		AS-2S	300	STP-4	230
		AS-3S	300		
Selector 2-Position	20				
Selector 3-Position	20				
Emergency Stop-Press to Lock & Key to Reset	10	AS-IPL	460		
		AS-2L	450		

CONTACT BLOCK SUITABLE FOR Ø30.5MM BUTTON

DESCRIPTION	STD. PKG.	CAT NO.	PRICE (in Rs.)
1NO +1NC- Suitable for AS Series	30	ES-1	150
1 NO -Do-	50	ES-2	120
1NC-Do-	50	ES-3	120
1NO+1NC-Suitable for ST Series			
Rear Connection	10		
Front Connection	20		

SUFFIX COLOR CODE: WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



LED INDICATORS Ø 6.5, 8.5, 9.5, 12.5, 14.5, 16.5, 19.5 MM

DESCRIPTION	STD PKG	SUITABLE PANEL Ø	CAT NO.	With Flying Leads Input (FL)	With Solderable Lugs Input (SL)	With Screw Terminals Input (S.T)
-------------	---------	------------------	---------	------------------------------	---------------------------------	----------------------------------

LED Indicators in Nickel Chrome Plated Brass Body-Barrel Shape, Integral Circuit Suitable for common voltages: 5V,6V,12V,18V,24V,30V,40V,50V,60V AC/DC

Single or Cluster LED's of 3mm,5mm size	20	6.5MM	2XVLD-6-3 2XVLD-6-4 2XVLD-6-8	90 90 90	90 90 90	- - -
-DO-	20	8.5MM	2XVLD-8-3 2XVLD-8-4 2XVLD-8-8	95 95 95	95 95 95	110 110 110
-DO-	20	9.5MM	2XVLD-9-3 2XVLD-9-4 2XVLD-9-8	100 100 100	100 100 100	- - -

-DO-but suitable for voltages:24V,110V,220V AC or DC

-DO-	20	12.5MM	2XVLD-12-3 2XVLD-12-4 2XVLD-12-8	105 105 105	105 105 105	115 115 115
-DO-	20	14.5MM	2XVLD-14-3 2XVLD-14-4 2XVLD-14-8	110 110 110	110 110 110	120 120 120
-DO-	20	16.5MM	2XVLD-16-3 2XVLD-16-4 2XVLD-16-8	120 120 120	120 120 120	135 135 135
-DO-	12	19.5MM	2XVLD-19-3 2XVLD-19-4 2XVLD-19-8	- - -	- - -	135 135 135
HVCC Unit FOR Voltages above 60V for VLD6 Please specify required voltage 110V or 220V AC or DC	20	-	HVCC VOLTAGE	-	-	100

Please suffix FL, SL or ST for type of Input Terminal required.

For LED INDICATORS in White, Blue & Clear color Please Add Rs. 40/- in above Prices.

LED INDICATORS SUITABLE FOR Ø 25.5 MM & 30.5 MM

DESCRIPTION	In thermo plastic housing with plastic lens holder & Nut					
	Ø25.5mm IN BARREL SHAPE		Ø30.5mm IN BARREL SHAPE		Ø30.5mm IN SQUARE SHAPE	
	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)
LED Pilot Light barrel type with Polycarbonate Lense, cluster LED with integral circuit suitable for operating at 220V, 110V,48V,24V, AC/DC Supply	2XVLDIL-25BN-1	220	2XVLDIL-30BN-1	230	SM-4LED-3	210
	2XVLDIL-25BN-3	150	2XVLDIL-30BN-3	160	SM-4LED-4	210
	2XVLDIL-25BN-4	150	2XVLDIL-30BN-4	160	SM-4LED-5	210
	2XVLDIL-25BN-5	150	2XVLDIL-30BN-5	160	SM-4LED-6	270
	2XVLDIL-25BN-6	220	2XVLDIL-30BN-6	230	SM-4LED-7	270
	2XVLDIL-25BN-7	220	2XVLDIL-30BN-7	230	SM-4LED-8	210
	2XVLDIL-25BN-8	150	2XVLDIL-30BN-8	160		

Standard Packing for Pilot Light in Ø30.5 MM & 25.5MM is 15&10 respectively.


PILOT LIGHTS SUITABLE FOR Ø30.5 MM

DESCRIPTION	STG PKG	MM	CAT NO.	PRICE (IN RS.)
PILOT LIGHT -White Phenolic & Metallic Body/Polycarbonate Lense &Metallic Lense Holder suitable for beyonet type filament Bulb 7W/10W Supply but without Bulb.	10	30.5	SM-4R-3 SM-4R-4 SM-4R-5 SM-4R-6 SM-4R-7 SM-4R-8 SM-4P	150 150 150 150 150 150 150

SPARES FOR 22.5MM- SERIES 2XV

SPARES FOR 22.5MM	TYPE	PRICE (IN RS.)
Filament Bulb BA-9S 2.6 Watt (Max)	2XVBLB	20
Polycarbonate Lense for Pilot Light	2XVILP	20
Lense Holder Assembly for Pilot Light	2XVIL-CP	40
Lense Holder Assembly for Luminous Button	2XVILST/R-CP	48
Adaptor for Assembly of 30.5mm in 22.5 mm	2XVADP	20
Lense Holder Assembly for 2 Position & 3 Position Selector	2XVA2/3SIL-CP	135
Inscription Plates with Start, stop, On, Off, forward, Reverse Legends	2XV-IP	20
Padlocking Device for Projecting Head	2XVAP-PD	65
Padlocking Device for Mushroom Head	2XVAM-PD	70
Transparent Silicon Protective boot for Actuator	2XVBB	40
Lense for Twin Actuator	2XVADB-LP	20
Bulb Extractor- to remove or fit the Bulb from front	2XV-DBE	25
Blanking Plug for 22.5mm Hole	2XV-BL	20

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



VAISHNO **HOTLINE**

LOCAL CONTROL STATIONS

PUSH BUTTON STATION IN CAST ALUMINIUM & THERMO PLASTIC ENCLOSURE

UNITS	WITH Ø22.5MM ACTUATOR AND INO OR INC CONTACT BLOCK				WITH Ø30.5MM ACTUATOR AND INO+INC CONTACT BLOCK	
	IN CAST ALUMINIUM ENCLOSURE		IN THERMO PLASTIC ENCLOSURE		IN CAST ALUMINIUM ENCLOSURE	
DESCRIPTION	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)
ONE UNIT	PS-2219	550	PS-3219	500	PS-1519	700
TWO UNIT	PS-2229	750	PS-3229	700	PS-1529	1000
THREE UNIT	PS-2239	1000	PS-3239	850	PS-1539	1250
FOUR UNIT	PS-2249	1250	PS-3249	1150	PS-1549	1600

For Push Button Station with Canopy, extra Price @ 12% will be charged.
PBS Tailor made to customers specifications can be made available in Cast Aluminum Enclosure.
P.B.S in Plastic enclosure are available only without Canopy.

F.R.P PUSH BUTTON STATION (HOT MOULDED FIBRE REINFORCED POLYSTER)

TYPE	STYLE NO.	SIZE OF BOXES L*W*H	NUMBER OF 2.5MM ² 4MM ² LIP ON TYPETERMINAL BLOCK	CABLE ENTRY	Price (Rs.)
FRP/2291S	1 PUSH BUTTON	140*95*70	-	1 WITH PLUG	1200
FRP/2292S	2 PUSH BUTTON	140*95*70	-	1 WITH PLUG	1400
FRP/2293S	3 PUSH BUTTON	140*135*70	-	2 WITH PLUG	1900
FRP/2294S	4 PUSH BUTTON	140*135*70	-	2 WITH PLUG	2100
FRPB/2295S	5 PUSH BUTTON	170*170*90	-	2 WITH PLUG	2300
FRPB/2296S	6 PUSH BUTTON	170*170*90	-	2 WITH PLUG	2600
FRPB/2291T*	1 PUSH BUTTON	140*95*70	4 TB	1 WITH PLUG	1600
FRPB/2292T*	2 PUSH BUTTON	150*120*70	6 TB	2 WITH PLUG	2200
FRPB/2293T*	3 PUSH BUTTON	170*170*90	8 TB	2 WITH PLUG	2600
FRPB/2294T*	4 PUSH BUTTON	230*130*80	10 TB	2 WITH PLUG	2900
FRPB/2294T*	4 PUSH BUTTON	170*170*90	10 TB	2 WITH PLUG	3000
FRPB/2292AM72*	2PUSH BUTTON+ AMMETER	230*130*80	10 TB	2 WITH PLUG	4500
FRPB/2291AM72*	1 PUSH BUTTON + AMMETER	170*170*90	10 TB	2 WITH PLUG	2700
FRPB/2292 SS72*	2PUSH BUTTON+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4500
FRPB/2290 AMSS72*	AMMETER + SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4800
FRPB/2291 AMSS72*	1 PUSH BUTTON WITH AMMETER+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4900

Push Button Station*marked are duly wired - Prices are with INO or INC Contact Blocks for each Button.
Prices are with Standard Shrouded Spring Return Actuator, however in case of requirement of other Push Button instead of standard, please deduct the List Price of Shrouded Button and add the Price of the required button.

PENDENT PUSH BUTTON STATIONS (CAST ALUMINIUM ENCLOSURE)

TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)	TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)
ONE UNIT	SINGLE	PS-P1	700	TEN UNIT	Double	PS-P10	3400
TWO UNIT	SINGLE	PS-P2	950	TWELVE UNIT	Double	PS-P12	4100
THREE UNIT	SINGLE	PS-P3	1300	FOURTEEN UNIT	Double	PS-P14	4400
FOUR UNIT	SINGLE	PS-P4	1650	SIXTEEN UNIT	Double	PS-P16	4900
FIVE UNIT	SINGLE	PS-P5	1850	EIGHTEEN UNIT	Double	PS-P18	5600
SIX UNIT	SINGLE	PS-P6	2250	TWENTY UNIT	Double	PS-P20	6100
EIGHT UNIT	SINGLE	PS-P8	2650				

Pendent Push Button Stations are Supplied with 1NO+NC Contact Blocks

F.R.P. EMPTY ENCLOSURE (FIBRE GLASS REINFORCED POLYSTER ENCLOSURE)

TYPE'	L*W*H	PRICE (in Rs.)	TYPE'	L*W*H	PRICE (in Rs.)
FRP-1413 EY	140*135*70	1200	FRP-1512 EY	150*120*70	1600
FRP-1495 EY	140*95*70	1150	FRP-1717 EY	170*170*90	2000
FRP-2313 EY	230*130*80	1800			

JUNCTION BOX (CAST ALUMINIUM AND F.R.P ENCLOSURE)

JUNCTION BOX-CAST ALUMINIUM				JUNCTION BOX-F.R.P ENCLOSURE			
TYPE	SIZE	NUMBER OF 2.5MM ² 4 MM ² TERMINAL BLOCK	PRICE (IN RS.)	TYPE	SIZE	NUMBER OF 2.5MM ² 4 MM ² TERMINAL BLOCK	PRICE (IN RS.)
CAJB-4	125*70*55	4	1600	FRJB-4	140*135*70	4	1400
CAJB-6	125*70*55	6	1700	FRJB-6	140*135*70	6	1500
CAJB-10	125*70*55	10	1800	FRJB-10	140*135*70	10	1600
CAJB-12	125*70*55	12	1900	FRJB-12	150*120*70	12	1750
CAJB-18	180*70*55	18	2600	FRJB-18	230*130*80	18	2600
CAJB-20	225*125*55	20	3100	FRJB-20	230*130*80	20	2700
CAJB-24	225*125*55	24	3200	FRJB-24	230*130*80	24	2800
CAJB-36	325*300*70	36	8000	FRJB-36	320*170*80	36	4200
CAJB-50	325*300*70	50	8400	FRJB-50	320*170*80	50	4500

NEON JEWEL LIGHT

TYPE	STD PKG	Panel Cutout mm	CAT NO.	PRICE (IN RS.)
FRONT ROUND NUT FIXING WITH LEAD	50	10	MS-7-3, MS-7-4 MS-7-5, MS-7-6 MS-7-7, MS-7-8	40
FRONT ROUND NUT FIXING WITH LEAD	100	10	MS-14-3, MS-14-4 MS-14-5, MS-14-6 MS-14-7, MS-14-8	50
FRONT ROUND NUT FIXING WITH LEAD	50	8	MS-19-3, MS-19-4 MS-19-5, MS-19-6 MS-19-7, MS-19-8	45
FRONT ROUND NUT FIXING WITH BRASS TERMINAL & SCREW CONNECTION	50	15	MS-17-3, MS-17-4 MS-17-5, MS-17-6 MS-17-7, MS-17-8	50



CAUTION! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL  TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

MEASURING INSTRUMENTS
ANALOG PANEL METERS

VOLTMETERS AC				SQUARE INSTRUMENTS				AMMETERS AC			
RANGES	72-MM	96-MM	144-MM	RANGES	72-MM	96-MM	144-MM	RANGES	72-MM	96-MM	144-MM
	SIF-72	SIF-96	SIF-144		SIF-72	SIF-96	SIF-144		SIF-72	SIF-96	SIF-144
Any Single Range 15v to 300V	380.00	430.00	600.00	Any Single Range Up to 30 Amps	380.00	390.00	550.00	Any Single Range 35A to 100A 0-150 to 0-200A	380.00	390.00	550.00
Any Single Range 0-500 to 600V	410.00	450.00	650.00	Any Single Range 35A to 100A 0-150 to 0-200A	430.00	450.00	600.00		430.00	450.00	600.00
					-	550.00	725.00		-	550.00	725.00
VOLTMETERS DC				AMMETERS DC							
UPTO 30 VOLT	550.00	630.00	940.00	UPTO 30 A	520.00	550.00	950.00				
35 TO 300 VOLT	630.00	675.00	960.00								
UPTO 500 VOLT	670.00	700.00	990.00								



INDUSTRIAL HOOTERS

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 105db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD.PKG	CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD.PKG
HH001-A	220 V A.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	580	01	HH001-D	220 V D.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	730	01
HH002-A	110 V A.C.		580	01	HH002-D	110 V D.C.		730	01
HH003-A	24 V A.C.		580	01	HH003-D	24 V D.C.		730	01
HH004-A	12 V A.C.		580	01	HH004-D	12 V D.C.		750	01
HH005-A	30 V A.C.		580	01	HH005-D	30 V D.C.		750	01
HH006-A	50 V A.C.		580	01	HH006-D	50 V D.C.		750	01
HH007-A	65 V A.C.		580	01	HH007-D	65 V D.C.		750	01

RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE

ELECTRONIC BUZZERS

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 95db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	PRICE PER UNIT	CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	PRICE PER UNIT
			SINGLE TONE	THREE TONE				SINGLE TONE	THREE TONE
			RS.	RS.				RS.	RS.
HSB001-A	220 V A.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	660	730	HSB001-D	220 V D.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	670	730
HSB002-A	110 V A.C.		660	730	HSB002-D	110 V D.C.		670	730
HSB003-A	24 V A.C.		660	730	HSB003-D	24 V D.C.		670	730
HSB004-A	12 V A.C.		670	740	HSB004-D	12 V D.C.		670	730
HSB005-A	30 V A.C.		670	740	HSB005-D	30 V D.C.		670	730
HSB006-A	48 V A.C.		670	740	HSB006-D	48 V D.C.		670	730
HSB00U	24-240V AC/DC			780	50*50 Mini Buzzer			475	

HRC FUSE HOLDERS (ENCLOSED TYPE)

CAT NO.	RATING VOLTAGE	CONNECTION	PRICE PER UNIT (RS.)	STD. PKG.
VMF-20	20 AMP	FRONT	120	5
VMB-20		BUS BAR	125	5
VMP-20		REAR	130	5
VMF-32	32 AMP	FRONT	180	5
VMB-32		BUS BAR	190	5
VMF-63	63 AMP	FRONT	250	5
VMB-63		BUS BAR	290	5
VMF-125	125 AMP	FRONT	550	5
VMB-125		BUS BAR	650	1


HRC FUSE BASES-OPEN TYPE

BAKELITE MOULDED BASE				DMC MOULDED BASE		PROCELAIN MOULDED BASE	
RATING	CONNECTION	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)
160 AMP.	Circlip	FBO-125	250	FBO-160 (CD)	250	FBO-160 (C)	150
250 AMP.	Circlip	FBO-250C	400	FBO-250 (SD)	425	FBO-250 (CP)	450
250 AMP.	Spring Loaded	FBO-250 (S)	425	FBO-250 (CD)	450	FBO-250 (SP)	450
400 AMP.	Circlip	FBO-400C	450	FBO-400 (SD)	500	FBO-400 (CP)	500
400 AMP.	Spring Loaded	FBO-400 (S)	480	FBO-400 (SD)	525	FBO-400 (SP)	510
630 AMP.	Spring Loaded	FBO-630 (S)	650	FBO-630 (SD)	720	FBO-630(SP)	700

HEAVY DUTY FOOT SWITCHES

CAT NO.	CONNECTION	TYPE	PRICE PER UNIT
VFS-C1	1 NO + 1 NC	WITH GUARD	2200
VFS-C2	1 NO + 1 NC	WITHOUT GUARD	2020
VFS-C3	2 NO + 2 NC	WITH GUARD	2500
VFS-C4	2 NO + 2 NC	WITHOUT GUARD	2550
VFS-C5	1 NO + 1 NC	WITH SHIELD GUARD	2550
VFS-C6	2 NO + 2 NC	WITH SHIELD GUARD	2800





MRP LIST No 02/26

EFFECTIVE FROM 07.09.2026
TERMS & CONDITIONS

- **Prices**
The Prices mentioned in this Price List No. 02/26 effective 07-09-2026 supersedes all previous Price Lists and are standard Prices ruling at the time of dispatch on F.O.R Noida basis.
- **Alteration**
The Prices are subject to change without notice.
- **Jurisdiction**
The courts at Noida will have jurisdiction to settle all disputes raised.
- **Duties and Taxes**
Prices do not Include Any Taxes & Levies
- **Insurance**
Insurance will be to your Account.
- **Others**





VAISHNO 
HOTLINE

Authorized Stockist

