

Class Tasks 1

Git & GitHub Practical Lab Questions

Lab 1: Git Installation & Setup




1. The command to check if Git is installed on a computer is “git –version”.
2. Installed Git.
3. The commands I used were:
 - a. git config --global user.name "Subarna Bajracharya"
 - b. git config --global user.email buzzzraws@gmail.com
4. Setting username and email in Git my commits are properly identified and attributed to me.
5. Screenshot of configuration output is pasted below:

```
PS C:\Users\buzzr\Desktop\C\Online Class\Oct 06\my-website> git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.editor="C:\Users\buzzr\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.email=65555875+ItsBajra@users.noreply.github.com
user.name=Subarna Bajracharya
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
```

Lab 2: Create a Local Website Project

Screenshot of folder structure and file contents:

Folder Structure:

 .git	06/10/2025 08:21	File folder	
 index	06/10/2025 07:37	Brave HTML Docu...	1 KB
 style	06/10/2025 08:21	CSS Source File	1 KB

Index.html:

```
<!DOCTYPE html>
<html>
<head>
  <title>My Website</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Welcome to My Website</h1>
  <p>This is my first Git project!</p>
</body>
</html>
```

Style.css:

```
body {
  font-family: Arial, sans-serif;
  margin: 40px;
  background-color: #f0f0f0;
}

h1 {
  color: blue;
  text-align: center;
}

p {
  color: #333;
  line-height: 1.6;
}
```

Lab 3: Initialize Git Repository

1. We use 'cd' command to navigate to project folder in command prompt. Specifically, it goes this way: `cd path\to\your\project\folder`.
2. We used to 'cd' command to first navigate to the project folder and then we used the 'git init' command to initialize git inside the folder.
3. The .git folder stores all the information and history for my git repository.
4. When running the 'git status' command, it displays the following information:
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

5. Screenshot of git status output :

```
PS C:\Users\buzzr\Desktop\C\Online Class\Oct 06\my-website> git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

Lab 4: Add and Commit Files

1. The staging area in git allows us prepare and review changes before committing them to the repository.
2. The command used to add index.html to the staging area was: 'git add index.html'
3. Done
4. Done
5. Screenshot of git log output:

```
PS C:\Users\buzzi\Desktop\C\Online Class\Oct 06\my-website>
git log
commit 519fbd527d4d836582ae007128186e15abdb3d81 (HEAD -> master, origin/master, origin/improve-styling, improve-styling)
Author: Subarna Bajracharya <65555875+ItsBajra@users.noreply.github.com>
Date: Mon Oct 6 08:08:38 2025 +0545

    Improve styling with background color and centered heading

commit ada6b564a4d49f9eafa17c22f989f6eaab0a2301
Author: Subarna Bajracharya <65555875+ItsBajra@users.noreply.github.com>
Date: Mon Oct 6 07:49:11 2025 +0545


    Add CSS styling for website

commit a2dc08edd768a1b7143db3fb485f03f41ef669cd
Author: Subarna Bajracharya <65555875+ItsBajra@users.noreply.github.com>
Date: Mon Oct 6 07:48:43 2025 +0545

    Add initial HTML file for website
```


Lab 5: Create GitHub Repository and Push Code

A screenshot showing my GitHub Repository:




Lab 6: Create and Switch Branches

1. A branch is a separate line of development that allows us to work on new changes without affecting the main codebase.
2. Done
3. The command used to view all branches in the repository is 'git branch'
4. Done
5. Done
6. Done
7. The screenshot of both branches:



Lab 7: Merge Branches

1. The purpose of merging git is to combine the changes from different branches into one single branch.
2. The command used to switch back to the master branch is 'git checkout master'
3. Done.
4. Done.
5. After merging, the feature branch is still there in the repository and can be deleted if no longer needed.
6. Screenshot showing the updated style.css file in the master branch:




The screenshot displays a code editor interface with a dark theme. At the top, a commit message "Improve styling with background color and centered heading" is visible. Below it, the branch "master" is selected. The editor shows a file named "style.css" with 15 lines of code. The changes are highlighted in green, indicating additions. The code includes a body selector with font-family, margin, and background-color properties, and an h1 selector with color and text-align properties. A p selector is also partially visible.

```
@@ -1,8 +1,15 @@
1 1  body {
2 2      font-family: Arial, sans-serif;
3 3      margin: 40px;
4 4  +  background-color: #f0f0f0;
4 5  }
5 6
6 7  h1 {
7 8      color: blue;
9 9  +  text-align: center;
10 10 +  }
11 11 +
12 12 +  p {
13 13 +      color: #333;
14 14 +      line-height: 1.6;
8 15 }
```

Lab 8: Collaboration Simulation

1. To fork a repository refers to creating a copy of someone else's repository under my account.

Screenshot of Pull Request Page:




Lab 9: Reflection Task

1. Git is a tool that helps us track changes on our code, collaborate with other people, and manage the versions of our project. This makes teamwork and code management much easier and safer.
2. The command `git add` is used to add files to staging. The command `git commit` is used to save the staged changes to local repo with a message and the command `git push` is used to push the saved changes from local repo to a remote repository.
3. A branch is a separate line of development that allows developers to work on new changes without affecting the main codebase.
4. The command '`git log`' is used to see the commit history.
5. There wasn't any challenging part in this lab series as I'm quite familiar with git and GitHub.
6. I learned how to fork repositories, which will help me collaborate more effectively and contribute to other coding projects in the future.

Class Tasks 2

Screenshot of the pull request:



Answers to the Git Quiz done in class:

Question 1: B

Question 2: A

Question 3: C

Question 4: D

Question 5: D

Question 6: B