Lab work 1. Cyber Threat Intelligence report mapping to Tactics and Technics

Names:
Adi Haim
Afik Aharon
Bar Mor
Ron Noiman

Source CTI report:
https://cloud.google.com/blog/topics/threat-intelligence/voice-phishing-data-extortion

The report investigates a voice phishing campaign conducted by threat actors known as shinyhunters, that impersonated IT support personnel to gain access to internal systems. the attackers use something called phone based social engineering to trick employees to sharing credentials or approving MFA requests. once credentials are obtained, they log into corporate networks, remove sensitive data, and extort victims by threatening data leaks they found.

The GTIG(Google's Threat Intelligence Group) links this activity (written above) to a financially motivated group called UNC6040. Instead of stealing passwords, this group convinces victims to authorize a malicious salesforce connected app. With that access they extract personal data from the CRM database and later use it to extort organizations. Sometimes even months after the initial breach, other similar groups may follow up with ransom demands.

Attack Flow- Schema:

Reconnaissance: identify target organizations and employees via LinkedIn and corporate directories. technique- phishing for Information

Initial Access: call employees pretending to be IT staff and convince them to visit a fake login page or an approved MFA prompt. technique- phishing, valid Accounts

Credential Access: harvest credentials from phishing sites. technique- multi-Factor Authentication Interception

Persistence: reuse valid credentials\ create new accounts for future access.technique- account Manipulation

Exfiltration: copy confidential data from cloud storage\ internal systems. Technique- exfiltration to Cloud Storage

Impact: threaten\ sell stolen data for financial gain -data extortion. Technique-Data Encrypted for Impact / Data Leak

From the presentation:

From the report:


Attack Path Diagram
Social Engineering Phone Call
Request user credentials
Approve Salesforce Connect code
Data Loader application added
Data export from Salesforce environment
Mandiant