

# Procedural Lab Competency Assessment Checklist

## Chapter 11: Small-Volume Parenteral Preparations

### Supplies

- Calculator (basic)
- Pen
- Medication order in large, clear-plastic, resealable bag
- CSP labels in small, clear-plastic, resealable bags × 2
- Ampicillin 500-mg vials × 2
- Sterile water 10-mL diluent vials × 2
- 10-mL Luer-lock syringes × 3
- 3-mL Luer-lock syringe
- Regular needles (nonfilter, nonvented needles, either 18 to 20 gauge) × 3
- Vented needle
- Sterile 70% IPA swabs, individually packaged × 10
- 0.9% sodium chloride, 100-mL IVPBs × 2
- Tamper-evident, sterile, adhesive seals (optional)
- Aseptic cleaning wipes presaturated with appropriate cleaning solution
- Transport vehicle (optional)
- Shoe covers
- Hair cover
- Face mask
- Beard cover (if appropriate)
- Sterile gown
- Sterile, foamed 70% IPA
- Sterile, powder-free gloves
- Horizontal laminar airflow hood
- Permanent, felt-tip marker
- Waste container
- Sharps container

### Basic Instructions

- Perform any necessary calculations and then gather the supplies from the supply list.
- Once your instructor gives you permission to begin, garb in the proper order to the point that you would prior to washing your hands.
- Cleanse your hands and forearms with sterile, foamed 70% IPA and then don a sterile gown.
- Finally, don sterile gloves.

**Note:** For the purposes of this process validation, you will not perform hand-washing or hood-cleaning procedures.

### Procedural Lab Competency Assessment Checklist

|                                                                                                     | Yes                      | No                       | NA                       |
|-----------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|
| <b>CSP Label Verification</b>                                                                       |                          |                          |                          |
| Compared med order to CSP label to verify accuracy of all information                               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>Dosage Calculation and Supply Determination</b>                                                  |                          |                          |                          |
| Reviewed the med order to determine the desired dosages                                             | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Reviewed each vial label to determine the medication's desired concentration and the diluent volume | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Correctly performed the mathematical dosage calculations                                            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Gathered correct supply items                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

|                                                                                                                                                  | Yes                      | No                       | NA                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|
| <b>Anteroom Preparations</b>                                                                                                                     |                          |                          |                          |
| Wiped down transport vehicle and all supply items properly                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Donned aseptic shoe covers, hair cover, face mask, and beard cover (if appropriate) in the proper order                                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Donned sterile gown without contaminating it                                                                                                     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>Clean Room Procedures and SVP Preparation</b>                                                                                                 |                          |                          |                          |
| Placed supplies in the proper area in the clean room                                                                                             | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used sterile, foamed 70% IPA prior to donning sterile gloves                                                                                     | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Removed the dust cover of the IVPB prior to placing it in DCA of hood                                                                            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Placed small supply items in outer six-inch zone of hood                                                                                         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Opened all alcohol swabs within the DCA                                                                                                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Made appropriate use of the waste discard pile or discarded waste into the appropriate container throughout the procedure                        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Cleaned all critical sites of supplies with sterile 70% IPA swabs                                                                                | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Maintained uninterrupted airflow to the critical sites of all supply items throughout injection, withdrawal, and needle-removal procedures       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Did not touch the critical sites of the needle or syringe at any time                                                                            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Did not touch critical site of IVPB or vial without first reswabbing the site before needle insertion                                            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Did not place any syringe onto the hood surface without first attaching a capped needle                                                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used proper technique when inserting needle into vial                                                                                            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used milking technique to withdraw diluent from vial                                                                                             | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used proper technique to remove needle-and-syringe unit from vial                                                                                | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Recapped the needle using proper technique                                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Withdrew the proper volume of diluent for CSP Scenario One                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used milking technique to reconstitute the powder in Scenario One                                                                                | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Drew up the proper volume of drug to prepare CSP #1                                                                                              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Withdrew the proper volume of diluent for CSP Scenario Two                                                                                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used vented needle to reconstitute the powder in Scenario Two                                                                                    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Drew up the proper volume of drug to prepare CSP #2                                                                                              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Placed items on the hood properly in preparation for verification check by pharmacist or instructor                                              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used the correct IVPB base solution for each CSP                                                                                                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Repositioned each SVP so that the injection port received uninterrupted airflow from the HEPA filter                                             | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Swabbed the injection port of each IVPB bag                                                                                                      | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used proper technique when inserting the needle into the injection port of each IVPB bag                                                         | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Used proper technique when removing the needle from the injection port of each IVPB bag                                                          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Checked each bag for leakage, precipitate, or incompatibility                                                                                    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Properly affixed the correct CSP label to the back of the corresponding IVPB bag                                                                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Applied a tamper-evident, sterile, adhesive seal over the injection port of each IVPB bag (optional—depending on facility/instructor directions) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Disposed of sharps and nonsharps waste in appropriate receptacles                                                                                | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

|                                                                    | Yes                      | No                       | NA                       |
|--------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|
| <b>Completion Activities Performed Upon Return to the Anteroom</b> |                          |                          |                          |
| Initialed the CSP labels in the appropriate places                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Recorded date, time, and initials on the vials' drug labels        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Returned any remaining supplies to their proper locations          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Removed PPE according to standard procedures                       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Instructor Feedback

\_\_\_\_\_

Date

\_\_\_\_\_

Student/Trainee

\_\_\_\_\_

Trainer Name

\_\_\_\_\_

License or Registration Number

\_\_\_\_\_

Trainer Signature

\_\_\_\_\_

State Licensed