

Procedural Lab Competency Assessment Checklist

Chapter 12: Ampule-Based Preparations

Supplies

- Calculator (basic)
- Pen
- Medication order in large, clear-plastic, resealable bag
- CSP label in small, clear-plastic, resealable bag
- Promethazine 50 mg/2-mL ampule
- 3-mL Luer-lock syringe
- Regular needle (nonfilter, nonvented needle, either 18 or 19 gauge)
- Filter needle
- Sterile 70% IPA swabs, individually packaged × 3
- D₅W 100-mL IVPB
- Tamper-evident, sterile, adhesive seals (optional)
- Aseptic cleaning wipes presaturated with appropriate cleaning solution
- Transport vehicle (optional)
- Shoe covers
- Hair cover
- Face mask
- Beard cover (if appropriate)
- Sterile gown
- Sterile, foamed 70% IPA
- Sterile, powder-free gloves
- Horizontal laminar airflow hood
- Permanent, felt-tip marker
- Waste container
- Sharps container

Basic Instructions

- Perform any necessary calculations and then gather the supplies from the supply list.
- Once your instructor gives you permission to begin, garb in the proper order to the point that you would prior to washing your hands.
- Cleanse your hands and forearms with sterile, foamed 70% IPA and then don a sterile gown.
- Finally, don sterile gloves.

Note: For the purposes of this process validation, you will not perform hand-washing or hood-cleaning procedures.

Procedural Lab Competency Assessment Checklist

	Yes	No	NA
CSP Label Verification			
Compared med order to CSP label to verify accuracy of all information	☐	☐	☐
Dosage Calculation and Supply Determination			
Reviewed the CSP label to determine the desired dosage	☐	☐	☐
Reviewed the ampule to determine the medication concentration	☐	☐	☐
Correctly performed the mathematical dosage calculations	☐	☐	☐
Gathered correct supply items	☐	☐	☐
Anteroom Preparations			
Wiped down transport vehicle and all supply items properly	☐	☐	☐
Donned aseptic shoe covers, hair cover, face mask, and beard cover (if appropriate) in the proper order	☐	☐	☐
Donned sterile gown without contaminating it	☐	☐	☐

	Yes	No	NA
Clean Room Procedures and Ampule Preparation			
Placed supplies in the proper area in the clean room	☐	☐	☐
Used sterile, foamed 70% IPA prior to donning sterile gloves	☐	☐	☐
Removed the dust cover of the IVPB prior to placing it in DCA of hood	☐	☐	☐
Placed small supply items in outer six-inch zone of hood	☐	☐	☐
Opened all alcohol swabs within the DCA	☐	☐	☐
Made appropriate use of the waste discard pile, or discarded waste into the appropriate container throughout the procedure	☐	☐	☐
Cleaned all critical sites of supplies with sterile 70% IPA swabs	☐	☐	☐
Maintained uninterrupted airflow to the critical sites of all supply items throughout injection, withdrawal, and needle-removal procedures	☐	☐	☐
Did not touch the critical sites of the needle or syringe	☐	☐	☐
Did not touch the critical sites of the IVPB or ampule without then reswabbing the sites before needle insertion or ampule opening	☐	☐	☐
Did not place any syringe onto the hood surface without first attaching a capped needle	☐	☐	☐
Used two needles—one regular needle, one filter needle—appropriately during the procedure	☐	☐	☐
Withdrew the proper volume of drug from the ampule	☐	☐	☐
Used proper technique to remove bubbles from syringe	☐	☐	☐
Placed items on the hood properly in preparation for verification check by pharmacist or instructor	☐	☐	☐
Used correct IVPB base solution and repositioned items in the hood so that the needle-and-syringe unit and injection port of IVPB received uninterrupted airflow from the HEPA filter	☐	☐	☐
Swabbed the injection port of the IVPB bag	☐	☐	☐
Used proper technique when inserting the needle into the injection port of the IVPB bag	☐	☐	☐
Used proper technique when removing the needle from the injection port	☐	☐	☐
Checked bag for leakage, precipitates, or incompatibility	☐	☐	☐
Properly affixed the CSP label to the back of the IVPB bag	☐	☐	☐
Applied a tamper-evident, sterile, adhesive seal over the injection port of the IVPB bag (optional—depending on facility/instructor directions)	☐	☐	☐
Disposed of sharps and nonsharps waste in appropriate receptacles	☐	☐	☐
Completion Activities Performed Upon Return to the Anteroom			
Initialed the CSP label in the appropriate place	☐	☐	☐
Recorded date, time, and initials on the drug label	☐	☐	☐
Returned any remaining supplies to their proper locations	☐	☐	☐
Removed PPE according to standard procedures	☐	☐	☐

Instructor Feedback

Date

Student/Trainee

Trainer Name

License or Registration Number

Trainer Signature

State Licensed