

Procedural Lab Competency Assessment Checklist

Chapter 16: Hazardous Drug Preparations

Supplies

- Calculator (basic)
- Pen
- Chemotherapy medication order in large, clear-plastic, resealable bag
- Chemotherapy CSP label in small, clear-plastic resealable bag
- Cisplatin 100-mg/100-mL vial
- 0.9% NS IV base solution (with tail injection port) 500 mL
- Plastic-backed preparation mat
- IV tubing
- 4 × 4 sterile, lint-free wipes, approximately a 3" stack (a few additional wipes are needed in the anteroom as well)
- 60-mL Luer-lock syringe
- Chemotherapy dispensing pin
- Regular, 19-gauge needles × 2
- Tamper-evident, sterile, adhesive seal
- Aseptic cleaning wipes presaturated with appropriate cleaning solution
- Transport vehicle (optional)
- Aseptic garb, including shoe covers, hair cover, face mask, and beard cover (if appropriate)
- Sterile gown (if donning a chemotherapy smock)
- Sterile chemotherapy gown or smock
- Sterile, foamed 70% IPA
- Sterile, powder-free gloves
- Sterile chemotherapy gloves
- Chemotherapy safety glasses
- Vertical airflow biological safety cabinet (BSC)
- Chemotherapy transport bag (to place the CSP into for transport)
- Chemotherapy warning auxiliary label × 2
- Permanent felt-tip marker
- Small chemotherapy sharps container (for inside the BSC)
- Large chemotherapy waste container (for the anteroom)
- Waste container

Basic Instructions

- Perform any necessary calculations and then gather the supplies from the supply list.
- Once your instructor gives you permission to begin, garb in the proper order to the point that you would prior to washing your hands.
- Cleanse your hands and forearms with sterile, foamed 70% IPA and then don a chemotherapy gown. (If wearing a chemotherapy smock, don a sterile gown prior to putting on the smock.)
- Don sterile gloves followed by chemotherapy gloves.

Procedural Lab Competency Assessment Checklist

	Yes	No	NA
Chemotherapy CSP Label Verification			
Compared chemotherapy med order to CSP label to verify accuracy of all information; verified that the dose matches order per BSA	☐	☐	☐
Dosage Calculation and Supply Determination			
Reviewed the CSP label to determine the desired concentration and volumes	☐	☐	☐
Correctly performed the mathematical dosage calculations	☐	☐	☐
Gathered the correct supply items	☐	☐	☐
Anteroom Preparations			
Wiped down transport vehicle and all supply items properly	☐	☐	☐
Donned aseptic shoe covers, hair cover, face mask, and beard cover (if appropriate) in the proper order	☐	☐	☐
Donned sterile chemotherapy gown without contaminating it	☐	☐	☐
Clean Room Procedures and Chemotherapy Preparation			
Placed supplies in the proper area in the clean room	☐	☐	☐
Used sterile, foamed 70% IPA prior to donning sterile gloves	☐	☐	☐
Opened all alcohol swabs within the DCA	☐	☐	☐
Properly donned chemotherapy gloves	☐	☐	☐
Prepared the correct volume of drug using a chemotherapy dispensing pin and negative pressure	☐	☐	☐
Maintained uninterrupted airflow to the critical sites of all supply items throughout spike insertion, fluid withdrawal, and needle insertion/removal procedures	☐	☐	☐
Did not touch the critical sites of the needle, syringe, spike, or Luer-lock adaptor at any time	☐	☐	☐
Did not touch critical site of vial or IV bag without reswabbing site prior to needle insertion	☐	☐	☐
Did not place any syringe onto the hood surface without first attaching a capped needle	☐	☐	☐
Used proper technique to prime the tubing	☐	☐	☐
Used proper tubing spike insertion technique	☐	☐	☐
Used proper technique to remove bubbles from syringe	☐	☐	☐
Placed syringes and vial on the hood properly in preparation for verification check by pharmacist or instructor	☐	☐	☐
Used proper technique to inject drug into IV bag	☐	☐	☐
Disposed of needle-and-syringe unit without recapping needle	☐	☐	☐
Properly disposed of items in small sharps container	☐	☐	☐
Properly wiped down the IV bag/tubing	☐	☐	☐
Applied a tamper-evident, sterile, adhesive seal over the LVP injection port	☐	☐	☐
Properly examined and labeled CSP, placed warning label on CSP and bag, placed CSP into chemotherapy transport bag	☐	☐	☐
Placed chemotherapy gown and gloves into chemotherapy sharps container while in the clean room	☐	☐	☐
Completion Activities Performed Upon Return to the Anteroom			
Initialed the CSP label in the appropriate place	☐	☐	☐
Returned any remaining supplies to their proper locations	☐	☐	☐
Destroyed base components according to instructions	☐	☐	☐
Removed PPE according to standard procedures and placed in chemotherapy sharps container	☐	☐	☐

Instructor Feedback

Date

Student/Trainee

Trainer Name

License or Registration Number

Trainer Signature

State Licensed