

GREY HARDY  
11/15/2021

# Deep Learning Project: Charity Funding Predictor

This project created a binary classifier that predicted if applicants will be successful in funded by Alphabet Soup using neural networks and deep learning. Funding has been received by over 34,000 organizations from Alphabet Soup.

## Data Processing

The dataset removed any irrelevant information; therefore, EIN and NAME were dropped from the model. The remaining columns were considered features for the model. Although NAME was added back in the second test. CLASSIFICATION and APPLICATION\_TYPE was replaced with 'Other due to high fluctuation. The data was split into training and testing sets of data. The target variable for the model is "IS\_SUCCESSFUL" and is verified by the value, 1 was considered yes and 0 was no. APPLICATION data was analyzed, and CLASSIFICATION's value was used for binning. Each unique value used several data point as a cutoff point to bin "rare" categorical variables together in a new value, 'Other'. Afterwards checked to see if binning was successful. Categorical variables were encoded by 'pd.get\_dummies()'.

## Compiling, Training, and Evaluation the Model

Neural Network was applied on each model multiple layers, three in total. The number of features dictated the number of hidden nodes.

```
[ ] # Define the model - deep neural net, i.e., the number of input features and hidden nodes for each layer.
    number_input_features = len( X_train_scaled[0])
    hidden_nodes_layer1=7
    hidden_nodes_layer2=14
    hidden_nodes_layer3=21
    nn = tf.keras.models.Sequential()

    nn = tf.keras.models.Sequential()

    # First hidden layer
    nn.add(tf.keras.layers.Dense(units=hidden_nodes_layer1, input_dim=number_input_features, activation='relu'))

    # Second hidden layer
    nn.add(tf.keras.layers.Dense(units=hidden_nodes_layer2, activation='relu'))

    # Output layer
    nn.add(tf.keras.layers.Dense(units=1, activation='sigmoid'))

    # Check the structure of the model
    nn.summary()
```

A three-layer training model generated 477 parameters. The first attempt came close at 72% which was under the desired 75%.

Model: "sequential\_1"

Layer (type)	Output Shape	Param #
dense (Dense)	(None, 7)	350
dense_1 (Dense)	(None, 14)	112
dense_2 (Dense)	(None, 1)	15

=====  
Total params: 477  
Trainable params: 477  
Non-trainable params: 0

```
[ ] # Evaluate the model using the test data
    model_loss, model_accuracy = nn.evaluate(X_test_scaled,y_test,verbose=2)
    print(f"Loss: {model_loss}, Accuracy: {model_accuracy}")
```

268/268 - 0s - loss: 0.5519 - accuracy: 0.7278 - 283ms/epoch - 1ms/step  
Loss: 0.5519309639930725, Accuracy: 0.7278134226799011

## Optimization

The second attempt added 'NAME' back into the dataset, this time I achieved 79% which was 4% over target. A total of 3,298 params.

Model: "sequential\_1"

Layer (type)	Output Shape	Param #
dense (Dense)	(None, 7)	3171
dense_1 (Dense)	(None, 14)	112
dense_2 (Dense)	(None, 1)	15

=====  
Total params: 3,298  
Trainable params: 3,298  
Non-trainable params: 0

Deep learning models should have multiple layers, since it is machined based it teaches a computer to filter inputs through the layers to learn how to predict and classify information.



```
# Evaluate the model using the test data
model_loss, model_accuracy = nn.evaluate(X_test_scaled,y_test,verbose=2)
print(f"Loss: {model_loss}, Accuracy: {model_accuracy}")
```

```
268/268 - 0s - loss: 0.4647 - accuracy: 0.7869 - 229ms/epoch - 856us/step
Loss: 0.4646620452404022, Accuracy: 0.7869387865066528
```