

Peter Julius M. Estacio

Grouped with:

Niño Aloysius V. De Mesa

Christian James S. Madariaga

ENGG 151.01-A

February 16, 2026

Self Evaluation for Project 1: Normalized Crosscorrelation

```
PS D:\Peter's Stuff\New Coding\Estacio_Peter\ENGG 151\Project 1\test> ./main xdata ydata outputFile
Signal file 'xdata' with starting index -4 and duration 7 read.
Signal file 'ydata' with starting index -4 and duration 8 read.
p_xy(-7) = 0.0271085
p_xy(-6) = -0.187591
p_xy(-5) = 0.241085
p_xy(-4) = 0.280844
p_xy(-3) = -0.536025
p_xy(-2) = 0.323856
p_xy(-1) = -0.130121
p_xy(0) = 0.0462651
p_xy(1) = 0.111687
p_xy(2) = -0.529519
p_xy(3) = 0.311205
p_xy(4) = -0.121807
p_xy(5) = 0.174579
p_xy(6) = -0.0115663
Exported crosscorrelation signal to outputFile with start index -7 and duration 14.
PS D:\Peter's Stuff\New Coding\Estacio_Peter\ENGG 151\Project 1\test> 
```

sample screenshot – executable main run and displaying results of main program

xdata		ydata		outputFile	
1	-4	1	-4	1	0.0271085
2	-1	2	-1	2	-0.187591
3	3	3	2	3	0.241085
4	7	4	2	4	0.280844
5	1	5	-2	5	-0.536025
6	2	6	1	6	0.323856
7	-3	7	-2	7	-0.130121
		8	4	8	0.0462651
				9	0.111687
				10	-0.529519
				11	0.311205
				12	-0.121807
				13	0.174579
				14	-0.0115663
				15	
$x_{raw}[n]$		$y_{raw}[n]$		$\rho_{xy}[l]$	
-4	2	-4	1	-7	0.0271085
	-1		comments		
	3		-1 do not affect		
	7		2 validity		
	1		-2 of signal values		
	2		4		
	-3		1		
			-2		
			4		
blank lines / extra lines do not affect signal duration					

sample screenshots – input signal and output signal files in comparison with basic test signals

main.cpp	2/16/2026 1:53 AM	CPP File	2 KB
main.exe	2/16/2026 1:54 AM	Application	330 KB
normCrossCorr.cpp	2/16/2026 1:19 AM	CPP File	4 KB
normCrossCorr.h	2/16/2026 1:21 AM	H File	1 KB
outputFile	2/16/2026 1:21 AM	File	1 KB
xdata	2/16/2026 12:52 AM	File	1 KB
ydata	2/16/2026 1:19 AM	File	1 KB


```
* Executing task: C/C++: WINDOWS BUILD (g++.exe)
Starting build...
cmd /c chcp 65001>nul && C:\msys64\mingw64\bin\g++.exe -fdiagnostics-color=always -g *.cpp -o "D:\Peter's Stuff\New Coding\Estacio_Peter\ENGG 151\Project 1\test\main.exe"
Build finished successfully.
Terminal will be reused by tasks, press any key to close it.
```

sample screenshot – compilation on Visual Studio Code with directory files


```
PS D:\Peter's Stuff\New Coding\Estacio_Peter\ENGG 151\Project 1\test> g++ --version
g++.exe (Rev8, Built by MSYS2 project) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
```

```
PS D:\Peter's Stuff\New Coding\Estacio_Peter\ENGG 151\Project 1\test>
```

compiler version – g++ version 15.2.0 (Rev8, Built by MSYS2 project)



operating system - Windows 11 Pro, 25H2, build 26200.7623



IDE – Visual Studio Code ver 1.108.2

Code Locator:

code items	file name	line numbers
correlation function	normCrossCorr.cpp	Lines 99 - 159
declaration of double * that are passed to the correlation function	main.cpp	Lines 20 - 21
separate processing of first line of signal file	normCrossCorr.cpp	Lines 44 – 97
input validation of integers in processing signal files	normCrossCorr.cpp	Lines 10 - 25
input validation of floating point numbers in processing signal files	normCrossCorr.cpp	Lines 27 - 42

Project Evaluation - Normalized Crosscorrelation		
Item	Points	Rubrics
early work	8/8	(all or nothing) 8: at most 10% of the code in the final implementation differs from that in early work submission
implementation and testing environment report	4/4	4 - all instructions followed correctly
basic test	50/50	50 - correctly computes the correct normalized crosscorrelation from basic test data
	6/6	6 - screenshot submitted showing the correctly computed normalized crosscorrelation as it appears on the console output
generality of correlation	6/6	6 - the normalized crosscorrelation is computed correctly and efficiently at all times
correlation function	6/6	6 - the normalized crosscorrelation is computed correctly and efficiently at all times, by a function as specified
processing of signal files	4/4	4 - The file is opened only once and the first line of the signal file is processed correctly and separately from code processing the rest of the signal file
input validation	4/4	4 - integers and floating point numbers are fully validated when signal files are processed
command line	4/4	4 - application processes command line arguments correctly at all times
application feedback	4/4	4 - application provides appropriate feedback at all times, as specified
self-evaluation	4/4	4 - self-evaluation accurate (or evaluating this item leads to an error)
total	100	