Genuine Multipartite Entanglement Analysis — Molecular System

MOLECULE

Benzene (Benzene)
Basis set   : external-CI
Charge   : 0
Multiplicity : 1
Total e-   : 6
n-body order : 4

GROUND STATE ENERGIES

E0 (Ha) : nan
E1 (Ha) : nan
Gap (Ha) : nan
HF (Ha) : nan

CONVEX-ROOF METHODS

Methods run   : gcg
Restarts   : 20

C_LB : coherence witness bound
C_gcg: Conjugate Gradient(Alg. A)
C_UB : eigendecomposition bound

ACTIVE SPACE CAS(6,6)

Frozen core orbs : 0
Frozen e-   : 0
Active e-   : 6
Active orbs   : 6
Spin-orbitals   : 12
Hilbert dim   : 400

SPIN PROPERTIES

<S2>   : 0.000000
S   : 0.0000
<Sz>   : 0.000000
Multiplicity : 1
Spin state   : Singlet (S=0)

GME CRITERIA

C_GME = sqrt(2 * min_A (1 - Tr(rho_A^2)))

Convex roof (mixed):
  C_GME(rho) = min Sum p_i C_GME(|psi_i>)

Bounds ordering:
  C_LB <= C_GME <= C_UB

DOUBLE OCCUPANCY

<D> total : 1.058749
<D> / site : 0.176458

THIS PDF


Body order : 4
Clusters   : 15


Date: 2026-07-28 13:03


Summary — 4-Body RDMs (Benzene, CAS(6,6))

Orbitals	Purity	Entropy	C_GME (pure)	C_LB	C_gcg	C_UB	State
0,1,2,3	0.329644	1.492429	—	—	—	—	MIXED
0,1,2,4	0.178426	1.920851	—	—	—	—	STRONGLY MIXED
0,1,2,5	0.329636	1.492443	—	—	—	—	MIXED
0,1,3,4	0.166656	2.049886	—	—	—	—	STRONGLY MIXED
0,1,3,5	0.178422	1.920872	—	—	—	—	STRONGLY MIXED
0,1,4,5	0.329644	1.492439	—	—	—	—	MIXED
0,2,3,4	0.178424	1.920864	—	—	—	—	STRONGLY MIXED
0,2,3,5	0.166652	2.049904	—	—	—	—	STRONGLY MIXED
0,2,4,5	0.178422	1.920872	—	—	—	—	STRONGLY MIXED
0,3,4,5	0.329636	1.492443	—	—	—	—	MIXED
1,2,3,4	0.329646	1.492422	—	—	—	—	MIXED
1,2,3,5	0.178424	1.920864	—	—	—	—	STRONGLY MIXED
1,2,4,5	0.166656	2.049886	—	—	—	—	STRONGLY MIXED
1,3,4,5	0.178426	1.920851	—	—	—	—	STRONGLY MIXED
2,3,4,5	0.329644	1.492429	—	—	—	—	MIXED

4-Body RDM (Sites 0,1,2,3) — same matrix in all three views










Trace=1.000000 Purity=0.329644 Entropy=1.492429 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,1,2,4) — same matrix in all three views










Trace=1.000000 Purity=0.178426 Entropy=1.920851 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,1,2,5) — same matrix in all three views










Trace=1.000000 Purity=0.329636 Entropy=1.492443 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,1,3,4) — same matrix in all three views










Trace=1.000000 Purity=0.166656 Entropy=2.049886 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,1,3,5) — same matrix in all three views










Trace=1.000000 Purity=0.178422 Entropy=1.920872 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,1,4,5) — same matrix in all three views










Trace=1.000000 Purity=0.329644 Entropy=1.492439 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,2,3,4) — same matrix in all three views










Trace=1.000000 Purity=0.178424 Entropy=1.920864 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,2,3,5) — same matrix in all three views










Trace=1.000000 Purity=0.166652 Entropy=2.049904 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,2,4,5) — same matrix in all three views










Trace=1.000000 Purity=0.178422 Entropy=1.920872 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 0,3,4,5) — same matrix in all three views










Trace=1.000000 Purity=0.329636 Entropy=1.492443 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 1,2,3,4) — same matrix in all three views









Trace=1.000000 Purity=0.329646 Entropy=1.492422 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)


4-Body RDM (Sites 1,2,3,5) — same matrix in all three views




Trace=1.000000 Purity=0.178424 Entropy=1.920864 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 1,2,4,5) — same matrix in all three views










Trace=1.000000 Purity=0.166656 Entropy=2.049886 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 1,3,4,5) — same matrix in all three views










Trace=1.000000 Purity=0.178426 Entropy=1.920851 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

4-Body RDM (Sites 2,3,4,5) — same matrix in all three views







Trace=1.000000 Purity=0.329644 Entropy=1.492429 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)