Genuine Multipartite Entanglement Analysis — Molecular System

MOLECULE

Benzene (C6H6)
Basis set   : cc-pVDZ
Charge   : 0
Multiplicity : 1
Total e-   : 42
n-body order : 3

GROUND STATE ENERGIES

E0 (Ha) : -230.75355805
E1 (Ha) : -230.57826157
Gap (Ha) : 0.17529648
HF (Ha) : -230.71878874

CONVEX-ROOF METHODS

Methods run   : gcg
Restarts   : 3

C_LB : coherence witness bound
C_expo: unitary opt (exp map)
C_stf : Stiefel manifold (Alg. B)
C_UB : eigendecomposition bound

ACTIVE SPACE CAS(6,6)

Frozen core orbs : 18
Frozen e-   : 36
Active e-   : 6
Active orbs   : 6
Spin-orbitals   : 12
Hilbert dim   : 400

SPIN PROPERTIES

<S2>   : -0.000000
S   : -0.0000
<Sz>   : 0.000000
Multiplicity : 1
Spin state   : Singlet (S=0)

GME CRITERIA

C_GME = sqrt(2 * min_A (1 - Tr(rho_A^2)))

Convex roof (mixed):
  C_GME(rho) = min Sum p_i C_GME(|psi_i>)

Bounds ordering:
  C_LB <= C_GME <= C_UB

DOUBLE OCCUPANCY

<D> total : 1.629656
<D> / site : 0.271609

THIS PDF


Body order : 3
Clusters   : 42

Date: 2026-07-15 09:32

Summary — 3-Body RDMs (Benzene, CAS(6,6))

Orbitals	Purity	Entropy	C_GME (pure)	C_LB	C_gcg	C_UB	State
0,1,2	0.125000	2.079441	—	0.000000	0.000319	0.000000	STRONGLY MIXED
0,1,3	0.179613	1.886498	—	0.000000	0.006870	0.333877	STRONGLY MIXED
0,1,4	0.125559	2.077259	—	0.000000	0.000333	0.405751	STRONGLY MIXED
0,1,5	0.125067	2.079175	—	0.000000	0.001944	0.417046	STRONGLY MIXED
0,2,3	0.209724	1.774097	—	0.000000	0.001281	0.343062	MIXED
0,2,4	0.148904	1.994851	—	0.000000	0.000525	0.000000	STRONGLY MIXED
0,2,5	0.125065	2.079184	—	0.000000	0.000814	0.417074	STRONGLY MIXED
0,3,4	0.125949	2.075505	—	0.000000	0.000001	0.000000	STRONGLY MIXED
0,3,5	0.150430	1.989597	—	0.000000	0.000075	0.315200	STRONGLY MIXED
0,4,5	0.215280	1.689861	—	0.000000	0.000808	0.342090	MIXED
1,2,3	0.177031	1.900598	—	0.000000	0.003623	0.377636	STRONGLY MIXED
1,2,4	0.486887	0.778046	—	0.000000	0.002873	0.088517	MIXED
1,2,5	0.335151	1.362766	—	0.000000	0.004140	0.404838	MIXED
1,3,4	0.499664	0.696539	—	0.000000	0.070670	0.087949	MIXED
1,3,5	0.145172	2.007503	—	0.000000	0.000015	0.350783	STRONGLY MIXED
1,4,5	0.272972	1.577558	—	0.000000	0.004617	0.239645	MIXED
2,3,4	0.499782	0.695444	—	0.000000	0.073909	0.087901	MIXED
2,3,5	0.125967	2.075664	—	0.000000	0.000218	0.445647	STRONGLY MIXED
2,4,5	0.144255	2.010634	—	0.000000	0.000665	0.353025	STRONGLY MIXED
3,4,5	0.125368	2.077991	—	0.000000	0.000010	0.413806	STRONGLY MIXED


3-Body RDM (Sites 0,1,2) — same matrix in all three views



Trace=1.000000 Purity=0.125000 Entropy=2.079441 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000319 ≤ C_{UB} = 0.000000 verdict: GME


3-Body RDM (Sites 0,1,3) — same matrix in all three views



Trace=1.000000 Purity=0.179613 Entropy=1.886498 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.006870 ≤ C_{UB} = 0.333877 verdict: GME


3-Body RDM (Sites 0,1,4) — same matrix in all three views



Trace=1.000000 Purity=0.125559 Entropy=2.077259 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000333 ≤ C_{UB} = 0.405751 verdict: GME


3-Body RDM (Sites 0,1,5) — same matrix in all three views





Trace=1.000000 Purity=0.125067 Entropy=2.079175 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.001944 ≤ C_{UB} = 0.417046 verdict: GME

3-Body RDM (Sites 0,2,3) — same matrix in all three views








Trace=1.000000 Purity=0.209724 Entropy=1.774097 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.001281 ≤ C_{UB} = 0.343062 verdict: GME


3-Body RDM (Sites 0,2,4) — same matrix in all three views



Trace=1.000000 Purity=0.148904 Entropy=1.994851 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000525 ≤ C_{UB} = 0.000000 verdict: GME


3-Body RDM (Sites 0,2,5) — same matrix in all three views



Trace=1.000000 Purity=0.125065 Entropy=2.079184 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000814 ≤ C_{UB} = 0.417074 verdict: GME


3-Body RDM (Sites 0,3,4) — same matrix in all three views



Trace=1.000000 Purity=0.125949 Entropy=2.075505 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 ($\Rightarrow S_z$ conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000001 ≤ C_{UB} = 0.000000 verdict: no GME


3-Body RDM (Sites 0,3,5) — same matrix in all three views



Trace=1.000000 Purity=0.150430 Entropy=1.989597 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 ($\Rightarrow S_z$ conserved)


GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000075 ≤ C_{UB} = 0.315200 verdict: GME

3-Body RDM (Sites 0,4,5) — same matrix in all three views




Trace=1.000000 Purity=0.215280 Entropy=1.689861 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000808 ≤ C_{UB} = 0.342090 verdict: GME


3-Body RDM (Sites 1,2,3) — same matrix in all three views
(1) Re(ρ) — index order
(2) Re(ρ) — S_z-ordered (original values)
(3) |ρ| — S_z-ordered (absolute values)
Trace=1.000000 Purity=0.177031 Entropy=1.900598 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)
GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.003623 ≤ C_{UB} = 0.377636 verdict: GME


3-Body RDM (Sites 1,2,4) — same matrix in all three views



Trace=1.000000 Purity=0.486887 Entropy=0.778046 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.002873 ≤ C_{UB} = 0.088517 verdict: GME


3-Body RDM (Sites 1,2,5) — same matrix in all three views



Trace=1.000000 Purity=0.335151 Entropy=1.362766 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 ($\Rightarrow S_z$ conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.004140 ≤ C_{UB} = 0.404838 verdict: GME


3-Body RDM (Sites 1,3,4) — same matrix in all three views



Trace=1.000000 Purity=0.499664 Entropy=0.696539 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)


GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.070670 ≤ C_{UB} = 0.087949 verdict: GME

3-Body RDM (Sites 1,3,5) — same matrix in all three views




Trace=1.000000 Purity=0.145172 Entropy=2.007503 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000015 ≤ C_{UB} = 0.350783 verdict: GME


3-Body RDM (Sites 1,4,5) — same matrix in all three views
(1) Re(ρ) — index order
(2) Re(ρ) — S_z-ordered (original values)
(3) |ρ| — S_z-ordered (absolute values)
Trace=1.000000 Purity=0.272972 Entropy=1.577558 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)
GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.004617 ≤ C_{UB} = 0.239645 verdict: GME


3-Body RDM (Sites 2,3,4) — same matrix in all three views



Trace=1.000000 Purity=0.499782 Entropy=0.695444 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.073909 ≤ C_{UB} = 0.087901 verdict: GME


3-Body RDM (Sites 2,3,5) — same matrix in all three views



Trace=1.000000 Purity=0.125967 Entropy=2.075664 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000218 ≤ C_{UB} = 0.445647 verdict: GME


3-Body RDM (Sites 2,4,5) — same matrix in all three views



Trace=1.000000 Purity=0.144255 Entropy=2.010634 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000665 ≤ C_{UB} = 0.353025 verdict: GME

3-Body RDM (Sites 3,4,5) — same matrix in all three views



Trace=1.000000 Purity=0.125368 Entropy=2.077991 (Im(ρ)<1e-6) | max |coherence between different S_z| = 0.0e+00 (⇒ S_z conserved)

GME (GCG convex roof): C_{LB} = 0.000000 ≤ C_{GME} = 0.000010 ≤ C_{UB} = 0.413806 verdict: no GME