

Routine Wellness Laboratory Panel

Anonymous demonstration specimen - no patient identity included

REPORT ID	COLLECTED	SPECIMEN
DEMO-WELL-260712	12 July 2026, 08:30	Demo serum / whole blood

Laboratory results

PARAMETER	RESULT	UNIT	REFERENCE RANGE	STATUS
Haemoglobin	14.2	g/dL	12.0 - 17.5	NORMAL
Fasting Blood Glucose	88	mg/dL	70 - 100	NORMAL
HbA1c	5.3	%	4.0 - 5.7	NORMAL
Creatinine	0.8	mg/dL	0.6 - 1.2	NORMAL
TSH	2.1	mIU/L	0.4 - 4.0	NORMAL
Serum Sodium	140	mEq/L	136 - 145	NORMAL
Serum Potassium	4.3	mEq/L	3.5 - 5.1	NORMAL
ALT	24	U/L	Below 40	NORMAL

Prototype interpretation

- All listed biomarkers are within the provided reference ranges.
- The report demonstrates a high-confidence normal extraction scenario.
- Routine clinical interpretation must still consider history, symptoms, and clinician review.

DECISION SUPPORT NOTICE

This anonymous report is synthetic and intended only for demonstrating MediFlow's extraction and flagging workflow. It is not a diagnosis, prescription, or clinical opinion. All automated findings require review by a qualified clinician.