

Roll no. 33140

Batch: L9

PS. Using Naive-Bayes algorithm to predict Breast Cancer

R version 3.6.2 (2019-12-12) -- "Dark and Stormy Night"
Copyright (C) 2019 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Workspace loaded from G:/College/SL6/Assignment6/.RData]

> # set the working directory

> setwd("G:/College/SL6/Assignment6")

> # Load libraries

> library('caTools')

> # Read the dataset

> breast_cancer = read.csv2("../..\\SI-VI DataSets/BreastCancer/BreastCancerWc.csv",
header = T, sep = ',')

> names(breast_cancer)

```
[1] "X1000025" "X5"      "X1"      "X1.1"    "X1.2"    "X2"      "X1.3"
     "X3"      "X1.4"    "X1.5"
[11] "X2.1"
```

> # Set the labels

> names(breast_cancer)[1] = "ID"

> names(breast_cancer)[2] = "CT" # Clump thickness

> names(breast_cancer)[3] = "CellSize"

> names(breast_cancer)[4] = "CellShape"

> names(breast_cancer)[5] = "MA" # Marginal adhesion

> names(breast_cancer)[6] = "ECellSize" # Epithelial cell size

> names(breast_cancer)[7] = "BN" # Bare nuclei

> names(breast_cancer)[8] = "BC" # Bland chromatin

> names(breast_cancer)[9] = "NN" # Normal nuclei

> names(breast_cancer)[10] = "Mit" # Mitoses

> names(breast_cancer)[11] = "Class" # class

```

> names(breast_cancer)
[1] "ID"      "CT"      "CellSize" "CellShape" "MA" "ECellSize" "BN" "BC"
[10] "Mit"     "Class"

> breast_cancer$Class
[1] 2 2 2 2 4 2 2 2 2 2 2 4 2 4 4 2 2 4 2 4 4 2 4 2 4 2 2 2 2 2 4 2 2 2 4 2 4 4 2 4 4
[59] 4 4 2 4 4 2 4 2 4 4 2 2 4 2 4 4 2 2 2 2 2 2 2 2 2 2 4 4 4 4 2 2 2 2 2 2 2 2 2 2 4 4 4
[117] 4 2 2 2 2 4 4 4 2 4 2 4 2 2 2 4 2 2 2 2 2 2 2 2 2 2 4 2 2 2 4 2 2 4 4 2 2 4 2 2 2
[175] 4 2 4 2 4 2 2 2 4 4 2 4 4 4 2 4 4 2 4 4 2 2 2 2 2 2 4 4 2 2 4 4 2 2 4 4 2 4 4 4 2
[233] 4 2 2 4 4 4 4 2 2 2 2 2 2 2 4 4 2 2 2 2 4 2 2 2 2 2 2 2 2 4 4 4 4 4 2 4 4 2 4 4 2
[291] 2 4 4 2 4 2 2 2 4 4 4 4 4 4 4 4 2 2 2 2 4 2 2 2 4 2 2 2 2 4 2 2 4 2 2 4 4 2 4 4 2
[349] 4 2 2 2 4 2 2 4 4 4 4 4 4 4 4 2 2 2 2 4 4 2 2 2 2 2 2 2 2 2 2 2 2 4 2 2 2 2 2 2 2
[407] 2 2 2 2 2 4 2 4 2 4 2 2 2 2 4 2 2 2 4 2 4 2 2 2 2 2 2 2 2 4 4 2 2 2 4 2 2 2 2 2 2
[465] 4 4 4 2 2 2 2 2 2 2 2 2 2 2 2 4 2 2 4 4 2 2 2 4 4 4 2 4 2 4 2 2 2 2 2 2 2 2 2 2 4
[523] 4 2 2 2 2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 4 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2
[581] 4 4 2 2 2 4 2 4 2 4 4 4 2 4 2 2 2 2 2 2 2 2 4 4 4 2 2 4 2 4 4 4 2 2 2 2 2 2 2 2 2
[639] 2 2 2 2 2 2 2 2 2 4 2 2 2 2 2 2 2 2 2 4 2 2 2 2 2 2 2 2 2 4 4 4 2 2 2 2 2 2 2 2 4
[697] 4 4

> # Set 1 for malignant, 0 for benign (Clean the data)
> breast_cancer$Class <- replace(breast_cancer$Class, breast_cancer$Class == 4,1)
> breast_cancer$Class <- replace(breast_cancer$Class, breast_cancer$Class == 2,0)

> breast_cancer$Class
[1] 0 0 0 0 1 0 0 0 0 0 0 1 0 1 1 0 0 1 0 1 1 0 1 0 1 0 0 0 0 0 0 1 0 0 0 1 0 1 1 0 1 1
[59] 1 1 0 1 1 0 1 0 1 1 0 0 1 0 1 1 0 0 0 0 0 0 0 0 0 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 1 1 1
[117] 1 0 0 0 0 1 1 1 0 1 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 1 0 1 1 0 0 1 0 0 0
[175] 1 0 1 0 1 0 0 0 1 1 0 1 1 1 0 1 1 0 0 0 0 0 0 0 0 0 1 1 0 0 0 1 1 0 0 0 1 1 0 1 1 1 0
[233] 1 0 0 1 1 1 1 0 0 0 0 0 0 1 1 0 0 0 1 0 1 1 1 0 0 0 0 1 1 1 1 0 1 1 1 0 1 0 1 1 0 1 0
[291] 0 1 1 0 1 0 0 0 1 1 0 1 0 1 1 0 0 1 0 0 0 1 0 0 0 1 1 0 0 1 0 0 1 0 0 1 0 1 1 1 0 0 0
[349] 1 0 0 0 1 0 0 1 1 1 1 1 1 1 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0
[407] 0 0 0 0 0 1 0 1 0 1 0 0 0 0 1 0 0 0 1 0 1 0 0 0 0 0 0 0 0 0 1 1 0 0 0 1 0 0 0 0 0 0 0
[465] 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 1 0 0 0 1 1 1 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 1
[523] 1 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0
[581] 1 1 0 0 0 1 0 1 0 1 1 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 0 0 1 0 1 1 1 0 0 0 0 0 0 0 0
[639] 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1
[697] 1 1

> # Check for missing value
> '?' %in% breast_cancer$CT
[1] FALSE

> '?' %in% breast_cancer$CellSize
[1] FALSE

> '?' %in% breast_cancer$CellShape
[1] FALSE

> '?' %in% breast_cancer$MA
[1] FALSE

> '?' %in% breast_cancer$ECellSize
[1] FALSE

```

```

> '?' %in% breast_cancer$BN # Returned true (16 values are '?')
[1] TRUE #i.e. There is a missing value here.

> # replace the NA values
> breast_cancer$BN <- replace(breast_cancer$BN, breast_cancer$BN == '?',NA)
# replace ? with NA
> levels(breast_cancer)[levels(breast_cancer)]
NULL


> summary(breast_cancer$CT)
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 1.000  2.000   4.000   4.417  6.000  10.000

> breast_cancer$BN[is.na(breast_cancer$BN)] <- 4.0 # Median value (replace NA)

> # Mosaic plots of some of the factors vs the class of cancer

> mosaicplot(breast_cancer$CellSize ~ breast_cancer$Class, main = "Cancer class by Cell
+           size",color = TRUE, shade = FALSE, xlab = "Cell size ID", ylab = "Class
+           of cancer")


```




```

> mosaicplot(breast_cancer$CellShape ~ breast_cancer$Class, main = "Cancer class by
+           Cell shape", color = TRUE, shade = FALSE, xlab = "Cell shape ID",
+           ylab = "Class of cancer")

```



```
> mosaicplot(breast_cancer$BN ~ breast_cancer$Class, main = "Cancer class as per
+           Bare Nuclei", color = TRUE, shade = FALSE, xlab = "Bare Nuclei ID",
+           ylab = "Class of cancer")
```



```
> # Create the dataframes for training and testing

> brcdata<-breast_cancer
> brcdata$ID=factor(brcdata$ID)
> brcdata$CT=factor(brcdata$CT)
```

```

> brcdata$TCellSize=factor(brcdata$CellSize)
> brcdata$CellShape=factor(brcdata$CellShape)
> brcdata$MA=factor(brcdata$MA)
> brcdata$ECellSize=factor(brcdata$ECellSize)
> brcdata$BN=factor(brcdata$BN)
> brcdata$BC=factor(brcdata$BC)
> brcdata$NN=factor(brcdata$NN)
> brcdata$Mit=factor(brcdata$Mit)
> brcdata$Class=factor(brcdata$Class)

> # Dividing dataset into training and testing
> split = sample.split(brcdata$Class, SplitRatio = 2/3)
> train_brcdata = subset(brcdata,split == TRUE)
> test_brcdata = subset(brcdata,split == FALSE)

```

```

> train_brcdata

```

	ID	CT	CellSize	CellShape	MA	ECellSize	BN	BC	NN	Mit	Class	TCellSize
1	1002945	5	4	4	5	7	10	3	2	1	0	4
2	1015425	3	1	1	1	2	2	3	1	1	0	1
8	1033078	2	1	1	1	2	1	1	1	5	0	1
9	1033078	4	2	1	1	2	1	2	1	1	0	2
10	1035283	1	1	1	1	1	1	3	1	1	0	1
11	1036172	2	1	1	1	2	1	2	1	1	0	1
12	1041801	5	3	3	3	2	3	4	4	1	1	3
14	1044572	8	7	5	10	7	9	5	5	4	1	7
15	1047630	7	4	6	4	6	1	4	3	1	1	4
16	1048672	4	1	1	1	2	1	2	1	1	0	1
18	1050670	10	7	7	6	4	10	4	1	2	1	7
19	1050718	6	1	1	1	2	1	3	1	1	0	1
21	1054593	10	5	5	3	6	7	7	10	1	1	5
22	1056784	3	1	1	1	2	1	2	1	1	0	1
23	1057013	8	4	5	1	2	4	7	3	1	1	4
24	1059552	1	1	1	1	2	1	3	1	1	0	1
25	1065726	5	2	3	4	2	7	3	6	1	1	2
27	1066979	5	1	1	1	2	1	2	1	1	0	1
28	1067444	2	1	1	1	2	1	2	1	1	0	1
29	1070935	1	1	3	1	2	1	1	1	1	0	1
30	1070935	3	1	1	1	1	1	2	1	1	0	1
31	1071760	2	1	1	1	2	1	3	1	1	0	1
33	1074610	2	1	1	2	2	1	3	1	1	0	1
35	1079304	2	1	1	1	2	1	2	1	1	0	1
36	1080185	10	10	10	8	6	1	8	9	1	1	10
37	1081791	6	2	1	1	1	1	7	1	1	0	2
38	1084584	5	4	4	9	2	10	5	6	1	1	4
39	1091262	2	5	3	3	6	7	7	5	1	1	5
40	1096800	6	6	6	9	6	4	7	8	1	0	6
41	1099510	10	4	3	1	3	3	6	5	2	1	4
42	1100524	6	10	10	2	8	10	7	3	3	1	10
45	1103722	1	1	1	1	2	1	2	1	2	0	1
47	1105524	1	1	1	1	2	1	2	1	1	0	1
49	1106829	7	8	7	2	4	8	3	8	2	1	8
51	1108449	5	3	3	4	2	4	3	4	1	1	3
52	1110102	10	3	6	2	3	5	4	10	2	1	3
53	1110503	5	5	5	8	10	8	7	3	7	1	5
54	1110524	10	5	5	6	8	8	7	1	1	1	5

56	1112209	8	10	10	1	3	6	3	9	1	1	10
57	1113038	8	2	4	1	5	1	5	4	4	1	2
58	1113483	5	2	3	1	6	10	5	1	1	1	2
59	1113906	9	5	5	2	2	2	5	1	1	1	5
60	1115282	5	3	5	5	3	3	4	10	1	1	3
61	1115293	1	1	1	1	2	2	2	1	1	0	1
63	1116132	6	3	4	1	5	2	3	9	1	1	3
64	1116192	1	1	1	1	2	1	2	1	1	0	1
65	1116998	10	4	2	1	3	2	4	3	10	1	4
66	1117152	4	1	1	1	2	1	3	1	1	0	1
67	1118039	5	3	4	1	8	10	4	9	1	1	3
68	1120559	8	3	8	3	4	9	8	9	8	1	3
70	1121919	5	1	3	1	2	1	2	1	1	0	1
71	1123061	6	10	2	8	10	2	7	8	10	1	10
75	1131294	1	1	2	1	2	2	4	2	1	0	1
76	1132347	1	1	4	1	2	1	2	1	1	0	1
77	1133041	5	3	1	2	2	1	2	1	1	0	3
78	1133136	3	1	1	1	2	3	3	1	1	0	1
79	1136142	2	1	1	1	3	1	2	1	1	0	1
80	1137156	2	2	2	1	1	1	7	1	1	0	2
81	1143978	4	1	1	2	2	1	2	1	1	0	1
84	1147699	3	5	7	8	8	9	7	10	7	1	5
85	1147748	5	10	6	1	10	4	4	10	10	1	10
88	1152331	4	1	1	1	2	1	3	1	1	0	1
90	1156272	1	1	1	1	2	1	3	1	1	0	1
91	1156948	3	1	1	2	2	1	1	1	1	0	1
92	1157734	4	1	1	1	2	1	3	1	1	0	1
96	1165297	2	1	1	2	2	1	1	1	1	0	1
97	1165790	5	1	1	1	2	1	3	1	1	0	1
98	1165926	9	6	9	2	10	6	2	9	10	1	6
99	1166630	7	5	6	10	5	10	7	9	4	1	5
101	1167439	2	3	4	4	2	5	2	5	1	1	3
103	1168359	8	2	3	1	6	3	7	1	1	1	2
104	1168736	10	10	10	10	10	1	8	8	8	1	10
105	1169049	7	3	4	4	3	3	3	2	7	1	3
106	1170419	10	10	10	8	2	10	4	1	1	1	10
107	1170420	1	6	8	10	8	10	5	7	1	1	6
110	1171795	1	3	1	2	2	2	5	3	2	0	3
111	1171845	8	6	4	3	5	9	3	1	1	1	6
112	1172152	10	3	3	10	2	10	7	3	3	1	3
114	1173235	3	3	2	1	2	3	3	1	1	0	3
115	1173347	1	1	1	1	2	5	1	1	1	0	1
117	1173509	4	5	5	10	4	10	7	5	8	1	5
119	1173681	3	2	1	1	2	2	3	1	1	0	2
120	1174057	1	1	2	2	2	1	3	1	1	0	1

[reached 'max' / getOption("max.print") -- omitted 383 rows]

```
> # Applying Naive Bayes classifier on dataset
> library(e1071)
> classifier <- naiveBayes(Class ~ CT+CellSize+CellShape+MA+ECellSize+BN+BC+NN+Mit,
                             train_brcdata)
> classifier
```

Naive Bayes Classifier for Discrete Predictors

Call:
naiveBayes.default(x = X, y = Y, laplace = laplace)

A-priori probabilities:

```
Y
      0      1
0.6545064 0.3454936
```

Conditional probabilities:

```
CT
Y      1      2      3      4      5      6      7
      8      9
0 0.318032787 0.101639344 0.196721311 0.157377049 0.173770492 0.042622951 0.003278689
0.006557377 0.000000000
1 0.018633540 0.012422360 0.031055901 0.049689441 0.198757764 0.074534161 0.105590062
0.167701863 0.043478261
```

```
CT
Y      10
0 0.000000000
1 0.298136646
```

```
CellSize
Y      [,1]      [,2]
0 1.334426 0.9352183
1 6.515528 2.7502400
```

```
CellShape
Y      1      2      3      4      5      6      7
      8      9
0 0.777049180 0.118032787 0.055737705 0.032786885 0.003278689 0.006557377 0.006557377
0.000000000 0.000000000
1 0.006211180 0.031055901 0.118012422 0.118012422 0.136645963 0.093167702 0.099378882
0.136645963 0.031055901
```

```
CellShape
Y      10
0 0.000000000
1 0.229813665
```

```
MA
Y      1      2      3      4      5      6      7
      8      9
0 0.819672131 0.081967213 0.062295082 0.013114754 0.013114754 0.006557377 0.000000000
0.000000000 0.003278689
1 0.136645963 0.099378882 0.080745342 0.111801242 0.093167702 0.055900621 0.062111801
0.118012422 0.012422360
```

```
MA
Y      10
0 0.000000000
1 0.229813665
```

	1	2	3	4	5	6	7
0	0.000000000						
1	0.229813665						

ECellSize	1	2	3	4	5	6	7
0	0.104918033	0.780327869	0.072131148	0.009836066	0.013114754	0.006557377	0.006557377
1	0.006211180	0.111801242	0.167701863	0.167701863	0.149068323	0.173913043	0.018633540

ECellSize	10
0	0.003278689
1	0.111801242

BN	1	10	2	3	4	5	6
0	0.852459016	0.006557377	0.039344262	0.026229508	0.039344262	0.026229508	0.000000000
1	0.068322981	0.540372671	0.055900621	0.037267081	0.062111801	0.074534161	0.018633540

BN	9
0	0.000000000
1	0.043478261

BC	1	2	3	4	5	6	7
0	0.337704918	0.344262295	0.262295082	0.022950820	0.013114754	0.003278689	0.016393443
1	0.012422360	0.037267081	0.130434783	0.136645963	0.130434783	0.018633540	0.310559006

BC	10
0	0.000000000
1	0.068322981

NN	1	2	3	4	5	6	7
0	0.865573770	0.075409836	0.029508197	0.003278689	0.003278689	0.003278689	0.003278689
1	0.173913043	0.018633540	0.167701863	0.062111801	0.080745342	0.055900621	0.062111801

NN	10
0	0.000000000
1	0.242236025

Mit	1	2	3	4	5	6	7
0	0.957377049	0.026229508	0.006557377	0.000000000	0.003278689	0.000000000	0.003278689


```
0.003278689 0.000000000
  1 0.552795031 0.111801242 0.130434783 0.037267081 0.012422360 0.012422360 0.024844720
0.037267081 0.080745342
```

```
> #predict using trained model
> prediction <- predict(classifier, test_brcdata ,type="class")
```

```
> table(prediction, test_brcdata[,11]) # put it in table
```

```
prediction  0  1
           0 147  0
           1  5  80
```

```
> # Displaying the accuracy using confusion Matrix
> library(e1071)
> library(caret)
```

```
> df1=confusionMatrix(test_brcdata[,11],prediction) #create the confusion matrix
```

```
> df1
```

Confusion Matrix and Statistics

```
          Reference
Prediction  0  1
           0 147  5
           1  0  80
```

```
          Accuracy : 0.9784
          95% CI   : (0.9504, 0.993)
No Information Rate : 0.6336
P-Value [Acc > NIR] : < 2e-16
```

```
          Kappa : 0.953
```

```
McNemar's Test P-Value : 0.07364
```

```
          Sensitivity : 1.0000
          Specificity : 0.9412
          Pos Pred Value : 0.9671
          Neg Pred Value : 1.0000
          Prevalence : 0.6336
          Detection Rate : 0.6336
          Detection Prevalence : 0.6552
          Balanced Accuracy : 0.9706
```

```
'Positive' Class : 0
```

```
>
```