

RaeLearn

Complete Build Prompt

by RAEFORM Business Support Services

This document contains:

MASTER INSTRUCTION

BASE PROMPT — Design System & Dashboards

ADDENDUM A — Public Pages

ADDENDUM B — Admin Lesson Editor

ADDENDUM C — Learner Lesson Player

ADDENDUM D — Header, Footer, Legal Pages

ADDENDUM E — Google Auth, Name Confirmation, Certificates

Feed this entire PDF to Canva Code or any AI coding tool.

Build files in the order listed in the Master Instruction.

June 2026 — RAEFORM Confidential

MASTER INSTRUCTION

RAELEARN — MASTER BUILD INSTRUCTION

PASTE THIS FIRST. BEFORE ANYTHING ELSE. EVERY TIME YOU START A NEW SESSION.

This tells the AI exactly what exists, what to build, and how to treat all addenda.

READ THIS BEFORE WRITING A SINGLE LINE OF CODE

You are building RaeLearn — a practical online learning platform for aspiring virtual assistants, operated by RAEFORM Business Support Services (founded by Trishia Coronel Raymundo).

This project has a base prompt and five addenda (A through E). They have ALL been provided to you. Your job is to build ALL of the files listed below. Every file is a separate deliverable. Do not skip any file. Do not merge files together. Do not build a single-page app that routes between screens — each file is its own standalone HTML page.

THE COMPLETE FILE LIST — BUILD ALL 10

You must produce exactly these 10 files. No more, no less.

FILE 1: raelearn-home.html

What it is: Public landing page. Hero, how it works, 3 course previews, testimonials, pricing tiers, email capture, footer.

Audience: Aspiring virtual assistants. VA-first messaging throughout.

Source: Addendum A + Addendum D (header/footer)

FILE 2: raelearn-courses.html

What it is: Public course catalog. All 5 courses + 1 coming soon.

Filter chips by category. Sort dropdown.

Source: Addendum A + Addendum D (header/footer)

FILE 3: raelearn-auth.html

What it is: Sign up / Sign in page. Two states toggled by JS.

Google sign-in button (above email form).

Name confirmation step after any sign-up.

Source: Addendum A + Addendum D (header/footer) + Addendum E (Google + name confirmation)

FILE 4: raelearn-terms.html

What it is: Terms of use. 12 sections. Sticky table of contents.

Source: Addendum D

FILE 5: raelearn-privacy.html

What it is: Privacy policy. 13 sections. Sticky table of contents.

Source: Addendum D

FILE 6: raelearn-admin-dashboard.html

What it is: Admin dashboard. Sidebar nav. 4 stat cards. Course management table with 5 courses. Recent enrollments feed. Add/edit course modal. Certificates admin panel (accessible from sidebar).

Source: Base prompt + Addendum E (certificates panel)

NOTE: This has NO public header or footer. It has its own sidebar + top bar layout.

FILE 7: raelearn-lesson-editor.html

What it is: Admin lesson editor. 3-column layout (outline / canvas / settings). 14 block types. Block picker. Preview mode.

Pre-loaded with "Writing your first proposal" lesson.

Source: Addendum B

NOTE: This has NO public header or footer. It has its own top bar layout.

FILE 8: raelearn-learner-dashboard.html

What it is: Learner dashboard. Sidebar nav. 3 stat cards. Continue learning grid. Next steps list. Certificates mini-panel.

Source: Base prompt

NOTE: This has NO public header or footer. It has its own sidebar + top bar layout.

FILE 9: raelearn-lesson-player.html

What it is: Lesson player. 3-column layout (sidebar / content / bottom nav).

All 14 block types in read/interact mode. Completion flow.

Certificate generation on course completion.

Pre-loaded with "Writing your first proposal" lesson.

Source: Addendum C + Addendum E (certificate generator)

NOTE: This has NO public header or footer. It has its own top bar layout.

FILE 10: raelearn-certificates.html

What it is: Learner certificates page. Earned certificates. In-progress courses.

Full-screen certificate overlay. How to share section.

Source: Addendum E + Addendum D (header/footer)

WHICH FILES GET THE UNIVERSAL HEADER AND FOOTER

HEADER + FOOTER (from Addendum D): Files 1, 2, 3, 4, 5, 10

NO HEADER/FOOTER — OWN LAYOUT: Files 6, 7, 8, 9

This is the single most common mistake. The admin dashboard, lesson editor, learner dashboard, and lesson player are APP screens — they have their own sidebar and top bar, not the public website header. Do not put the public nav on those pages.

NAVIGATION BETWEEN FILES

All links between files use simple href attributes pointing to the correct filename.

No routing library. No React Router. No single-page app architecture.

Each file is a complete standalone HTML document.

From home page:

"Browse free courses" → raelearn-courses.html

"Start for free" / "Get started" → raelearn-auth.html

"Sign in" → raelearn-auth.html

Footer "Terms" → raelearn-terms.html

Footer "Privacy" → raelearn-privacy.html

From courses page:

"Enroll now" / course CTAs → raelearn-auth.html (if not logged in)

Footer links → same as home

From auth page:

After sign-up / Google auth → name confirmation step (same page, JS toggle)

After name confirmation → raelearn-learner-dashboard.html

"Back to home" → raelearn-home.html

From learner dashboard:

"Resume" / course cards → raelearn-lesson-player.html

Sidebar "Courses" → raelearn-courses.html

Sidebar "Certificates" → raelearn-certificates.html

"Sign out" → raelearn-home.html

From lesson player:

"Back to dashboard" → raelearn-learner-dashboard.html

Course completion → certificate shown inline, then "View certificate" → raelearn-certificates.html

From certificates page:

```
"Browse courses" (empty state) → raelearn-courses.html
"Resume course" (in-progress cards) → raelearn-lesson-player.html
"Back to dashboard" (in top area) → raelearn-learner-dashboard.html
```

From admin dashboard:

```
Sidebar "Courses" / editor → raelearn-lesson-editor.html
```

```
"Learner view" link at bottom of sidebar → raelearn-learner-dashboard.html
```

From lesson editor:

```
"Back to dashboard" → raelearn-admin-dashboard.html
```

BUILD ORDER — DO THESE IN SEQUENCE

Build one file at a time in this exact order. Complete each file fully before starting the next. Do not jump ahead.

```
Step 1: raelearn-home.html ← Start here. Validates the design system works.
Step 2: raelearn-courses.html ← Quick build. Shares most styles with home.
Step 3: raelearn-auth.html ← Auth + Google button + name confirmation.
Step 4: raelearn-terms.html ← Fast. Legal copy is provided verbatim.
Step 5: raelearn-privacy.html ← Fast. Legal copy is provided verbatim.
Step 6: raelearn-certificates.html ← Learner-facing. Uses public header/footer.
Step 7: raelearn-learner-dashboard.html ← App screen. No public header/footer.
Step 8: raelearn-lesson-player.html ← Most complex learner screen.
Step 9: raelearn-admin-dashboard.html ← Admin. Includes certificates panel.
Step 10: raelearn-lesson-editor.html ← Most complex screen overall. Build last.
```

DESIGN SYSTEM QUICK REFERENCE

Every file must include these CSS variables at the top of its ``<style>`` block. No exceptions.

```
:root {
  --rl-bg: #1C1F18;
  --rl-surface: #252820;
  --rl-card: #2E3128;
  --rl-card-alt: #353829;
  --rl-border: rgba(180, 175, 140, 0.10);
  --rl-border-mid: rgba(180, 175, 140, 0.18);
  --rl-sage: #7A9E7E;
  --rl-sage-light: #9EBD9E;
  --rl-sage-muted: rgba(122, 158, 126, 0.15);
  --rl-moss: #4E6651;
  --rl-earth: #8B7355;
```

```
--rl-clay: #A0856A;  
--rl-sand: #C4B99A;  
--rl-cream: #EDE8DC;  
--rl-text: #EDE8DC;  
--rl-muted: #9B9580;  
--rl-dim: #5C5A50;  
--rl-success: #7A9E7E;  
--rl-warning: #C4A962;  
--rl-danger: #B07070;  
}
```

Fonts (in every ``<head>``):

```
<link rel="preconnect" href="https://fonts.googleapis.com">  
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>  
<link href="https://fonts.googleapis.com/css2?family=Fraunces:wght@700;900&family=Plus+Jakarta+Sans:wght@400;500;600&family=JetBrains+Mono&display=swap" rel="stylesheet">  
<link rel="stylesheet"  
href="https://cdn.jsdelivr.net/npm/@tabler/icons-webfont@latest/tabler-icons.min.css">
```

Rules:

- Fraunces: page titles, section headings, stat numbers, certificate name only
- Plus Jakarta Sans: all body, UI, labels, buttons, nav, tables
- JetBrains Mono: prices, IDs, counts, timestamps, certificate codes only
- No pure white (#FFF) — use --rl-cream
- No pure black (#000) — use --rl-bg
- No blue, purple, cyan — earth tones only

DUMMY DATA — USE EXACTLY THIS IN EVERY FILE

Courses:

- VA Foundations: Your First 30 Days — Free — Published — 8 lessons — 2.5 hrs
- Admin Support Essentials — \$49 — Published — 12 lessons — 4 hrs
- Client Communication That Actually Works — \$37 — Published — 10 lessons — 3 hrs
- Website Maintenance for Non-Techies — Free — Published — 6 lessons — 1.5 hrs
- Nonprofit Support Certificate — \$97 — Published — 20 lessons — 6 hrs
- Founder Support & Operations — Coming soon — Draft

Learner: Maria Santos — maria.santos@gmail.com

Enrolled: VA Foundations (62%), Admin Support Essentials (17%), Nonprofit Support (0%)

Certificate earned: VA Foundations — RLVA-2026-00284 — June 27, 2026

Admin: Rae (platform owner)

Recent enrollments:

- Maria Santos — VA Foundations — Free — 2 hrs ago
- James Reyes — Admin Support Essentials — \$49 — 5 hrs ago
- Angela Cruz — Nonprofit Support Certificate — \$97 — Yesterday
- Nico Bautista — VA Foundations — Free — Yesterday
- Priya Menon — Website Maintenance — Free — 2 days ago
- Tom Walker — Admin Support Essentials — \$49 — 2 days ago

Current lesson (pre-loaded in editor and player): "Writing your first proposal"

Module 2, Lesson 5 of 8 in VA Foundations

ABSOLUTE RULES — NEVER BREAK THESE

- Never build a single-page app. Every file is a separate HTML document.
 - Never put the public header/footer on the admin dashboard, lesson editor, learner dashboard, or lesson player.
 - Never put the admin sidebar/layout on the learner dashboard or lesson player.
 - Never put the learner sidebar/layout on the admin dashboard or lesson editor.
 - Never use Tailwind CDN, Bootstrap, or any CSS framework.
 - Never use React, Vue, or any JS framework. Vanilla JS only.
 - Never hardcode colors. Only CSS variables from the palette above.
 - Never use lorem ipsum. All text comes from the dummy data above or the addenda content.
 - Never skip a file. All 10 must be delivered.
 - Build one file at a time. Confirm completion before starting the next.
-

HOW TO PROCEED

After reading this master instruction and all addenda (A through E):

Say: "Ready. I will build raelearn-home.html first. Confirm?"

Wait for confirmation. Then build the file completely. When done, say:

"raelearn-home.html complete. Ready to build raelearn-courses.html next. Confirm?"

Continue this pattern for all 10 files.

Do not summarize what you are about to do. Do not ask clarifying questions unless something in the addenda directly contradicts something else. Build.

RaeLearn Master Build Instruction. Use with Base Prompt + Addenda A through E. June 2026.

BASE PROMPT — Design System & Dashboards

RaeLearn — Canva Code Build Prompt

Strict, complete design + development brief for the Admin Dashboard and Learner Dashboard

Paste this entire document as your prompt. Do not summarize it.

WHO YOU ARE BUILDING FOR

This is RaeLearn, the education branch of RAEFORM Business Support Services. RaeLearn sells practical online courses for aspiring virtual assistants, admin professionals, nonprofit support workers, and founders. The platform needs to feel like a premium but human learning tool — warm, trustworthy, and clean. It is not a corporate LMS. It is not a generic course marketplace. It has a specific brand identity that must be honored in every screen.

The founder is the platform admin. There is no third-party content team right now. She adds courses manually through the admin dashboard, sets pricing, publishes lessons, and manages learners. The learner-facing dashboard is what paying students see after they enroll.

Build priority order:

- Admin dashboard (course management, revenue overview, learner management)
- Learner dashboard (enrolled courses, progress, lesson access, certificates)

These two dashboards are the entire scope of this build. Do not build anything else unless it is a component required by one of these two screens.

BRAND IDENTITY — READ THIS BEFORE WRITING A SINGLE LINE OF CODE

Color palette

These are the only colors you are allowed to use. No exceptions.

--rl-bg: #1C1F18 / Deep olive-black. Page background only. /

--rl-surface: #252820 / Slightly lighter. Sidebar, nav backgrounds. /

--rl-card: #2E3128 / Card and panel backgrounds. /

--rl-card-alt: #353829 / Hover state or secondary card variant. /

--rl-border: rgba(180, 175, 140, 0.10) / Default hairline borders. /

--rl-border-mid: rgba(180, 175, 140, 0.18) / Emphasized borders. /

--rl-sage: #7A9E7E / Primary accent. Buttons, active states, highlights. /

--rl-sage-light: #9EBD9E / Hover state of sage. /

--rl-sage-muted: rgba(122, 158, 126, 0.15) / Tint backgrounds behind sage elements. /

--rl-moss: #4E6651 / Darker green. Secondary accents, icons, active sidebar. /

--rl-earth: #8B7355 / Warm brown. Badges, secondary labels, decorative accents. /

--rl-clay: #A0856A / Lighter warm tone. Paid course badge, revenue figures. /

--rl-sand: #C4B99A / Warm off-white. Muted text, supporting labels. /

--rl-cream: #EDE8DC / Near-white. Primary readable text. /

--rl-text: #EDE8DC / Body and heading text. /

--rl-muted: #9B9580 / Supporting text, labels, timestamps. /

--rl-dim: #5C5A50 / Disabled states, empty state text. /

--rl-success: #7A9E7E / Same as sage. Completion, published, active. /

--rl-warning: #C4A962 / Amber-earth. Draft, pending, attention needed. /

--rl-danger: #B07070 / Muted red-earth. Error, unpublished, failed. /

Forbidden colors:

- No pure white (#FFFFFF). Use --rl-cream.
- No pure black (#000000). Use --rl-bg.
- No blue, purple, cyan, or any color outside the palette above.
- No neon, glow, or fluorescent tones.
- No gradients on text. Flat fills only.
- No rainbow or multi-color icon sets.

Typography

Display / headings: Fraunces (Google Fonts) — weights 700 and 900 only

Body / UI: Plus Jakarta Sans (Google Fonts) — weights 400, 500, 600 only

Mono / code labels: JetBrains Mono (Google Fonts) — weight 400 only

Import in the HTML head:

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link href="https://fonts.googleapis.com/css2?family=Fraunces:wght@700;900&family=Plus+Jakarta+Sans:wght@400;500;600&family=JetBrains+Mono&display=swap" rel="stylesheet">
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@tabler/icons-webfont@latest/tabler-icons.min.css">
```

Rules:

- Fraunces is for page titles, section headers, and stat numbers only
 - Plus Jakarta Sans is for all body copy, labels, buttons, nav, form inputs, table content
 - JetBrains Mono is for prices, enrollment counts, course IDs, and certificate codes only
 - Line height for body: 1.65
 - Letter spacing for uppercase labels: 0.06em
-

VISUAL STYLE RULES

Surface rules:

- Page background: always `--rl-bg`
- Sidebar background: `--rl-surface`
- Cards: `--rl-card` with border: 0.5px solid `--rl-border` and border-radius: 12px
- Card padding: 20px to 24px on all sides
- Never nest a card inside a card

Button rules:

Primary: background `--rl-sage`, color `#1C1F18`, font Plus Jakarta Sans 600 14px, padding 10px 20px, border-radius 8px, hover `--rl-sage-light`

Secondary: background transparent, color `--rl-cream`, border 0.5px solid `--rl-border-mid`, hover border `--rl-sage`

Danger: background transparent, color `--rl-danger`, border 0.5px solid `rgba(176,112,112,0.3)`

Status pills:

Published/active: background `rgba(122,158,126,0.12)`, color `--rl-sage`

Draft/pending: background `rgba(196,169,98,0.12)`, color `--rl-warning`

Unpublished/failed: background `rgba(176,112,112,0.10)`, color `--rl-danger`

Paid badge: background `rgba(160,133,106,0.15)`, color `--rl-clay`

Free badge: background `rgba(122,158,126,0.10)`, color `--rl-sage-light`

All pills: font-size 11px, font-weight 600, padding 3px 10px, border-radius 100px

Progress bars:

Track: background `rgba(255,255,255,0.06)`, height 5px, border-radius 100px

Fill: background `--rl-sage`

Label: JetBrains Mono, 11px, `--rl-muted`

FORBIDDEN PATTERNS:

- No gradients inside dashboards
- No glassmorphism, blur, backdrop-filter inside dashboards

- No pure white backgrounds inside dashboard panels
- No emoji as UI elements
- No decorative illustrations
- No Tailwind CDN — write clean vanilla CSS
- No Bootstrap, Material UI, or any component framework
- No placeholder lorem ipsum content

SCREEN 1 — ADMIN DASHBOARD

File: raelearn-admin-dashboard.html

Layout: Sidebar (220px fixed left) | Top bar (60px) | Main content (scrollable)

Sidebar (top to bottom):

Logo: "RaeLearn" Fraunces 900, --rl-cream + "Admin" pill badge

Nav sections: OVERVIEW (Dashboard), CONTENT (Courses, Lessons, Resources), LEARNERS (All learners, Certificates, Enrollments), REVENUE (Sales, Payouts), SETTINGS

Active item: left 2px solid --rl-sage, background --rl-sage-muted, color --rl-sage

Bottom: user avatar + "Rae · Admin" + Sign out

Top bar:

Left: "Dashboard" Fraunces 700 22px

Right: "Add new course" primary button + notification icon + avatar

Background: --rl-surface, border-bottom 0.5px --rl-border

Main content — 4 stat cards:

Total revenue: \$2,480 / +\$340 this month

Active learners: 143 / 12 enrolled this week

Courses live: 4 / 2 drafts pending

Avg completion: 61% / Up from 54%

Two column split:

Left (60%): Course management table

Columns: Course title / Status / Type / Enrolled / Completion % / Actions

5 courses:

VA Foundations: Your First 30 Days — Published — Free — 284 — 71%

Admin Support Essentials — Published — \$49 — 118 — 43%

Nonprofit Support Certificate — Published — \$97 — 72 — 29%

Website Maintenance for Non-Techies — Published — Free — 38 — 55%

Client Communication That Actually Works — Draft — \$37 — — —

Right (40%): Recent enrollments feed

6 items: learner initials + name + course + time + price paid

Maria Santos / VA Foundations / 2 hrs ago / Free

James Reyes / Admin Support Essentials / 5 hrs ago / \$49

Angela Cruz / Nonprofit Support Certificate / Yesterday / \$97

Nico Bautista / VA Foundations / Yesterday / Free

Priya Menon / Website Maintenance / 2 days ago / Free

Tom Walker / Admin Support Essentials / 2 days ago / \$49

Add/Edit Course modal (opens on "Add new course" or "Edit"):

Fields: Course title / Short description / Category (dropdown) / Pricing type (Free or paid with price input) /

Status toggle (Draft/Published) / Thumbnail upload zone / Certificate eligible checkbox

Footer: cancel + save course buttons

SCREEN 2 — LEARNER DASHBOARD

File: raelearn-learner-dashboard.html

Same sidebar + top bar pattern as admin but different nav and no admin controls.

Sidebar:

LEARN: Dashboard, My courses, Learning paths, Resources

PROGRESS: Certificates, Notifications

ACCOUNT: Profile, Billing, Settings

Bottom: learner avatar + name + sign out

Top bar: "Good morning, Maria" Fraunces 700 22px + Browse courses button + notification + avatar

3 stat cards:

Courses enrolled: 3 / 1 completed

Lessons done: 14 / +3 this week

Hours learned: 6.5 / Keep going

Continue learning grid (3 columns):

VA Foundations — Lesson 5: Writing your first proposal — 62% — Resume button

Admin Support Essentials — Lesson 2: Managing inboxes — 17% — Resume button

Nonprofit Support — Not started — 0% — Start now button

Two column split:

Left: "Your next steps" list with numbered circles + lesson title + course tag + time estimate

Right: Certificates panel — 1 earned certificate + in-progress teaser + resume button

DUMMY DATA

Learner: Maria Santos

Enrolled: VA Foundations (62%), Admin Support Essentials (17%), Nonprofit Support (0%)

Certificate earned: Client Communication Basics — April 12, 2026

QUALITY CHECK

- All colors from CSS variables only, no hardcoded hex
- Fraunces for headings/titles/numbers only
- Plus Jakarta Sans for all body/UI/buttons
- JetBrains Mono for prices/counts/codes only
- No pure white or pure black anywhere
- Modal opens and closes correctly
- No lorem ipsum anywhere
- Sidebar active states correct
- Progress bars correct widths

ADDENDUM A — Public Pages

ADDENDUM A — Public-Facing Pages

Appends to: `RaeLearn_CanvaCode_Prompt.md`

Do not re-read the base prompt. Paste this AFTER the base prompt as a continuation.

Scope: Landing page → Course catalog → Course detail → Sign up / Sign in

AUDIENCE FOCUS CORRECTION

The primary audience for all public pages is aspiring virtual assistants (VAs).

This must be reflected in every headline, subheading, testimonial, benefit, and course preview shown on the public pages.

Do not mention nonprofits, nonprofit support, or Qeeper on any public page.

Do not mention "founders" until the course catalog, and only as a secondary mention.

Lead with: aspiring VAs, beginner VAs, people who want to work remotely, people starting a client-based career.

PAGE 1 — HOME / LANDING PAGE

File: ``raelearn-home.html``

This is the first thing a visitor sees. It must immediately communicate what RaeLearn is, who it is for, and what they get. The tone is warm, confident, and direct. No corporate speak. No vague empowerment language. No filler.

Full page structure (top to bottom):

Section 1 — Navigation bar

Background: transparent initially, transitions to `--rl-surface` on scroll (add JS scroll listener)

Height: 64px

Horizontal padding: max-width 1100px, centered

Left: RaeLearn logo – Fraunces 900, 22px, --rl-cream

Center: nav links

- Courses (scrolls to or links to courses page)

- How it works (scrolls to that section)

- Pricing (scrolls to pricing section)

Right:

- "Sign in" – ghost link, 14px, --rl-muted, hover --rl-cream

- "Start learning free" – primary button

Section 2 — Hero

Layout: centered, full viewport height (min 560px)

Background: --rl-bg

No image. No gradient blob. No illustration. Text-first.

Eyebrow label (above headline):

"For aspiring virtual assistants"

Style: 12px, Plus Jakarta Sans 500, uppercase, letter-spacing 0.1em

Color: --rl-sage

Add a small 6px dot • before the text

Main headline:

Line 1: "Learn the skills"

Line 2: "that get you hired as a VA."

Font: Fraunces 900

Size: 52px desktop, 36px mobile

Color: --rl-cream

Line height: 1.1

Max width: 620px

No gradient on text. Flat --rl-cream only.

Subheadline:

"Step-by-step courses for people starting out."

No experience required. Just show up and learn."

Font: Plus Jakarta Sans 400, 18px

Color: --rl-muted

Max width: 480px

Line height: 1.65

Margin top: 20px

CTA row (margin top: 36px):

Button 1: "Browse free courses" – primary button, larger: padding 13px 28px, font-size 16px

Button 2: "See what's inside" – secondary button, same size

Gap: 12px

Alignment: left (not centered)

Trust line below CTAs (margin top: 20px):

"Free courses available. No credit card needed to start."

Font: Plus Jakarta Sans 400, 13px

Color: --rl-dim

Stat strip below the hero content (margin top: 56px):

3 stats side by side, separated by vertical dividers (0.5px --rl-border)

Stat 1: "500+" learners signed up

Stat 2: "12+" lessons available now

Stat 3: "100%" practical, no fluff

Each stat: number in Fraunces 700 28px --rl-cream, label in Plus Jakarta Sans 13px --rl-muted

Section 3 — How it works (3 steps)

Section label: "How it works" – same eyebrow style as hero

Section headline: "Three steps to your first VA client." – Fraunces 700, 32px

Layout: 3 column cards

Card 1:

Number: "01" – JetBrains Mono, 36px, --rl-moss

Title: "Pick a course" – Fraunces 700, 18px

Body: "Start with VA Foundations – it's free and covers exactly what beginners need to know."

Card 2:

Number: "02"

Title: "Learn at your pace"

Body: "Short lessons you can actually finish. Watch, read, and practice in under 20 minutes per session."

Card 3:

Number: "03"

Title: "Apply it immediately"

Body: "Every lesson ends with a clear action step. You leave with a deliverable, not just notes."

Card styling:

Background: --rl-card

Border: 0.5px solid --rl-border

Border-radius: 12px

Padding: 28px

No hover animation

Number sits above the title with 12px gap

Section 4 — Featured courses preview

Section label: "Start here"

Section headline: "Courses built for your first 90 days as a VA." – Fraunces 700, 32px

Show exactly 3 course cards in a row. These are the only 3 courses shown on the landing page. Do not show all 5 from the admin dashboard. Landing page is VA-first, curated.

Course card 1: VA Foundations: Your First 30 Days

Badge: FREE

Description: "The complete beginner guide. Tools, clients, pricing, proposals, and your first contract."

Lessons: 8 lessons · 2.5 hrs

CTA link: "Start for free →"

Course card 2: Admin Support Essentials

Badge: \$49

Description: "Inbox management, calendars, SOPs, and everything that makes you an indispensable admin VA."

Lessons: 12 lessons · 4 hrs

CTA link: "Enroll now →"

Course card 3: Client Communication That Actually Works

Badge: \$37

Description: "Templates, tone, difficult client scripts, and follow-up systems that build long-term trust."

Lessons: 10 lessons · 3 hrs

CTA link: "Enroll now →"

Course card styling:

Background: --rl-card

Border: 0.5px solid --rl-border

Border-radius: 12px

Padding: 24px

Hover: border-color --rl-border-mid

Badge: pill at top, FREE = sage badge, paid = clay badge

Title: Fraunces 700, 18px, --rl-cream

Description: Plus Jakarta Sans 400, 14px, --rl-muted, margin top 8px

Meta row: 12px, --rl-dim, JetBrains Mono

CTA link: --rl-sage, 13px, 500, no underline, hover underline

Below cards: "See all courses →" – secondary button, centered, margin top 24px

Section 5 — Social proof / testimonials

Section label: "What learners say"

Section headline: "Real people. Real results." – Fraunces 700, 32px

Layout: 3 testimonial cards in a row

Card 1:

Quote: "I landed my first VA client 3 weeks after finishing VA Foundations. The proposal template alone was worth it."

Name: Maria S.

Role: "Aspiring VA, Philippines"

Stars: ★★★★★ (use text stars, color --rl-earth)

Card 2:

Quote: "I had zero experience with admin work. After this course I had a full SOP ready for my first client. Completely changed how I showed up."

Name: Angela C.

Role: "Freelance admin VA"

Stars: ★★★★★

Card 3:

Quote: "The lessons are short enough to actually finish. I learned more in 2 hours than I did watching 10-hour YouTube tutorials."

Name: Priya M.

Role: "VA, now earning full-time"

Stars: ★★★★★

Card styling:

Background: --rl-card

Border: 0.5px solid --rl-border

Border-radius: 12px

Padding: 24px

Quote: Plus Jakarta Sans 400, 15px, --rl-cream, line-height 1.65

Add open quote mark " before the quote text – Fraunces 900, 48px, --rl-moss, line-height 0.5

Name: Plus Jakarta Sans 600, 14px, --rl-cream, margin-top 16px

Role: Plus Jakarta Sans 400, 12px, --rl-muted

Section 6 — Simple pricing / access section

Section label: "Pricing"

Section headline: "Start free. Pay when you're ready." – Fraunces 700, 32px

Subtext: "No subscriptions. No locked content surprises. Buy one course, own it forever." – 16px, --rl-muted

Layout: 2 tier cards side by side, centered

Tier 1: Free

Title: "Free courses"

Price: "\$0" – Fraunces 900, 40px

Features listed with ti-check icons in --rl-sage:

- VA Foundations: Your First 30 Days
- Website Maintenance for Non-Techies
- Instant access after signup
- No credit card needed

CTA: "Sign up free" – secondary button

Tier 2: Paid (highlighted)

Title: "Premium courses"

Price: "From \$37" – Fraunces 900, 40px

Badge: "Best value" – sage pill at top-right of card

Features:

- Admin Support Essentials (\$49)
- Client Communication That Actually Works (\$37)
- Nonprofit Support Certificate (\$97)
- Lifetime access after purchase
- Downloadable templates and resources
- Certificate of completion

CTA: "Browse courses" – primary button

Highlighted tier card: border: 1.5px solid --rl-sage (only exception to the 0.5px rule)

Note below tiers: "All purchases are one-time payments. You own the course forever." – 12px, --rl-dim

Section 7 — Final CTA / email capture

Background: --rl-card (slightly inset section)

Padding: 56px 0

Headline: "Your first client is waiting." – Fraunces 900, 36px, --rl-cream

Subtext: "Start with a free course today. No pressure, no paywall, just useful skills." – 16px, --rl-muted

Email form row:

Input: email placeholder "Enter your email"

Button: "Get started free" – primary button

Form layout: side by side (input flex-grow, button fixed width)

Note: "By signing up, you agree to our Privacy Policy. No spam."

Note style: 11px, --rl-dim

This form does NOT need real submission logic. On click: show a "You're in! Check your email." inline confirmation message.

Section 8 — Footer

Background: --rl-surface

Border-top: 0.5px solid --rl-border

Padding: 32px 0

Max-width: 1100px, centered

Left: "RaeLearn" Fraunces 900, 18px + "by RAEFORM" in 11px --rl-dim below

Center: nav links – Courses · About · Contact · Privacy · Terms – 13px, --rl-muted, gap 20px

Right: "© 2026 RAEFORM. All rights reserved." – 12px, --rl-dim

No social icons unless specified later.

PAGE 2 — COURSE CATALOG

File: `raelearn-courses.html`

This is the full course listing page. Visitors can browse all available courses. This page is public — no login required to view it.

Full structure:

Navigation bar: same as homepage, "Courses" link active

Page hero (slim, not full viewport):

Headline: "All courses" – Fraunces 900, 40px

Sub: "Practical skills for VAs, admin professionals, and freelancers ready to get to work." – 16px, --rl-muted

Padding: 56px 0 36px

Background: --rl-bg

Filter bar (sticky on scroll, sticks below navbar):

Background: --rl-surface

Border-bottom: 0.5px solid --rl-border

Padding: 14px 0

Filter chips:

All | Free | Virtual assistance | Admin support | Certificate

Chip style: same as previously defined filter-chip

Active chip: --rl-sage border + color + sage-muted background

Right side of filter bar: sort dropdown

"Sort by: Featured" with options: Featured / Newest / Price: Low to High / Price: High to Low

Dropdown: same form input styling, width auto

Course grid (below filters):

Max-width: 1100px, centered

Padding: 32px 0 56px

Grid: 3 columns, gap 20px

Show ALL 5 courses (plus 1 "coming soon" placeholder):

Course cards on this page are larger and more detailed than the homepage previews:

Top: thumbnail area (full-width, 160px height, --rl-card-alt background with a centered icon 40px)

Badge row: category pill + access pill (free/paid)

Title: Fraunces 700, 18px, --rl-cream

Description: 13px, --rl-muted, 2-line clamp

Meta row: JetBrains Mono 11px, --rl-dim — "8 lessons · 2.5 hrs"

Divider: 0.5px --rl-border

Footer row:

Left: price — Fraunces 700, 20px (Free in --rl-sage, paid in --rl-clay)

Right: "Enroll now" CTA link — --rl-sage, 13px, 500

The 5 courses + 1 coming soon:

1. VA Foundations: Your First 30 Days — Free — Virtual assistance — 8 lessons — 2.5 hrs
2. Admin Support Essentials — \$49 — Admin support — 12 lessons — 4 hrs
3. Client Communication That Actually Works — \$37 — Virtual assistance — 10 lessons — 3 hrs
4. Website Maintenance for Non-Techies — Free — Virtual assistance — 6 lessons — 1.5 hrs
5. Nonprofit Support Certificate — \$97 — Certificate — 20 lessons — 6 hrs
6. Founder Support & Operations — "Coming soon" badge — dim out card (opacity 0.5)

Empty state if filter returns 0:

Center-aligned: ti-books icon 40px --rl-dim, "No courses in this category yet." 15px
--rl-muted

PAGE 3 — SIGN UP / SIGN IN

File: `raelearn-auth.html`

Two states on one file: signup view and signin view, toggled via JS. Default shows signup.

Page layout:

Left column (55%): branding side panel

Background: --rl-card

Padding: 56px 48px

Content:

RaeLearn logo (Fraunces 900, 24px)

Headline: "Start building your VA career today." – Fraunces 700, 30px, --rl-cream, margin-top 48px

Sub: "Join learners already taking real steps toward remote work." – 15px, --rl-muted

3 bullet points below (margin-top 32px):

Each: ti-check icon in --rl-sage + text in 14px --rl-cream

- Free courses available immediately

- Learn at your own pace, no deadlines

- Practical skills, not theory

Testimonial quote at bottom of panel:

"RaeLearn gave me the exact framework I needed. Landed my first client 3 weeks in."

– Maria S., VA

Style: italic, 14px, --rl-muted, border-left 2px solid --rl-sage, padding-left 14px

Right column (45%): auth form

Background: --rl-bg

Padding: 56px 40px

Centered vertically

SIGN UP FORM:

Title: "Create your account" – Fraunces 700, 24px

Subtitle: "It's free to start." – 14px, --rl-muted

Fields:

Full name – text input

Email address – email input

Password – password input, with show/hide toggle (ti-eye / ti-eye-off icon inside input right side)

Confirm password – password input

Checkbox row:

[] I agree to the Terms of Service and Privacy Policy

Style: 12px, --rl-muted, link text in --rl-sage

Submit button: "Create account" – primary, full width

Divider: "or continue with"

Google SSO button: full width, secondary style + Google SVG icon inline

Footer: "Already have an account? Sign in" – 13px, --rl-muted, "Sign in" in --rl-sage, clickable

SIGN IN FORM (toggled, same file):

Title: "Welcome back" – Fraunces 700, 24px

Subtitle: "Pick up where you left off." – 14px, --rl-muted

Fields:

Email address

Password (with show/hide toggle)

Forgot password link: "Forgot your password?" – right-aligned, 12px, --rl-sage

Submit button: "Sign in" – primary, full width

Divider: "or"

Google SSO button

Footer: "Don't have an account? Sign up free" – "Sign up free" toggles back to signup view

Toggle behavior:

JS only. No page reload.

Fade out current form (opacity 0, 150ms), swap content, fade in (opacity 1, 150ms)

Form validation visual rules (same as base prompt, restated for clarity):

Empty required field on submit:

border-color: --rl-danger

Show below field: 11px text in --rl-danger – "This field is required."

Password mismatch:

Show: "Passwords don't match." – --rl-danger, 11px

```
Invalid email format:
Show: "Enter a valid email address." --rl-danger, 11px

No real network calls needed. Simulated success: fade the form out, show a success state.

Success state (signup):
Center-aligned ti-circle-check icon, 40px, --rl-sage
"Account created. Check your email to confirm." -- Fraunces 700, 20px
Sub: "You can close this tab or return to the homepage." -- 14px, --rl-muted

Navigation note:
The nav bar on this page is minimal:
Just the logo (left) + "Back to home" ghost link (right)
No course links, no pricing link
```

CONSISTENCY RULES ACROSS ALL 3 PUBLIC PAGES

- All pages share the same font imports, CSS variable definitions, and color system
 - If you build these as separate files, each must include its own `<style>` block with the full CSS variable definitions from the base prompt
 - The nav bar component must look and behave identically across all pages
 - The footer must look and behave identically across all pages
 - Course card styles from the homepage and catalog must match exactly — one shared card style spec, not two
 - All buttons must match the spec from the base prompt exactly — no one-off sizing or color
 - Fonts must render identically — do not change font weights or sizes between pages
-

PUBLIC PAGES QUALITY CHECK

Before submitting code, verify:

- [] "Aspiring virtual assistants" is the lead audience on every page — not nonprofits, not founders
- [] Landing page shows exactly 3 curated courses — not all 5
- [] Catalog shows all 5 courses + 1 coming-soon placeholder
- [] Filter chips on catalog are interactive and visually update on click
- [] Auth form toggles between signup and signin without page reload
- [] Show/hide password toggle works on both password fields
- [] Email form on landing page shows inline confirmation on button click
- [] Nav bar becomes opaque on scroll (landing page)
- [] No lorem ipsum anywhere — all content is from the dummy data spec
- [] Pricing section shows exactly 2 tiers — free and premium
- [] Footer is identical on home and catalog pages

ADDENDUM B — Admin Lesson Editor

ADDENDUM B — Admin: Lesson Editor (Articulate Rise-style)

Appends to: `RaeLearn_CanvaCode_Prompt.md` + Addendum A

Scope: The complete lesson-building experience for the platform owner (Rae)

File to build: ``raelearn-lesson-editor.html``

WHAT THIS IS AND WHO IT IS FOR

The admin is a single user: the platform owner. She is not a developer. She does not know code. She builds courses and lessons entirely through this UI — the same way a creator would use Articulate Rise 360.

The lesson editor is where she opens a course, navigates through its modules, opens a lesson, and builds the lesson content by adding blocks one at a time. Each block is a different content type (text, video, image, callout, checklist, knowledge check, etc.). She can reorder blocks, delete them, edit them inline, and preview the result. When she is done, she publishes the lesson.

This is the core of the entire admin experience. Build it as if it is a real product tool.

EDITOR LAYOUT — FULL PAGE

```
[ Top bar – sticky, 60px ]
[ Three-column layout below top bar ]
[ Course outline panel – 260px, fixed left ]
[ Canvas – center, scrollable, max-width 760px, centered ]
[ Properties panel – 280px, fixed right ]
```

TOP BAR

```
Left section:
- Back arrow (ti-arrow-left) + "VA Foundations: Your First 30 Days" – 14px, Plus Jakarta Sans
  500, --rl-muted
- Separator " / "
```

- Current lesson name: "Writing your first proposal" – 14px, --rl-cream, editable (click to edit inline)

On click: becomes a plain text input, auto-focus, blur saves the value

Center section:

- Lesson status indicator:

If Draft: amber dot + "Draft" – 12px, --rl-warning

If Published: sage dot + "Published" – 12px, --rl-sage

- "Last saved 2 min ago" – 11px, --rl-dim, JetBrains Mono, updated on any block edit

Right section (left to right):

- "Preview" button – secondary button, ti-eye icon + label

- "Save draft" button – secondary button, ti-device-floppy icon + label

- "Publish lesson" button – primary button, ti-send icon + label

Background: --rl-surface

Border-bottom: 0.5px solid --rl-border

Padding: 0 24px

LEFT PANEL — COURSE OUTLINE

Background: --rl-surface

Border-right: 0.5px solid --rl-border

Width: 260px

Overflow-y: auto

Panel header:

"Course outline" – 11px uppercase, letter-spacing 0.08em, --rl-dim

"Add module" button – icon only, ti-plus, 16px, --rl-muted, hover --rl-sage

Header row padding: 16px 16px 12px

Module list (collapsible):

Module 1: "Getting started"

- What is a VA? ✓ (completed)

- Tools you'll need ✓

- Setting up your workspace ✓

Module 2: "Finding clients"

- Where clients look for VAs ✓

- Writing your first proposal ← ACTIVE

- Pricing your services

- Discovery call checklist

Module 3: "Onboarding"

- Your onboarding SOP

Each module header row:

- Expand/collapse chevron (ti-chevron-down / ti-chevron-right)

- Module title – 13px, Plus Jakarta Sans 500, --rl-cream

- Drag handle (ti-grip-vertical, --rl-dim, visible on hover)

- "Add lesson" icon (ti-plus, --rl-dim, visible on hover)

Background on hover: rgba(255,255,255,0.02)

Padding: 10px 16px

Each lesson item row:

- Completion dot (filled --rl-sage if done, ring only if not done, 8px)

- Lesson title – 12px, Plus Jakarta Sans 400, --rl-muted (active: --rl-cream)

- Drag handle (ti-grip-vertical, visible on hover)

Active lesson: left border 2px --rl-sage, background --rl-sage-muted, color --rl-cream

Padding: 8px 16px 8px 28px (28px to indent under module)

Hover: background rgba(255,255,255,0.025)

Module add:

Clicking "Add module" at panel header level:

Inserts a new module at the bottom with inline editable name field

Auto-focus, placeholder "Module name", blur confirms

Lesson add:

Clicking "Add lesson" icon on a module:

Inserts new lesson under that module

Inline editable name field auto-focused

Opens empty canvas for that lesson

Reordering:

Drag handle visible on hover for both modules and lessons

Dragging works within a module for lessons, and across the module list for modules

Visual: drag ghost uses card outline with 0.3 opacity

Drop indicator: 2px horizontal line in --rl-sage

CENTER PANEL — LESSON CANVAS

Background: --rl-bg

Max-width: 760px

Centered with auto margins

Padding: 36px 0 80px

Overflow-y: auto (panel scrolls, top and right panels stay fixed)

Lesson header area (top of canvas, not a block):

Editable lesson title:

Font: Fraunces 900, 32px, --rl-cream

Click to edit: becomes contenteditable

Placeholder text when empty: "Lesson title" in --rl-dim

Estimated time selector:

Row below title: "Estimated time: [] minutes"

Inline number input, JetBrains Mono, 13px

Placeholder: "10"

Learning objective field:

Label: "What learners will do after this lesson:" – 11px uppercase, --rl-dim

Text input: full width, Plus Jakarta Sans 400, 14px, --rl-muted

Placeholder: "e.g. Write and send a proposal to a potential client."

Divider: 0.5px --rl-border, margin: 24px 0

--- CONTENT BLOCKS ---

Below the lesson header, the canvas shows a list of content blocks stacked vertically.

Each block has:

- Left edge: drag handle (ti-grip-vertical, 20px, --rl-dim, visible on hover of the block)

- Block content (center)

- Right edge: block action controls (visible on hover):

ti-trash (delete, --rl-danger on hover)

ti-copy (duplicate, --rl-muted)

ti-chevron-up / ti-chevron-down (move up/down)

- Hover state on block row: show left drag handle + right actions, add very subtle background rgba(255,255,255,0.015)

- Between each block: an ADD BLOCK button appears on hover between blocks (see below)

Block outer wrapper:

Border-radius: 10px

Margin: 0 0 4px 0 (tight vertical gap between blocks)

Transition: outline 150ms on hover (outline: 1.5px solid rgba(122,158,126,0.2))

No card background by default – blocks render on the canvas background

Exception: callout, key takeaway, quote, and knowledge check blocks have their own card backgrounds

--- ADD BLOCK BUTTON ---

Between every pair of blocks, and at the very bottom of all blocks, shows on hover:

A horizontal divider line with a centered "+ Add block" pill button

Pill button:

Background: --rl-card

Border: 0.5px solid --rl-border-mid

Border-radius: 100px

Padding: 5px 16px

Font: Plus Jakarta Sans 500, 12px, --rl-muted

ti-plus icon before label

Hover: border --rl-sage, color --rl-sage

Clicking "+ Add block" opens the BLOCK PICKER (see below)

--- BLOCK PICKER ---

Opens as an inline panel that expands from the add point (not a modal).

Width: full canvas width (760px)

Background: --rl-card

Border: 0.5px solid --rl-border-mid

Border-radius: 12px

Padding: 20px

Margin: 8px 0

Label: "Choose a block type" – 11px uppercase, --rl-dim

Close button: ti-x icon, top right, icon button style

Blocks organized in a grid (4 columns):

ROW 1 – Text and content:

Text block (ti-text-size)

Heading (ti-heading)

Image (ti-photo)

Video (ti-player-play)

ROW 2 – Learning blocks:

Callout (ti-info-circle)

Key takeaway (ti-star)

Checklist (ti-list-check)

Quote (ti-quote)

ROW 3 – Interactive:

Knowledge check (ti-help-circle) ← single question quiz

Flip cards (ti-cards)

Accordion (ti-layout-columns)

Divider (ti-minus)

Row 4 – Resources:

File download (ti-download)

Action step (ti-arrow-right)

Progress marker (ti-flag)

Each block type in the picker:

Cell: 80px x 80px

Icon: 24px, centered, --rl-muted

Label: 11px below icon, --rl-dim

Hover: background --rl-sage-muted, icon color --rl-sage, label color --rl-sage, border 0.5px --rl-sage

Border-radius: 8px

Click: closes picker, inserts block at that position, focuses the block for editing

BLOCK TYPE SPECIFICATIONS

Build all 14 block types. Each block must have an editing state and a rendered/preview state. Clicking anywhere on a block activates its edit state.

Block 1: Text block

Edit state:

A contenteditable div – rich text capable

Toolbar appears above the block when cursor is active:

B (bold) | I (italic) | U (underline) | Link | Bullet list | Numbered list

Toolbar: --rl-card background, 0.5px border, border-radius 8px, padding 6px 10px

Each tool: 28x28px button, icon 14px, hover background rgba(255,255,255,0.06)

Placeholder when empty: "Start typing..." in --rl-dim, italic

Rendered state:

Font: Plus Jakarta Sans 400, 16px, --rl-cream, line-height 1.7

Paragraphs separated by 1em margin

Block 2: Heading

Edit state:

Inline text input

Level selector above: H1 / H2 / H3 – pill toggle, --rl-card bg, active pill: --rl-sage

Rendered state:

H1: Fraunces 700, 28px, --rl-cream

H2: Fraunces 700, 22px, --rl-cream

H3: Plus Jakarta Sans 600, 18px, --rl-cream

Block 3: Image

Edit state:

Upload zone:

Dashed border 1.5px --rl-border-mid

Border-radius: 12px

Height: 200px

Center: ti-photo 32px --rl-dim + "Upload image or paste URL" 13px --rl-muted

Below: text input for image URL with "Use URL" button

Alt text field below: "Alt text (for accessibility)" – small input, 12px label

Rendered state:

Full width image, border-radius 10px

Alt text shown as caption in 11px --rl-dim below image if provided

Block 4: Video

Edit state:

URL input: placeholder "Paste YouTube, Vimeo, or Loom URL"

"Embed video" button – primary, small

Below input: 11px --rl-dim "Supported: YouTube, Vimeo, Loom"

Rendered state:

16:9 aspect ratio iframe embed area

Background --rl-card-alt

Border-radius: 10px

Shows placeholder "Video: [URL]" in center if no valid embed (since this is a prototype)

Caption input below (optional)

Block 5: Callout

Variants: Info (sage) / Warning (amber) / Tip (moss) / Important (clay)

Variant selector: 4 pills at top of block in edit state

Edit state:

Title input: "Callout title (optional)" – 14px, Plus Jakarta Sans 500

Body: contenteditable div, 14px body text

Rendered state:

Left border: 3px solid (sage / amber / moss / clay depending on variant)

Background: matching muted tint (e.g., --rl-sage-muted for info)

Border-radius: 0 10px 10px 0

Padding: 18px 20px

Icon: variant icon in left margin (ti-info-circle / ti-alert-triangle / ti-bulb / ti-flame)

Title: 13px, Plus Jakarta Sans 600

Body: 14px, Plus Jakarta Sans 400, line-height 1.65

Block 6: Key takeaway

A highlighted summary block. Always sage-themed.

Edit state:

Label (non-editable): "KEY TAKEAWAY" – 10px, uppercase, --rl-sage

Contenteditable body: one or two sentence summary

Rendered state:

Background: rgba(122,158,126,0.08)

Border: 0.5px solid rgba(122,158,126,0.25)

Border-radius: 12px

Padding: 22px 24px

Top: "KEY TAKEAWAY" label in --rl-sage, 10px, uppercase, letter-spacing 0.1em

Body: Plus Jakarta Sans 500, 16px, --rl-cream, line-height 1.6

ti-star icon (20px, --rl-sage) left of the label

Block 7: Checklist

Edit state:

"Checklist title" input – optional

List of items – each item is an editable text row

"Add item" button at bottom of list (+ ti-plus)

Each item has a ti-trash icon on hover to delete it

Items can be reordered by drag handle

Rendered state:

Title (if set): Fraunces 700, 18px

Each item: checkbox (unchecked by default, interactive) + item text, 14px --rl-cream

Checkbox: custom styled – 18px square, --rl-border-mid border, --rl-sage fill + ti-check when checked

Checking a box: item text gets --rl-dim color + line-through

Items separated by 8px gap

Block 8: Quote

Edit state:

Quote text: contenteditable

Attribution input: "– Name, Role" format

Rendered state:

Large open quote character: Fraunces 900, 64px, --rl-moss, line-height 0.6

Quote text: Fraunces 700 italic, 20px, --rl-cream, line-height 1.5

Attribution: Plus Jakarta Sans 400, 13px, --rl-muted

Border-left: 3px solid --rl-moss

Padding: 16px 0 16px 24px

Block 9: Knowledge check (single question quiz)

This is the most complex block. Build it fully.

Edit state:

Question input: "Type your question here" – Plus Jakarta Sans 500, 15px

Answer options:

Show 4 answer input rows (A, B, C, D)

Each row: letter badge (--rl-card background) + text input + "correct" radio button

"Correct" radio: only one can be selected. Selecting it marks that option as the right answer.

Add option button: "+ Add option" (up to 6 options)

Remove option button: ti-minus on each row, only shows if more than 2 options exist

Explanation field:

Label: "Explanation shown after answer (optional)"

Textarea, 2 rows, placeholder "e.g. The best proposal opens with the client's problem, not your skills."

Retake option toggle: "Allow learner to retry" – toggle switch, default ON

Rendered state (for learner):

Question: Plus Jakarta Sans 600, 16px, --rl-cream

Margin bottom: 16px

Answer options as clickable cards:

Each: --rl-card background, 0.5px border, border-radius 8px, padding 12px 16px

Left: letter badge (A, B, C, D) – 24px square, --rl-card-alt, 11px, JetBrains Mono

Right: option text, 14px --rl-cream

Hover: border --rl-border-mid

On select (click):

Selected option: border --rl-sage, background --rl-sage-muted

"Submit answer" button appears below the options

On submit:

Correct: selected card gets sage border + sage background tint, ti-circle-check icon appears right side, "Correct!" label

Incorrect: selected card gets red border + danger tint, ti-x icon, "Not quite." label

+ correct answer highlights in sage

Explanation: appears below in a callout block (info style)

Retry button appears if retake is ON: "Try again" – secondary, small

In ADMIN PREVIEW: show the rendered state with "(Preview mode)" tag at top

In ADMIN EDIT: show edit state

Block 10: Flip cards

A set of 2-6 flipable cards (front/back). Good for vocabulary, concepts, Q&A pairs.

Edit state:

Card list: each card has two inputs – "Front" and "Back" side

"Add card" button, up to 6 cards

Each card row collapsible

Rendered state:

Horizontal row of cards (2-3 per row, wrap)

Each card: 200px x 130px, --rl-card background, border 0.5px --rl-border, border-radius 12px

Front face shows front text (Fraunces 600, 15px)

"Click to flip" hint: 10px, --rl-dim, bottom-right

On click: card flips (CSS transform rotateY 180deg), back face shows in --rl-sage-muted tint

Block 11: Accordion

Expandable sections. Good for FAQs, supplemental info, common mistakes.

Edit state:

Section list: each section has Title input + Body textarea

"Add section" button

Rendered state:

Each section: clickable header row

Arrow icon (ti-chevron-down, rotates 180deg when expanded)

Title: Plus Jakarta Sans 600, 15px, --rl-cream

Body: Plus Jakarta Sans 400, 14px, --rl-muted, shown on expand with smooth height transition

Row border: 0.5px solid --rl-border below each row

Block 12: Divider

No edit state needed.

Renders as: 0.5px horizontal line in --rl-border, full canvas width, with 24px vertical margin

On hover shows delete icon centered above it.

Block 13: File download

Edit state:

Upload zone: "Upload file or paste URL"

File name input: "Display name" e.g. "Proposal Template – Google Doc"

File type tag: dropdown – PDF / Google Doc / Spreadsheet / Checklist / Other

Access note: "This file will be available to enrolled learners only" – 11px, --rl-dim

Rendered state (card):

Background: --rl-card, border 0.5px --rl-border, border-radius 10px, padding 16px 20px

Left: file type icon (ti-file-text / ti-file-spreadsheet / etc), 24px, --rl-earth

Center: file name in Plus Jakarta Sans 500, 14px, --rl-cream + file type in 11px --rl-dim

Right: "Download" button – secondary, small, ti-download icon

Block 14: Action step

A clear, boxed call-to-action / practice step at the end of a lesson or section.

Edit state:

Action prompt input: "What should the learner do right now?"

Example: "Open Google Docs and write your first 3-sentence proposal using the template."

Estimated time input: "(5 min)" – JetBrains Mono

Rendered state:

Background: rgba(78,102,81,0.15) – moss tint

Border: 0.5px solid rgba(78,102,81,0.3)

Border-left: 3px solid --rl-moss

```
Border-radius: 0 12px 12px 0
Padding: 20px 24px

Top row: ti-arrow-right icon (--rl-moss, 20px) + "ACTION STEP" label (10px, --rl-moss, uppercase)

Body: Plus Jakarta Sans 500, 15px, --rl-cream, line-height 1.6
Time: JetBrains Mono, 11px, --rl-dim, right-aligned
```

RIGHT PANEL — LESSON SETTINGS

```
Background: --rl-surface
Border-left: 0.5px solid --rl-border
Width: 280px
Overflow-y: auto
Padding: 20px 16px

Panel opens when a block is selected (shows block-specific settings).
Default state (no block selected): shows lesson-level settings.

--- LESSON SETTINGS (default) ---

Section: "Lesson settings"

Status toggle:
Label: "Status"
Toggle: Draft / Published – pill toggle, width 100%
Active side: --rl-sage background, dark text

Visibility:
Label: "Access"
Dropdown: Free preview / Enrolled learners only / Paid enrollees only

Estimated time:
Label: "Estimated time (min)"
Number input

Certificate-eligible toggle:
Label: "Required for certificate"
Toggle switch, default ON

Section: "Completion rules"
Dropdown: "Lesson complete when..."
```

Options: Learner clicks "Mark complete" / Learner watches 80% of video / Learner passes knowledge check

Section: "Notes for learners"

Textarea: "Add a note visible at the top of this lesson (optional)"

12px, --rl-dim helper text: "Shown as a banner before lesson content."

--- BLOCK SETTINGS (when block is selected) ---

Shown instead of lesson settings when a block is clicked.

Header row: back arrow (ti-arrow-left, returns to lesson settings) + block type name

Settings vary by block type. Examples:

Text block: font size picker (small / medium / large), alignment (left / center)

Image block: width (full / inset / thumbnail), caption toggle

Callout block: variant picker (Info / Warning / Tip / Important) as 4 color chips

Knowledge check: points value input, retry toggle, shuffle options toggle

Divider: style picker (thin / thick / dotted)

Video: autoplay toggle (default OFF), show controls toggle

Close block settings: clicking elsewhere on the canvas deselects the block.

PREVIEW MODE

Activated by "Preview" button in top bar.

Overlays the canvas panel (not full page – just the canvas area) with a preview iframe simulation.

Shows lesson as the learner would see it.

Adds a banner at the very top of the canvas:

"Preview mode – this is how learners see this lesson"

Background: rgba(122,158,126,0.12), border-bottom 0.5px --rl-sage

"Exit preview" button (secondary, small) on right

In preview mode:

- All edit controls (drag handles, block actions, right panel) are hidden
- All interactive blocks (checklist, knowledge check, flip cards, accordion) are fully interactive
- Canvas shows the lesson as a clean rendered reading experience
- No toolbar is visible
- Scrolls naturally

Lesson title renders in Fraunces 900 32px at top.

Objective renders below in 14px --rl-muted italic.

All blocks render in their rendered state.

DUMMY CONTENT — LESSON TO PRE-POPULATE

Pre-populate the canvas with this lesson: "Writing your first proposal"

Block 1: Heading — H2 — "What makes a good proposal?"

Block 2: Text — "A proposal isn't a resume. It's a short, direct answer to one question: why should this person hire you? The best proposals are 3-5 paragraphs. They focus on the client's problem first — not your background."

Block 3: Callout — Info — Title: "Good to know" — Body: "Most clients read 3+ proposals. Yours needs to show you actually read their post, not just that you have skills."

Block 4: Heading — H2 — "The 3-part proposal formula"

Block 5: Text — "Every strong proposal has three parts: (1) Acknowledge the problem, (2) Explain your solution, (3) Give a clear next step. That's it. No lengthy intros. No begging."

Block 6: Key takeaway — "Lead with the client's problem. Your background comes second. Always."

Block 7: Checklist — Title: "Proposal checklist" — Items: "Opens with client's specific need" / "Mentions one relevant skill or example" / "States your rate or next step clearly" / "Under 300 words" / "No typos or generic openers like 'Dear Sir/Madam'"

Block 8: File download — "Proposal Template — Google Doc" — Google Doc type

Block 9: Knowledge check — Question: "Which opening is stronger for a VA proposal?" — A: 'I am a highly skilled virtual assistant with 3 years of experience.' — B: 'I noticed you're looking for someone to manage your inbox and client scheduling — that's exactly what I specialize in.' (B is correct) — Explanation: "Always open by referencing the client's specific situation. Generic intros get ignored."

Block 10: Action step — "Write your first proposal using the template. Aim for under 300 words. Focus on the client's problem in your opening sentence." — (15 min)

QUALITY CHECK — LESSON EDITOR

Before submitting code, verify:

- [] All 14 block types are implemented with both edit and rendered states
- [] Knowledge check is fully interactive — selectable options, submit, correct/incorrect feedback, retry
- [] Checklist items are checkable in rendered/preview state
- [] Flip cards flip on click with CSS transform
- [] Block picker opens inline (not as a modal covering the page)
- [] Drag handles are visible on hover of each block
- [] Left panel highlights active lesson and module
- [] Preview mode hides all edit chrome and shows the lesson clean
- [] Lesson title in header is inline-editable
- [] Top bar shows correct status (Draft/Published)

- [] Right panel shows lesson settings by default, block settings when block is focused
- [] All pre-populated dummy content blocks are present on load
- [] No lorem ipsum — all text is from the dummy lesson spec above
- [] Block reorder buttons (chevron up/down) work to move blocks

Addendum B — Admin Lesson Editor. Extends RaeLearn_CanvaCode_Prompt.md. June 2026.

ADDENDUM C — Learner Lesson Player

ADDENDUM C — Learner: Lesson Player

Appends to: `RaeLearn_CanvaCode_Prompt.md` + Addendum A + Addendum B

Scope: The complete lesson-taking experience for enrolled learners

File to build: ``raelearn-lesson-player.html``

Reference: Articulate Rise 360 — match its reading flow, sidebar behavior, and block fidelity

WHAT THIS IS AND WHO IT IS FOR

This is what learners see when they click "Resume" or "Start" on a course. It must feel calm, focused, and premium. The learner should feel like they are inside a beautifully designed course — not reading a blog post, not watching YouTube, not using Moodle.

The reference is Articulate Rise 360: full-width lesson content that scrolls naturally, a persistent left sidebar showing the course outline, blocks that render cleanly in sequence, interactive elements that work inline, and clear navigation between lessons. The design should feel that polished — but in the RaeLearn earth-tone brand.

No separate pages per lesson. One page file, all lessons navigated within it.

PLAYER LAYOUT — FULL PAGE

- [Top bar — sticky, 56px]
 - [Two-column layout]
 - [Sidebar — 280px, fixed left, full height, scrollable internally]
 - [Content column — remaining width, max-width 720px, horizontally centered within remaining space]
 - [Lesson content — scrollable]
 - [Bottom nav — sticky to bottom of content column]
-

TOP BAR

Background: `--rl-surface`

```

Border-bottom: 0.5px solid --rl-border
Height: 56px
Padding: 0 24px
Display: flex, align-items center, justify-content space-between

Left:
- ti-arrow-left icon + "Back to dashboard" – 13px, --rl-muted, hover --rl-cream
- Separator "|" in --rl-dim
- Course title: "VA Foundations: Your First 30 Days" – 14px, Plus Jakarta Sans 500, --rl-muted

Center:
- Progress bar: full-width track (background rgba(255,255,255,0.06), height 4px, border-radius 100px)
- Fill: --rl-sage, width reflects current lesson / total lessons (e.g. 5 of 8 = 62%)
- Max-width: 300px, centered in the top bar
- Below bar: "5 of 8 lessons" – JetBrains Mono, 11px, --rl-dim

Right:
- ti-menu-2 icon (sidebar toggle for mobile)
- "Mark complete" button – primary button, but only shown when near bottom of lesson
(Show after learner scrolls past 80% of lesson content, activated by scroll listener)
On click: marks lesson complete, updates sidebar, shows congratulations micro-animation,
auto-advances to next lesson after 1.5s delay
- Avatar with dropdown: profile link + sign out

```

LEFT SIDEBAR

```

Background: --rl-surface
Border-right: 0.5px solid --rl-border
Width: 280px
Fixed, full viewport height minus top bar
Overflow-y: auto

Sidebar header:
Padding: 20px 18px 14px
Course title: "VA Foundations: Your First 30 Days" – Plus Jakarta Sans 600, 14px, --rl-cream
Progress summary: "62% complete · 5 of 8 done" – JetBrains Mono, 11px, --rl-muted
Progress bar: full width, 4px, same style as top bar

Module sections (stacked, not collapsible in player – always expanded):
Module label: 10px, uppercase, letter-spacing 0.08em, --rl-dim, padding 14px 18px 6px

Lesson rows:

```

Left: completion indicator

Done: filled circle (8px, --rl-sage)

Active: pulsing ring (8px circle, --rl-sage border, animation: subtle pulse 2s infinite)

Not started: empty ring (8px, --rl-border-mid)

Lesson title: 13px, Plus Jakarta Sans 400

Duration: JetBrains Mono, 10px, --rl-dim, right-aligned

States:

Done: title --rl-dim, strikethrough (very subtle, not heavy)

Active: title --rl-cream, background --rl-sage-muted, left 2px solid --rl-sage

Locked (not yet available): title --rl-dim, ti-lock icon instead of completion dot (12px)

Not started: title --rl-muted

Click behavior: clicking a completed or available lesson navigates to it (swaps content in center column)

Locked lessons: click does nothing; cursor: default

Sidebar footer:

Padding: 16px 18px

Border-top: 0.5px solid --rl-border

"Certificate progress" mini section:

Label: "Certificate" — 11px, --rl-muted

Progress bar (thin, 4px, --rl-earth fill)

"5 of 8 lessons needed" — 11px, --rl-dim

ti-certificate icon, 16px, --rl-earth

LESSON CONTENT COLUMN

Background: --rl-bg

Padding: 40px 0 120px (extra bottom for bottom nav clearance)

Max-width: 720px

Centered horizontally in the remaining column space

Lesson header (top of content column, not a sticky block):

Category breadcrumb:

"Module 2 · Lesson 5" — JetBrains Mono, 11px, --rl-dim

Lesson title:

Fraunces 900, 36px, --rl-cream, line-height 1.1

Margin-top: 8px

Meta row:

ti-clock icon (14px, --rl-dim) + "12 min" – 12px, JetBrains Mono, --rl-dim

ti-user icon (14px, --rl-dim) + "Rae · RaeLearn" – 12px, --rl-dim

gap: 16px between items

Objective line:

"In this lesson, you'll write and send a proposal to a potential client."

Plus Jakarta Sans 400 italic, 15px, --rl-muted, margin-top 12px

Divider: 0.5px --rl-border, margin: 24px 0

--- LESSON BLOCKS (RENDERED STATE) ---

All blocks render in read/interact mode only. No edit chrome visible.

Blocks are the same types as built in the editor (Addendum B) but shown as the learner sees them.

The same CSS for rendered states must be used in both the editor (preview mode) and the player.

Block spacing: 28px margin-bottom between each block (generous breathing room)

Block max-width: inherits 720px from content column

CRITICAL BLOCK BEHAVIORS FOR LEARNER:

Text block:

Renders as clean body text

Font: Plus Jakarta Sans 400, 16px, --rl-cream, line-height 1.75

Paragraphs: 1em margin between

Heading block:

Renders in Fraunces sizes as specified in editor spec

H2 gets a subtle left accent: border-left 3px solid --rl-moss, padding-left 14px

Image block:

Full width, border-radius 10px

Caption: 12px, --rl-dim, centered, margin-top 8px

Video block:

16:9 responsive iframe container

border-radius 10px

Shows thumbnail placeholder (--rl-card-alt background + play icon centered) before embed loads

Callout block:

Full interaction as specified in editor rendered state

Info / Warning / Tip / Important variants all styled

Key takeaway block:

Full sage-tinted card exactly as in editor rendered state

Checklist block:

Fully interactive – learner can check items

Checked items: `--rl-dim` text + line-through + `ti-check` in `--rl-sage`

Persistence: store checked state in `localStorage` keyed by lesson ID + item index

"0 of 5 checked" progress counter appears at top right of block, updates live

Quote block:

Renders exactly as editor rendered state

Knowledge check block:

FULLY INTERACTIVE – this is the most important interactive block

See full learner-specific behavior below

Flip cards:

Click to flip works with CSS transform

Mobile: tap to flip

"Click cards to reveal" hint below the set in `11px --rl-dim`

Accordion:

Expand/collapse on click

Smooth height animation (`max-height` transition 200ms ease)

One can be open at a time, or all – do NOT force single-open behavior

Divider:

0.5px line, `--rl-border`, 28px vertical margin

File download:

Renders as card with download button

On click: simulate download by showing "Downloaded!" micro-confirmation (button briefly turns green)

In real implementation: triggers signed URL download

Action step:

Renders as moss-tinted card

Learner can check off "I did this" checkbox at bottom of the block

When checked: block gets a subtle sage border and "Done" badge appears top-right

--- KNOWLEDGE CHECK BLOCK – LEARNER BEHAVIOR ---

This must work exactly like a real LMS quiz interaction.

Before interaction:

Question visible

All options visible as clickable cards

No answer revealed

Interaction flow:

Step 1 – Learner clicks an option:

Selected option: border --rl-sage, background --rl-sage-muted (but NOT revealed as correct/wrong yet)

"Submit answer" button appears below options in primary style

Learner can change selection before submitting – clicking another option deselects previous

Step 2 – Learner clicks "Submit answer":

All options become non-clickable

Correct option: border 1.5px solid --rl-sage, background rgba(122,158,126,0.12)

+ ti-circle-check icon (20px, --rl-sage) right side of option

+ "Correct" label in --rl-sage, 12px, 500

If learner chose wrong:

Selected wrong option: border 1.5px solid --rl-danger, background rgba(176,112,112,0.08)

+ ti-x icon (20px, --rl-danger) right side

+ "Incorrect" label in --rl-danger, 12px

Correct option still highlights in sage so learner knows right answer

Explanation appears below options (if admin set one):

Callout style – Info variant

"Why: [explanation text]"

If retry is enabled:

"Try again" button (secondary) appears

On click: resets all option states, hides submit button, hides explanation, allows new attempt

Completion:

After answering correctly: block gets a subtle "✓ Completed" badge top-right in sage

If answered incorrectly (and no retry, or retries exhausted): block gets "Reviewed" badge in --rl-dim

Both states: progress still counts toward lesson completion

--- COMPLETION MARKER (PROGRESS MARKER BLOCK) ---

If the admin placed a Progress marker block, it renders as:

Full-width horizontal row

Center: "You've reached a checkpoint!" – Plus Jakarta Sans 500, 14px, --rl-cream

Small ti-flag icon in --rl-sage (16px)

Background: rgba(122,158,126,0.06), border 0.5px rgba(122,158,126,0.2), border-radius 8px, padding 14px 0

BOTTOM NAVIGATION BAR

Sticky to bottom of the viewport, above the content column only (not covering the sidebar)

Background: --rl-surface

Border-top: 0.5px solid --rl-border

Height: 64px

Padding: 0 24px

Display: flex, align-items center, justify-content space-between

Left:

"Previous lesson" button – secondary, ti-arrow-left icon

On first lesson of course: button is dimmed and non-clickable

Center:

Lesson title of current lesson – 13px, --rl-muted, Plus Jakarta Sans 400

Truncated with ellipsis if too long

Right:

"Next lesson" button – primary, ti-arrow-right icon (right side of label)

Label changes based on context:

Default: "Next lesson"

Last lesson in module: "Next: [next module name]"

Last lesson in course: "Complete course" (changes to sage background with ti-certificate icon)

Behavior on navigation:

Clicking next/previous: content column scrolls to top, new lesson loads (JS swap)

Sidebar updates active state immediately

Top bar progress bar updates

Bottom nav updates with new lesson title

LESSON COMPLETE STATE

When learner clicks "Mark complete" (or knowledge check causes auto-complete):

1. Confetti-like micro-celebration:

No canvas confetti library.

Pure CSS: 6 small squares (8px each) animate outward from the button position,

each in a different earth-tone color (--rl-sage, --rl-clay, --rl-earth, --rl-moss, --rl-warning, --rl-sand)

Keyframes: scale from 0 to 1, translate outward, fade to 0 – duration 600ms

2. Sidebar updates:

Current lesson dot fills to solid --rl-sage immediately

3. Auto-advance prompt appears (centered overlay over content column only – not full page):

Background: rgba(13,16,32,0.85)

Card: --rl-card, border-radius 14px, padding 28px, centered

Content:

ti-circle-check icon: 40px, --rl-sage

"Lesson complete!" – Fraunces 700, 22px, --rl-cream

Next lesson name: "Next up: Pricing your services" – 14px, --rl-muted

Countdown: "Continuing in 5..." – JetBrains Mono, 12px, --rl-dim (counts down 5 to 0)

Two buttons:

"Continue now" – primary, advances immediately

"Stay here" – secondary, dismisses overlay, stays on current lesson

Auto-advance after 5 seconds if learner takes no action.

4. If this was the LAST LESSON in the course:

Replace the "Continuing in 5..." with:

"You've completed this course! Your certificate is ready."

Button: "View certificate" – primary, ti-certificate icon

COURSE COMPLETION CERTIFICATE SCREEN

If learner reaches the end and all required lessons are complete:

Show an inline certificate preview within the player content column.

Certificate card:

Background: --rl-card

Border: 1px solid --rl-earth (slightly bolder for the certificate)

Border-radius: 16px

Padding: 40px

Max-width: 600px

Centered

Inside certificate:

Top: "RaeLearn" in Fraunces 900, 20px, --rl-sage

Small: "by RAEFORM" – 11px, --rl-dim
Main text:
"This certifies that" – 12px, --rl-dim, italic
Learner name: "Maria Santos" – Fraunces 900, 32px, --rl-cream
"has successfully completed" – 12px, --rl-dim
Course name: "VA Foundations: Your First 30 Days" – Fraunces 700, 22px, --rl-clay
Date row: "June 27, 2026" – JetBrains Mono, 13px, --rl-dim
Credential ID: "RLVA-2026-00284" – JetBrains Mono, 11px, --rl-dim
Decorative horizontal rule: 1px solid --rl-border, margins 20px 0
Signature line:
"Rae" – Fraunces 900 italic, 20px, --rl-muted (simulates signature)
"RaeLearn Platform · RAEFORM" – 11px, --rl-dim
Below the certificate card:
Two buttons side by side:
"Download PDF" – primary, ti-download
"Share certificate" – secondary, ti-share
Both are visual only – no real PDF generation needed

PRE-LOADED LESSON CONTENT (SAME AS EDITOR DUMMY CONTENT)

Pre-load the exact same lesson as Addendum B: "Writing your first proposal"

Use the same 10 blocks in the same order.

This ensures the editor and player are visually consistent — what you build in the editor is what learners see.

Sidebar shows the full course outline with lesson completion states as defined in the base prompt dummy data.

QUALITY CHECK — LESSON PLAYER

Before submitting code, verify:

- Layout:
- [] Sidebar is fixed and doesn't scroll with the content column
 - [] Content column max-width 720px is centered within remaining space (not full page width)
 - [] Bottom nav is sticky and does not cover sidebar
 - [] Top bar progress bar updates when navigating between lessons

Sidebar:

- [] Active lesson has left border + sage-muted background
- [] Completed lessons have filled sage dot
- [] Locked lessons show ti-lock icon and are non-clickable
- [] Clicking any available completed lesson navigates to it and swaps content

Blocks:

- [] All 14 block types render correctly in learner (read) mode
- [] Checklist items are checkable; state persists in localStorage
- [] Checklist progress counter updates live
- [] Knowledge check is fully interactive: option selection, submit, correct/wrong feedback, retry
- [] Flip cards flip on click with CSS perspective transform
- [] Accordion sections expand/collapse with smooth animation
- [] Action step "I did this" checkbox works and shows Done badge
- [] File download button shows inline "Downloaded!" confirmation

Completion:

- [] "Mark complete" button appears after scrolling 80% through lesson
- [] Clicking it triggers CSS micro-celebration, sidebar updates, and auto-advance overlay
- [] Auto-advance overlay counts down 5 seconds
- [] "Continue now" button works; "Stay here" dismisses overlay
- [] Last lesson shows certificate screen instead of auto-advance
- [] Certificate renders with correct learner name, course name, date, and credential ID

Navigation:

- [] Previous/Next lesson buttons swap content in content column (no page reload)
- [] First lesson: Previous button is dimmed
- [] Last lesson: Next button says "Complete course" with certificate icon
- [] "Back to dashboard" in top bar navigates to learner dashboard

FILE SUMMARY — ALL 6 FILES TO DELIVER

When building from the base prompt + all addenda, the developer delivers exactly these 6 files:

```
raelearn-home.html → Public landing page (Addendum A)
raelearn-courses.html → Public course catalog (Addendum A)
raelearn-auth.html → Sign up / Sign in (Addendum A)
raelearn-admin-dashboard.html → Admin dashboard, stats, course table, modal (Base prompt)
raelearn-lesson-editor.html → Admin lesson editor with all 14 block types (Addendum B)
raelearn-lesson-player.html → Learner lesson player with full interactivity (Addendum C)
```

All 6 files must:

- Share identical CSS variable definitions

- Use the same font imports
 - Use the same button, badge, and card styles
 - Feel like they are part of one product, not 6 separate exercises
-

ARTICULATE RISE 360 REFERENCE — WHAT TO MATCH

When in doubt about how the lesson player should feel, reference Articulate Rise 360:

- Full-width content that reads top to bottom like a well-designed article
- Each block type looks distinct and purposeful — not uniform grey boxes
- Interactive blocks (quizzes, checklists, flip cards) are native to the flow, not popped out in modals
- The sidebar shows the full course structure at all times
- Navigation is at the bottom — never requires scrolling back to the top
- Lesson title is prominent at the top; objectives are brief and human
- The overall feel is "calm and focused learning" not "click through slides"

The RaeLearn player follows this philosophy exactly but in the earth-tone brand system defined in the base prompt. No blue. No corporate grey. Sage, moss, clay, cream, olive-black.

Addendum C — Learner Lesson Player. Extends RaeLearn_CanvaCode_Prompt.md + Addendum A + Addendum B. June 2026.

ADDENDUM D — Header, Footer, Legal Pages

ADDENDUM D — Universal Header, Footer, Terms of Use, Privacy Policy

Appends to: `RaeLearn_CanvaCode_Prompt.md` + Addenda A, B, C

This addendum **OVERRIDES** any header or footer code previously written in any file.

Do not rewrite other files. Apply these exact header and footer components to **ALL** pages.

CRITICAL INSTRUCTION

Every single HTML file in the RaeLearn project must use the exact same header and footer code.

Copy-paste the header and footer from this addendum verbatim into every file.

Do not create variations. Do not adapt them per page. Do not invent a "simpler version" for auth pages.

The only exception: the lesson player (`raelearn-lesson-player.html`) and lesson editor (`raelearn-lesson-editor.html`) use their own top bar and have NO footer — those were specified in Addenda B and C. Every other file uses this header and footer.

Files that must have this header and footer:

- `raelearn-home.html`
- `raelearn-courses.html`
- `raelearn-auth.html`
- `raelearn-terms.html` (new)
- `raelearn-privacy.html` (new)

SHARED CSS — ADD TO EVERY FILE'S `<style>` BLOCK

Add these rules to every file. They define the header and footer. Do not duplicate the CSS variable definitions — those come from the base prompt. Only add what is below.

```
/* =====  
UNIVERSAL HEADER  
===== */  
  
.rl-header {
```

```
position: sticky;
top: 0;
z-index: 100;
width: 100%;
height: 68px;
background: rgba(28, 31, 24, 0.0);
border-bottom: 0.5px solid transparent;
transition: background 0.3s ease, border-color 0.3s ease;
display: flex;
align-items: center;
}
```

```
.rl-header.scrolled {
background: rgba(28, 31, 24, 0.97);
border-bottom-color: var(--rl-border);
backdrop-filter: blur(8px);
-webkit-backdrop-filter: blur(8px);
}
```

```
.rl-header-inner {
max-width: 1120px;
width: 100%;
margin: 0 auto;
padding: 0 32px;
display: flex;
align-items: center;
justify-content: space-between;
gap: 32px;
}
```

```
.rl-logo {
font-family: 'Fraunces', serif;
font-weight: 900;
font-size: 22px;
color: var(--rl-cream);
text-decoration: none;
letter-spacing: -0.01em;
flex-shrink: 0;
}
```

```
.rl-logo span {
color: var(--rl-sage);
}
```

```
.rl-nav-links {
```

```

display: flex;
align-items: center;
gap: 6px;
flex: 1;
justify-content: center;
}

.rl-nav-link {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 14px;
font-weight: 400;
color: var(--rl-muted);
text-decoration: none;
padding: 6px 14px;
border-radius: 8px;
transition: color 0.2s ease, background 0.2s ease;
cursor: pointer;
white-space: nowrap;
}

.rl-nav-link:hover {
color: var(--rl-cream);
background: rgba(255, 255, 255, 0.04);
}

.rl-nav-link.active {
color: var(--rl-cream);
}

.rl-header-actions {
display: flex;
align-items: center;
gap: 10px;
flex-shrink: 0;
}

.rl-btn-ghost-nav {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 14px;
font-weight: 500;
color: var(--rl-muted);
background: transparent;
border: none;
padding: 8px 14px;
border-radius: 8px;

```

```

cursor: pointer;
text-decoration: none;
transition: color 0.2s ease;
}

.rl-btn-ghost-nav:hover {
color: var(--rl-cream);
}

.rl-btn-primary-nav {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 14px;
font-weight: 600;
color: #1C1F18;
background: var(--rl-sage);
border: none;
padding: 9px 20px;
border-radius: 8px;
cursor: pointer;
text-decoration: none;
transition: background 0.2s ease;
white-space: nowrap;
}

.rl-btn-primary-nav:hover {
background: var(--rl-sage-light);
}

/* =====
UNIVERSAL FOOTER
===== */

.rl-footer {
background: var(--rl-surface);
border-top: 0.5px solid var(--rl-border);
padding: 64px 0 32px;
margin-top: auto;
}

.rl-footer-inner {
max-width: 1120px;
margin: 0 auto;
padding: 0 32px;
}

```

```

.rl-footer-top {
display: grid;
grid-template-columns: 1.6fr 1fr 1fr 1fr;
gap: 48px;
margin-bottom: 56px;
}

.rl-footer-brand {}

.rl-footer-logo {
font-family: 'Fraunces', serif;
font-weight: 900;
font-size: 20px;
color: var(--rl-cream);
margin-bottom: 4px;
display: block;
}

.rl-footer-by {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 12px;
color: var(--rl-dim);
margin-bottom: 16px;
display: block;
}

.rl-footer-desc {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 14px;
color: var(--rl-muted);
line-height: 1.7;
max-width: 280px;
margin-bottom: 24px;
}

.rl-footer-email-row {
display: flex;
gap: 8px;
align-items: center;
}

.rl-footer-email-input {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 13px;
color: var(--rl-cream);

```



```

background: rgba(255, 255, 255, 0.04);
border: 0.5px solid var(--rl-border-mid);
border-radius: 8px;
padding: 9px 14px;
outline: none;
flex: 1;
min-width: 0;
transition: border-color 0.2s;
}

.rl-footer-email-input::placeholder {
color: var(--rl-dim);
}

.rl-footer-email-input:focus {
border-color: var(--rl-sage);
}

.rl-footer-email-btn {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 13px;
font-weight: 600;
color: #1C1F18;
background: var(--rl-sage);
border: none;
padding: 9px 16px;
border-radius: 8px;
cursor: pointer;
white-space: nowrap;
transition: background 0.2s;
flex-shrink: 0;
}

.rl-footer-email-btn:hover {
background: var(--rl-sage-light);
}

.rl-footer-col-title {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 11px;
font-weight: 600;
color: var(--rl-cream);
text-transform: uppercase;
letter-spacing: 0.08em;
margin-bottom: 16px;

```

```

display: block;
}

.rl-footer-links {
list-style: none;
padding: 0;
margin: 0;
display: flex;
flex-direction: column;
gap: 10px;
}

.rl-footer-links li a,
.rl-footer-links li span {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 14px;
color: var(--rl-muted);
text-decoration: none;
cursor: pointer;
transition: color 0.2s;
display: block;
}

.rl-footer-links li a:hover,
.rl-footer-links li span:hover {
color: var(--rl-cream);
}

.rl-footer-divider {
height: 0.5px;
background: var(--rl-border);
margin-bottom: 28px;
}

.rl-footer-bottom {
display: flex;
align-items: center;
justify-content: space-between;
gap: 24px;
flex-wrap: wrap;
}

.rl-footer-copy {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 12px;

```

```

color: var(--rl-dim);
}

.rl-footer-legal-links {
display: flex;
align-items: center;
gap: 20px;
}

.rl-footer-legal-links a,
.rl-footer-legal-links span {
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 12px;
color: var(--rl-dim);
text-decoration: none;
cursor: pointer;
transition: color 0.2s;
}

.rl-footer-legal-links a:hover,
.rl-footer-legal-links span:hover {
color: var(--rl-muted);
}

.rl-footer-badge {
display: inline-flex;
align-items: center;
gap: 6px;
font-family: 'Plus Jakarta Sans', sans-serif;
font-size: 11px;
color: var(--rl-dim);
}

.rl-footer-badge i {
font-size: 13px;
color: var(--rl-sage);
}

```

HTML — UNIVERSAL HEADER

Copy this HTML block verbatim into every applicable page, immediately after ``<body>``.

Change only the `active` class on the nav link that matches the current page.

```

<header class="rl-header" id="rl-header">
<div class="rl-header-inner">
  <a href="raelearn-home.html" class="rl-logo">Rae<span>Learn</span></a>
  <nav class="rl-nav-links" aria-label="Main navigation">
    <a href="raelearn-home.html" class="rl-nav-link" id="nav-home">Home</a>
    <a href="raelearn-courses.html" class="rl-nav-link" id="nav-courses">Courses</a>
    <a href="#how-it-works" class="rl-nav-link">How it works</a>
    <a href="#pricing" class="rl-nav-link">Pricing</a>
  </nav>
  <div class="rl-header-actions">
    <a href="raelearn-auth.html" class="rl-btn-ghost-nav">Sign in</a>
    <a href="raelearn-auth.html" class="rl-btn-primary-nav">Start for free</a>
  </div>
</div>
</header>

```

Active nav link rule per page:

- `raelearn-home.html` → add class `active` to `#nav-home`
- `raelearn-courses.html` → add class `active` to `#nav-courses`
- `raelearn-auth.html` → no active link (auth page)
- `raelearn-terms.html` → no active link
- `raelearn-privacy.html` → no active link

JavaScript for scroll behavior (add once per page, in ``<script>`` at bottom of body):

```

// Header scroll effect
const rlHeader = document.getElementById('rl-header');
window.addEventListener('scroll', function() {
  if (window.scrollY > 20) {
    rlHeader.classList.add('scrolled');
  } else {
    rlHeader.classList.remove('scrolled');
  }
}, { passive: true });

```

HTML — UNIVERSAL FOOTER

Copy this HTML block verbatim into every applicable page, immediately before ``</body>`.

```

<footer class="rl-footer" aria-label="Site footer">

```

```

<div class="rl-footer-inner">
  <div class="rl-footer-top">
    <!-- Brand column -->
    <div class="rl-footer-brand">
      <span class="rl-footer-logo">RaeLearn</span>
      <span class="rl-footer-by">by RAEFORM</span>
      <p class="rl-footer-desc">
        Practical online courses for aspiring virtual assistants,
        admin professionals, and freelancers building a client-based career.
      </p>
      <div class="rl-footer-email-row">
        <input
          type="email"
          class="rl-footer-email-input"
          placeholder="Your email address"
          aria-label="Email address for updates"
          id="footer-email-input"
        >
        <button
          class="rl-footer-email-btn"
          onclick="handleFooterEmail()"
          aria-label="Subscribe for updates"
        >
          Subscribe
        </button>
      </div>
      <p style="font-size:11px;color:var(--rl-dim);margin-top:8px;font-family:'Plus Jakarta Sans', sans-serif;">
        Course updates and launch announcements only. No spam.
      </p>
    </div>
    <div class="rl-footer-learn">
      <!-- Learn column -->
      <div class="rl-footer-col">
        <span class="rl-footer-col-title">Learn</span>
        <ul class="rl-footer-links">
          <li><a href="raelearn-courses.html">All courses</a></li>
          <li><a href="raelearn-courses.html">VA Foundations (Free)</a></li>
          <li><a href="raelearn-courses.html">Admin Support Essentials</a></li>
          <li><a href="raelearn-courses.html">Client Communication</a></li>
          <li><a href="raelearn-courses.html">Nonprofit Certificate</a></li>
        </ul>
      </div>
    </div>
  </div>

```

```

<!-- Company column -->
<div class="rl-footer-col">
<span class="rl-footer-col-title">Company</span>
<ul class="rl-footer-links">
<li><a href="https://byraeform.com" target="_blank" rel="noopener">About RAEFORM</a></li>
<li><a href="raelearn-home.html#how-it-works">How it works</a></li>
<li><a href="raelearn-home.html#pricing">Pricing</a></li>
<li><a href="mailto:raeformtoday@gmail.com">Contact us</a></li>
</ul>
</div>

<!-- Legal column -->
<div class="rl-footer-col">
<span class="rl-footer-col-title">Legal</span>
<ul class="rl-footer-links">
<li><a href="raelearn-terms.html">Terms of use</a></li>
<li><a href="raelearn-privacy.html">Privacy policy</a></li>
<li><span onclick="alert('Refund policy: All sales are final. Contact raeformtoday@gmail.com
within 7 days of purchase if you have an issue.')">Refund policy</span></li>
<li><span>Accessibility</span></li>
</ul>
</div>

</div>

<div class="rl-footer-divider"></div>

<div class="rl-footer-bottom">
<p class="rl-footer-copy">
&copy; 2026 RAEFORM Business Support Services. All rights reserved.
RaeLearn is a product of RAEFORM.
</p>
<div class="rl-footer-legal-links">
<a href="raelearn-terms.html">Terms</a>
<a href="raelearn-privacy.html">Privacy</a>
<a href="mailto:raeformtoday@gmail.com">raeformtoday@gmail.com</a>
</div>
<div class="rl-footer-badge">
<i class="ti ti-shield-check" aria-hidden="true"></i>
Secure & private
</div>
</div>
</div>

```

```

</footer>

<div id="footer-email-confirm" style="
display:none;
position:fixed;
bottom:24px;
right:24px;
background:var(--rl-card);
border:0.5px solid var(--rl-sage);
border-radius:10px;
padding:14px 20px;
font-family:'Plus Jakarta Sans',sans-serif;
font-size:13px;
color:var(--rl-cream);
z-index:999;
box-shadow: 0 4px 24px rgba(0,0,0,0.4);
">
<i class="ti ti-circle-check"
style="color:var(--rl-sage);margin-right:8px;font-size:16px;vertical-align:-2px;"
aria-hidden="true"></i>
You're subscribed. Talk soon.
</div>

```

JavaScript for footer email (add in the same ``<script>`` block as the header scroll):

```

// Footer email subscribe
function handleFooterEmail() {
const input = document.getElementById('footer-email-input');
const confirm = document.getElementById('footer-email-confirm');
if (!input || !input.value.includes('@')) {
input.style.borderColor = 'var(--rl-danger)';
setTimeout(() => { input.style.borderColor = ''; }, 2000);
return;
}
input.value = '';
confirm.style.display = 'block';
setTimeout(() => { confirm.style.display = 'none'; }, 4000);
}

```

PAGE STRUCTURE TEMPLATE

Every public page must follow this exact document structure.

No exceptions. No extra wrappers. No custom body padding that breaks the layout.

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>[Page Title] – RaeLearn</title>

<!-- Fonts -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Fraunces:wght@700;900&family=Plus+Jakarta+Sans:wght@400;500;600&family=JetBrains+Mono&display=swap" rel="stylesheet">

<!-- Icons -->
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/@tabler/icons-webfont@latest/tabler-icons.min.css">

<style>
/* --- ALL CSS VARIABLES FROM BASE PROMPT GO HERE --- */
/* --- UNIVERSAL HEADER + FOOTER CSS FROM THIS ADDENDUM GO HERE --- */
/* --- PAGE-SPECIFIC CSS GOES AFTER --- */

* { box-sizing: border-box; margin: 0; padding: 0; }

html, body {
min-height: 100vh;
background: var(--rl-bg);
color: var(--rl-cream);
font-family: 'Plus Jakarta Sans', sans-serif;
}

body {
display: flex;
flex-direction: column;
}

main {
flex: 1;
}
</style>
</head>
<body>

<!-- HEADER — paste verbatim from this addendum -->
[HEADER HTML]

```



```
<!-- MAIN CONTENT -->
<main>
[PAGE CONTENT]
</main>

<!-- FOOTER — paste verbatim from this addendum -->
[FOOTER HTML]

<script>
// Header scroll + footer email JS from this addendum
</script>

</body>
</html>
```

The ``body { display: flex; flex-direction: column; }`` and ``main { flex: 1; }`` ensure the footer always sits at the bottom of the page, even on short pages like Terms and Privacy.

PAGE 4 — TERMS OF USE

File: ``raelearn-terms.html``

Use the universal header and footer from this addendum.

Page title (in `<title>` tag): "Terms of Use — RaeLearn"

Page hero section:

Background: `var(--rl-bg)`

Padding: 64px 0 40px

Max-width: 760px, centered

Eyebrow: "Legal" — 11px, uppercase, `--rl-sage`, letter-spacing 0.1em

Title: "Terms of use" — Fraunces 900, 44px, `--rl-cream`

Last updated: "Last updated: June 27, 2026" — JetBrains Mono, 12px, `--rl-dim`

Divider: 0.5px `--rl-border`, margin-top 32px

Legal content section:

Max-width: 760px, centered

Padding: 40px 32px 80px

Background: `var(--rl-bg)`

All content uses this typography:

Section heading: Fraunces 700, 20px, `--rl-cream`, margin-top 40px, margin-bottom 12px

Body paragraph: Plus Jakarta Sans 400, 15px, --rl-muted, line-height 1.8, margin-bottom 14px

Numbered/bullet list items: same as body, padding-left 20px, margin-bottom 8px, ::marker color --rl-sage

Bold terms inline: Plus Jakarta Sans 600, --rl-cream (not Fraunces)

Links: color --rl-sage, no underline default, hover underline

Sticky side table of contents (on desktop):

Float right, width 220px, sticky top 88px (below header)

Background: var(--rl-card)

Border: 0.5px solid var(--rl-border)

Border-radius: 12px

Padding: 18px

Title: "On this page" – 11px, uppercase, --rl-dim

Links: 13px, --rl-muted, hover --rl-cream, each on its own line with 8px gap

Clicking a link smooth-scrolls to that section

Full terms content:

SECTION 1: Agreement to terms

By accessing or using RaeLearn ("the Platform"), you agree to be bound by these Terms of Use. The Platform is operated by RAEFORM Business Support Services, a sole proprietorship registered in the Philippines (DTI Registration No. 8049713).

If you do not agree to these terms, do not use the Platform.

SECTION 2: Who may use RaeLearn

You must be at least 16 years of age to create an account and purchase or access courses on RaeLearn. By using the Platform, you represent that you meet this requirement.

Accounts are for individual use only. You may not share your login credentials or allow another person to access your account.

SECTION 3: Courses and access

Course access is granted to the individual purchaser upon completion of payment. Unless otherwise stated, access is granted for the lifetime of the Platform.

Free courses are available to any registered user at no cost. Paid courses require a one-time payment. RAEFORM reserves the right to update, modify, or discontinue any course at any time, with reasonable notice where possible.

Courses are for personal, non-commercial learning use only. You may not resell, reproduce, redistribute, or share course content with others.

SECTION 4: Payment and refunds

All payments are processed securely. Prices are listed in US dollars (USD) unless otherwise stated.

All sales are final. RAEFORM does not offer automatic refunds. If you believe there is an issue with your purchase, contact us at raeformtoday@gmail.com within 7 days of purchase and we will review your request on a case-by-case basis.

RAEFORM is not responsible for currency conversion fees or charges imposed by your payment provider.

SECTION 5: Intellectual property

All course content, materials, templates, graphics, and text on RaeLearn are the intellectual property of RAEFORM Business Support Services. You may not copy, reproduce, distribute, or create derivative works from any Platform content without prior written permission.

Downloadable templates and resources included in courses are licensed for personal use only. Commercial redistribution is prohibited.

SECTION 6: User conduct

You agree not to:

- Attempt to gain unauthorized access to any part of the Platform
- Use the Platform for any unlawful purpose
- Upload or share harmful, offensive, or misleading content
- Interfere with the operation of the Platform or other users' access
- Misrepresent your identity or affiliation

Violation of these terms may result in immediate account suspension or termination without refund.

SECTION 7: Disclaimers

RaeLearn provides practical skills education for informational purposes only. Course content does not constitute legal, financial, employment, or professional licensing advice.

Completion of a RaeLearn course does not guarantee employment, client acquisition, income, or any specific outcome. Results depend on individual effort, market conditions, and other factors outside RAEFORM's control.

The Platform is provided "as is" and "as available" without warranties of any kind, express or implied.

SECTION 8: Limitation of liability

To the fullest extent permitted by applicable law, RAEFORM Business Support Services shall not be liable for any indirect, incidental, special, or consequential damages arising from your use of the Platform or its content.

RAEFORM's total liability to you for any claim shall not exceed the amount you paid for the specific course or product that gave rise to the claim.

SECTION 9: Third-party services

RaeLearn may integrate with or link to third-party services (such as payment processors). RAEFORM is not responsible for the content, privacy practices, or terms of those third-party services.

SECTION 10: Changes to these terms

RAEFORM reserves the right to update these Terms of Use at any time. When we make material changes, we will update the "Last updated" date at the top of this page. Continued use of the Platform after changes constitutes acceptance of the new terms.

SECTION 11: Governing law

These Terms of Use are governed by the laws of the Republic of the Philippines. Any disputes arising from your use of the Platform shall first be attempted to be resolved through good-faith communication with RAEFORM.

SECTION 12: Contact

For questions about these terms, contact:

RAEFORM Business Support Services

Email: raeformtoday@gmail.com

Website: byraeform.com

PAGE 5 — PRIVACY POLICY

File: `raelearn-privacy.html`

Use the universal header and footer from this addendum.

Page title (in <title> tag): "Privacy Policy – RaeLearn"

Same hero structure as Terms of Use, but:

Title: "Privacy policy"

Eyebrow: "Legal"

Last updated: "Last updated: June 27, 2026"

Same layout: sticky table of contents on right, content on left, max-width 760px.

Full privacy policy content:

SECTION 1: Who we are

RaeLearn is a product of RAEFORM Business Support Services, a sole proprietorship registered in the Philippines (DTI Registration No. 8049713), operated by Trishia Coronel Raymundo.

This Privacy Policy explains how we collect, use, store, and protect your personal information when you use the RaeLearn platform at raelearn.byraeform.com.

SECTION 2: Information we collect

Information you provide directly:

- Name and email address when you sign up
- Payment information (processed by our payment provider; we do not store card details)

- Profile information you choose to add
- Communications you send us via email or contact forms

Information collected automatically:

- Pages visited and time spent on the Platform
- Course progress and lesson completion data
- Device type, browser type, and general location (country/region level only)
- Referring website or source if you clicked a link to reach RaeLearn

Information we do NOT collect:

- We do not collect your full billing address unless required for payment processing
- We do not collect government-issued ID or sensitive personal identifiers
- We do not sell, rent, or trade your personal information to third parties for marketing

SECTION 3: How we use your information

We use the information we collect to:

- Create and manage your account
- Provide access to courses and learning materials you have enrolled in or purchased
- Process payments and issue receipts
- Send you course confirmations, updates, and certificate notifications
- Send platform updates and announcements (you can unsubscribe at any time)
- Improve the Platform and understand how learners use it
- Respond to your support requests or questions
- Comply with legal obligations

SECTION 4: Legal basis for processing (GDPR / applicable law)

Where applicable, we process your personal data on the following legal bases:

- Contract: to fulfill our obligations when you purchase or enroll in a course
- Legitimate interest: to improve the Platform and communicate with users
- Consent: for optional email marketing, which you can withdraw at any time
- Legal obligation: where required by applicable law

SECTION 5: Data sharing

We do not sell your personal information.

We may share your information with:

- Payment processors (to complete your purchase; they have their own privacy policies)
- Email service providers (to send transactional and marketing emails on our behalf)
- Analytics tools (to understand platform usage; data is aggregated or anonymized where possible)

All third-party service providers are required to handle your data securely and only for the purposes we specify.

We may disclose your information if required by law, regulation, or legal process.

SECTION 6: Data retention

We retain your account and learning data for as long as your account is active or as needed to provide services.

If you request account deletion, we will delete your personal data within 30 days, except where we are required to retain it for legal or financial compliance reasons (such as payment records).

Course completion records and certificates may be retained for a longer period to allow verification.

SECTION 7: Cookies and tracking

RaeLearn uses cookies and similar technologies to:

- Keep you logged in during your session
- Remember your course progress and preferences
- Understand how learners navigate the Platform (analytics)

You can control cookies through your browser settings. Disabling cookies may affect your ability to use certain features of the Platform, including staying logged in.

We do not use advertising cookies or sell data to ad networks.

SECTION 8: Your rights

Depending on your location, you may have the right to:

- Access the personal data we hold about you
- Request correction of inaccurate data
- Request deletion of your account and associated data
- Withdraw consent for marketing emails at any time
- Request a copy of your data in a portable format
- Lodge a complaint with a data protection authority in your jurisdiction

To exercise any of these rights, contact us at raeformtoday@gmail.com. We will respond within 30 days.

SECTION 9: Security

We take reasonable technical and organizational measures to protect your personal information against unauthorized access, loss, or misuse. These include secure connections (HTTPS), access controls, and use of reputable third-party service providers.

No method of transmission over the internet is 100% secure. We cannot guarantee absolute security, but we are committed to protecting your data as a matter of professional responsibility.

SECTION 10: Children's privacy

RaeLearn is not intended for children under the age of 16. We do not knowingly collect personal information from anyone under 16. If you believe a child has provided us with personal information, contact us and we will delete it promptly.

SECTION 11: International users

RaeLearn is operated from the Philippines and serves learners globally. By using the Platform, you consent to your information being processed in the Philippines and by our service providers in other countries, subject to appropriate data protection safeguards.

SECTION 12: Changes to this policy

We may update this Privacy Policy from time to time. When we do, we will revise the "Last updated" date at the top. Material changes will be communicated by email to registered users or by a prominent notice on the Platform.

Continued use of the Platform after changes constitutes acceptance of the updated policy.

SECTION 13: Contact us

For any privacy questions, data requests, or concerns:

RAEFORM Business Support Services

Email: raeformtoday@gmail.com

Website: byraeform.com

We take privacy seriously and will respond to all requests within 30 days.

QUALITY CHECK — ADDENDUM D

Before submitting any code, verify:

Header:

- [] Header is identical across all 5 public files — same HTML, same CSS, zero variation
- [] Logo reads "RaeLearn" with "Learn" in --rl-sage color
- [] Nav links: Home, Courses, How it works, Pricing — all 4 present
- [] "Sign in" ghost link and "Start for free" primary button both present on right
- [] Active nav link has `.active` class matching the current page
- [] Header starts transparent and transitions to --rl-surface on scroll
- [] Scroll behavior JS is present and functional on every page

Footer:

- [] Footer is identical across all 5 public files
- [] Four columns: Brand + email capture / Learn / Company / Legal
- [] Brand description is VA-focused, not generic
- [] All course links in the "Learn" column point to [raelearn-courses.html](#)
- [] "About RAEFORM" links to <https://byraeform.com> with `target="_blank"`
- [] Contact email is raeformtoday@gmail.com everywhere
- [] Terms and Privacy link to their correct files
- [] Footer email subscribe shows inline toast confirmation on valid submission
- [] Footer email shows border-danger flash on invalid/empty email

- ☐ Copyright line: "© 2026 RAEFORM Business Support Services."
- ☐ body is display:flex flex-direction:column and main is flex:1 so footer sticks to bottom on short pages

Terms of use:

- ☐ All 12 sections are present with correct headings
- ☐ DTI registration number 8049713 appears in section 1
- ☐ raeformtoday@gmail.com appears in section 12
- ☐ byraeform.com appears in section 12
- ☐ Sticky table of contents links smooth-scroll to each section
- ☐ "Last updated: June 27, 2026" visible in hero

Privacy policy:

- ☐ All 13 sections are present
- ☐ DTI registration number, Trishia Coronel Raymundo name, and byraeform.com in section 1
- ☐ raeformtoday@gmail.com in sections 8 and 13
- ☐ "We do not sell your personal information" explicitly stated in section 5
- ☐ Sticky table of contents links smooth-scroll to each section
- ☐ "Last updated: June 27, 2026" visible in hero

Addendum D — Universal Header, Footer, Terms of Use, Privacy Policy.

Extends RaeLearn_CanvaCode_Prompt.md + Addenda A, B, C. June 2026.

All prior header and footer code is superseded by this addendum.

ADDENDUM E — Google Auth, Name Confirmation, Certificates

ADDENDUM E — Google Sign-In, Name Confirmation, Certificate Generator, Certificates Page

Appends to: `RaeLearn_CanvaCode_Prompt.md` + Addenda A, B, C, D

This addendum adds 4 things. Each section is self-contained.

Files affected: `raelearn-auth.html` (updates), `raelearn-lesson-player.html` (updates), `raelearn-certificates.html` (new)

THING 1 — GOOGLE SIGN-IN (AUTH PAGE UPDATE)

What to build

The auth page (`raelearn-auth.html`) already has a Google button from Addendum A. This addendum replaces the visual-only button with a fully spec'd Google OAuth simulation AND adds the name confirmation step that fires after any Google sign-in.

How Google OAuth works in a real implementation (for developer context)

In the real Next.js build:

- Use Supabase Auth with Google as an OAuth provider
- `supabase.auth.signInWithOAuth({ provider: 'google' })` opens the Google consent screen
- After consent, Google returns the user's `given_name`, `family_name`, and `email` to Supabase
- Supabase creates or matches the user record and returns a session
- The session redirect lands on the name confirmation step (see Thing 2 below) before entering the dashboard

In the prototype (Canva Code), simulate this flow as follows:

Google button — updated spec

Replace any existing Google button with this exact implementation:

Button appearance:

Full width
Background: #FFFFFF
Border: 0.5px solid rgba(255,255,255,0.2)
Border-radius: 8px
Padding: 11px 20px
Display: flex, align-items: center, justify-content: center, gap: 12px
Cursor: pointer
Transition: background 0.2s, box-shadow 0.2s
Left: Google logo SVG (official 4-color SVG, 18px × 18px)
Use this exact inline SVG:
<pre><svg width="18" height="18" viewBox="0 0 24 24" xmlns="http://www.w3.org/2000/svg"> <path d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" fill="#4285F4"/> <path d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98-.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z" fill="#34A853"/> <path d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l3.66-2.84z" fill="#FBBC05"/> <path d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z" fill="#EA4335"/> </svg></pre>
Label: "Continue with Google"
Font: Plus Jakarta Sans 500, 14px
Color: #1C1F18
Hover:
Background: #F5F5F5
Box-shadow: 0 1px 4px rgba(0,0,0,0.15)
Active (click):
Background: #EFEFEF
Scale: 0.99
Placement:
SIGN UP form: Google button appears ABOVE the email/password fields
SIGN IN form: Google button appears ABOVE the email field
In both cases: divider "or continue with email" appears BELOW the Google button, ABOVE the form fields
This is the correct order for modern auth UX. Google first, email second.
Most users will use Google. Email/password is the fallback.

Divider between Google and email form

```
<div style="display:flex;align-items:center;gap:12px;margin:16px 0;">
```

```

<div style="flex:1;height:0.5px;background:var(--rl-border-mid);"></div>
<span style="font-family:'Plus Jakarta
Sans', sans-serif;font-size:12px;color:var(--rl-dim);">or continue with email</span>
<div style="flex:1;height:0.5px;background:var(--rl-border-mid);"></div>
</div>

```

Prototype click behavior for Google button

On click of the Google button in the prototype:

- Show a 600ms loading state on the button: spinner replaces Google icon, label becomes "Connecting to Google...", button disabled
- After 600ms: hide the auth form entirely
- Show the NAME CONFIRMATION STEP (see Thing 2 below) with pre-filled name "Maria Santos" and email "maria.santos@gmail.com" simulating what Google returned

THING 2 — NAME CONFIRMATION STEP

Why this exists

When a learner signs up with Google, their name comes from their Google account. It might be:

- A nickname ("Mari")
- An old name
- Missing entirely
- A username, not a real name ("maria_va_2024")

Certificates print the learner's full legal name. If the name is wrong on the certificate, it is worthless. This step forces every new learner — Google or email — to confirm their display name before entering the platform.

This step fires for both sign-in methods:

- After Google OAuth callback, before dashboard
- After email sign-up email verification, before dashboard
- NOT on sign in of returning users (name already confirmed)

Name confirmation step — full spec

This replaces the entire auth card content. It does not open a new page. It is a step within the same `raelearn-auth.html` file, shown after sign-up or Google auth completes.

Step layout:

Same auth card container as the sign-up form (right column of auth page)

Width, padding, and background unchanged

Top: progress indicator

3 steps shown as dots connected by a line

Step 1 (done): filled sage circle

Step 2 (current): filled sage circle with pulse ring

Step 3 (upcoming): empty circle, --rl-border-mid

Labels below dots: "Account" · "Your name" · "Done"

Font: 11px, --rl-dim, Plus Jakarta Sans

Heading: "What's your full name?" – Fraunces 700, 24px, --rl-cream

Subheading (CRITICAL – must use this exact wording):

"Your name will appear exactly as typed on all certificates you earn.

Use your legal first and last name."

Font: Plus Jakarta Sans 400, 14px, --rl-muted, line-height 1.65

Margin-top: 8px, margin-bottom: 28px

Name alert banner:

Background: rgba(196, 169, 98, 0.10)

Border: 0.5px solid rgba(196, 169, 98, 0.3)

Border-left: 3px solid var(--rl-warning)

Border-radius: 0 8px 8px 0

Padding: 12px 16px

Margin-bottom: 24px

Icon: ti-alert-triangle, 16px, --rl-warning

Text: "This cannot be changed later without contacting support.

Make sure your name is spelled correctly."

Font: Plus Jakarta Sans 400, 13px, --rl-warning

Line-height: 1.55

Form fields:

First name:

Label: "FIRST NAME" – 11px, uppercase, letter-spacing 0.06em, --rl-muted

Input: text, placeholder "Your legal first name"

If coming from Google: pre-filled with Google first name ("Maria")

If coming from email: empty

Last name:

Label: "LAST NAME"

Input: text, placeholder "Your legal last name"

If coming from Google: pre-filled with Google last name ("Santos")

If coming from email: empty

Preview row:

Shows the certificate name as the learner types, in real time

Label: "Your name on certificates:" – 11px, --rl-dim

Preview text: Fraunces 700, 18px, --rl-cream – updates live as fields change

Example: "Maria Santos" – updates to show full name as typed

Background: `rgba(255,255,255,0.03)`, `border-radius 8px`, `padding 12px 16px`

This is the most important UI element on this step. Make it prominent.

Checkbox:

`[ ]` I confirm this is my correct legal name and I understand it will appear on certificates.

Font: 13px, Plus Jakarta Sans 400, `--rl-muted`

Checkbox must be checked before "Continue" button is active

Unchecked state: "Continue" button is visually disabled (`opacity 0.4`, `cursor not-allowed`)

Continue button:

Label: "Confirm and continue"

Primary style, full width

Only active when both name fields are filled AND checkbox is checked

On click: proceed to Step 3 (Done)

Step 3 – Done:

Same card, replaced with:

`ti-circle-check` icon: 48px, `--rl-sage`, centered

Heading: "You're all set, [First name]!" – Fraunces 700, 24px, `--rl-cream`

Sub: "Your account is ready. Let's get you learning." – 14px, `--rl-muted`

Button: "Go to dashboard" – primary, full width

On click: navigate to `raelearn-learner-dashboard.html`

Name confirmation on EMAIL sign-up flow

For email sign-up (not Google), the name confirmation step fires differently:

On the email sign-up form, the existing "Full name" field becomes TWO fields:

- First name (required)
- Last name (required)

After form submit (simulated), instead of going straight to dashboard:

Show the same name confirmation step (Thing 2)

But fields are pre-filled from what the learner typed in the sign-up form

They must still see the warning banner and check the checkbox before continuing

This ensures EVERY learner, regardless of sign-in method, confirms their legal name.

THING 3 — CERTIFICATE GENERATOR

Where this lives

The certificate generator is part of the lesson player (`raelearn-lesson-player.html`). It is already referenced in Addendum C but was not fully spec'd. This addendum fully specs it.

The generator also exists as a standalone admin tool accessible from the admin dashboard sidebar under "Certificates" — but the auto-generation happens in the player.

Auto-generation trigger

When a learner completes the last required lesson of a certificate-eligible course:

- The "Course complete" overlay appears (as spec'd in Addendum C)
- Instead of "Continuing in 5..." it shows "Your certificate is being generated..." with a subtle spinner (200ms fake delay)
- After 200ms: "Certificate ready" — button "View certificate" appears
- Clicking opens the certificate view (inline in the player content column, or as a new page)

Certificate design — full visual spec

This is the most important piece of brand collateral the learner receives. It must look exceptional.

Certificate dimensions: 1200px × 848px (landscape A4 ratio, fits standard printing)

In the prototype: render at full content column width, maintain aspect ratio

Certificate background:

Base: `var(--rl-card)` – deep olive card color

Texture simulation: a very subtle repeating pattern made of CSS only

Use: `background-image: repeating-linear-gradient(`

`45deg,`

`rgba(255,255,255,0.012) 0px,`

`rgba(255,255,255,0.012) 1px,`

`transparent 1px,`

`transparent 8px`

`);`

This creates an extremely subtle crosshatch that reads as "premium paper" without being loud

Corner ornaments (CSS only, no images):

Four corners, each with a decorative L-shaped border

Size: 32px × 32px in each corner

Color: `var(--rl-earth)` at 40% opacity

Top-left: `border-top 1.5px solid, border-left 1.5px solid`

Top-right: `border-top 1.5px solid, border-right 1.5px solid`

Bottom-left: `border-bottom 1.5px solid, border-left 1.5px solid`

Bottom-right: `border-bottom 1.5px solid, border-right 1.5px solid`

Position: `absolute, 20px inset` from each corner

Outer border:

Border: 1px solid rgba(139, 115, 85, 0.25) — var(--rl-earth) at 25%

Border-radius: 4px — keep it formal, not rounded

Inner content layout (flexbox, column, centered, padding 48px 64px):

ROW 1 — Header (space-between):

Left: RaeLearn wordmark

"RaeLearn" — Fraunces 900, 18px, var(--rl-cream)

"by RAEFORM" — Plus Jakarta Sans 400, 11px, var(--rl-dim), below wordmark

Right: Certificate number + badge

"CERTIFICATE OF COMPLETION" — Plus Jakarta Sans 600, 10px, uppercase, letter-spacing 0.12em, var(--rl-earth)

Certificate ID: "RLVA-2026-00284" — JetBrains Mono, 11px, var(--rl-dim), below

Horizontal rule: 0.5px solid var(--rl-border), margin 28px 0

ROW 2 — Main certificate body (center-aligned):

"This certifies that" — Plus Jakarta Sans 400 italic, 14px, var(--rl-muted)

Margin-bottom: 12px

Learner full name:

Fraunces 900, 44px, var(--rl-cream)

Letter-spacing: -0.01em

This is the most prominent element on the entire certificate

Populated from the confirmed name set in Thing 2 — "Maria Santos"

"has successfully completed" — Plus Jakarta Sans 400 italic, 14px, var(--rl-muted)

Margin: 12px 0

Course name:

Fraunces 700, 24px, var(--rl-clay)

"VA Foundations: Your First 30 Days"

Margin-top: 8px

"a course offered by RaeLearn · RAEFORM Business Support Services"

Plus Jakarta Sans 400, 12px, var(--rl-dim)

Horizontal rule: same as above, margin 28px 0

ROW 3 — Footer (3 columns, space-between):

Left column:

"Date issued" — 10px, uppercase, letter-spacing 0.08em, var(--rl-dim)

"June 27, 2026" – Plus Jakarta Sans 500, 14px, var(--rl-cream)

Center column (centered):

Decorative element: a small seal/emblem made of CSS only

Outer circle: 52px × 52px, border 1.5px solid var(--rl-earth) at 40%

Inner circle: 40px × 40px, border 0.5px solid var(--rl-earth) at 20%

Center: "RL" monogram – Fraunces 700, 16px, var(--rl-earth)

Both circles centered using flex

Right column (right-aligned):

"Certificate ID" – 10px, uppercase, letter-spacing 0.08em, var(--rl-dim)

"RLVA-2026-00284" – JetBrains Mono, 12px, var(--rl-cream)

"Verify at raelearn.byraeform.com/verify" – 10px, var(--rl-dim)

Padding: 48px 56px (generous, not cramped)

Signature line (between body and footer)

Layout: centered, margin 20px 0

Left side (inline-block):

A decorative underline (0.5px solid var(--rl-border-mid), width 160px)

Below: "Trishia Coronel Raymundo" – Plus Jakarta Sans 400, 12px, var(--rl-muted)

Below: "Founder, RaeLearn · RAEFORM" – 11px, var(--rl-dim)

Note: do not add an image or actual signature. The founder's name typed in a slightly italic Fraunces weight is sufficient for the prototype.

Use: font-family: 'Fraunces', serif; font-weight: 700; font-style: italic; font-size: 18px;

Color: var(--rl-muted)

This simulates a signature without requiring an image asset.

Certificate action buttons (below the certificate)

Shown directly below the certificate card, in a row:

Button 1: "Download PDF"

Primary button style

Icon: ti-download (left of label)

On click in prototype: show toast notification "Your certificate is downloading..."

(No real PDF generation. Real implementation uses html2canvas + jsPDF or a server-side PDF generator)

Button 2: "Copy share link"

Secondary button style

Icon: ti-link (left of label)

On click: copies "https://raelearn.byraeform.com/verify/RLVA-2026-00284" to clipboard

On success: button label briefly becomes "Link copied!" with ti-circle-check icon, then resets after 2 seconds

Button 3: "Back to dashboard"

Ghost/text link style (no border)

Icon: ti-arrow-left (left of label)

Color: var(--rl-muted), hover var(--rl-cream)

On click: navigate to learner dashboard

Button row alignment: centered, gap 12px

Admin certificate management (in admin dashboard sidebar)

In `raelearn-admin-dashboard.html`, the "Certificates" sidebar item (ti-certificate) links to an admin certificates panel. Add this panel as a new content view that loads when "Certificates" is clicked in the admin sidebar.

Admin certificates panel layout (replaces main content area):

Header row:

Title: "Certificates" – Fraunces 700, 24px

Right: "Issue certificate manually" – primary button, ti-plus icon

Stats row (3 cards):

Card 1: "Certificates issued" – 89 – "All time"

Card 2: "This month" – 12 – "+3 vs last month"

Card 3: "Awaiting issuance" – 2 – "Pending course completion"

Table: "All issued certificates"

Columns:

Learner name

Course

Issued date (JetBrains Mono)

Certificate ID (JetBrains Mono)

Status pill (Active / Revoked)

Actions: "View" button + "Revoke" icon button (ti-ban, danger color on hover)

Dummy data (6 rows):

1. Maria Santos – VA Foundations – Jun 27, 2026 – RLVA-2026-00284 – Active
2. Angela Cruz – Nonprofit Support Certificate – Jun 20, 2026 – RLNP-2026-00283 – Active
3. James Reyes – Admin Support Essentials – Jun 18, 2026 – RLAD-2026-00282 – Active
4. Priya Menon – VA Foundations – Jun 14, 2026 – RLVA-2026-00281 – Active
5. Nico Bautista – Client Communication – Jun 10, 2026 – RLCC-2026-00280 – Active
6. Tom Walker – VA Foundations – May 30, 2026 – RLVA-2026-00279 – Revoked

"Manual issue" flow:

Clicking "Issue certificate manually" opens a modal:

Title: "Issue certificate manually"

Fields:

Learner name – text input – "Learner's confirmed legal name"

Email – email input – "To notify learner"

Course – dropdown of published courses

Issue date – date input, default today

Note: "Only issue manually for completed courses. Auto-issuance is preferred." – 12px, --rl-dim

Buttons: Cancel / Issue certificate (primary)

On "Issue certificate": close modal, show toast "Certificate issued to [name]", add row to table

THING 4 — LEARNER CERTIFICATES PAGE

File: `raelearn-certificates.html`

New file. Uses the universal header and footer from Addendum D.

Accessible from: learner dashboard sidebar ("Certificates" item)

Page title: "My Certificates – RaeLearn"

Route this file links to from: learner dashboard sidebar ti-certificate nav item

Page layout:

Universal header (Addendum D)

Page content below header

Universal footer (Addendum D)

No sidebar on this page. Full-width content with max-width 1100px centered.

Page hero

Padding: 56px 32px 40px

Background: var(--rl-bg)

Left side:

Eyebrow: "Your achievements" – 11px, uppercase, var(--rl-sage), letter-spacing 0.1em

Title: "Certificates" – Fraunces 900, 40px, var(--rl-cream)

Sub: "Every certificate you earn is yours forever. Download, share, or verify anytime."

Plus Jakarta Sans 400, 15px, var(--rl-muted)

Right side:

3 mini stats in a row:
"1 earned" (var(--rl-sage))
"2 in progress" (var(--rl-warning))
"3 courses enrolled" (var(--rl-muted))
Each: JetBrains Mono number (18px) + label (11px, --rl-dim) below

Section 1 — Earned certificates

Section title: "Earned" – Fraunces 700, 20px, var(--rl-cream)
Margin-bottom: 20px

If 0 earned: show empty state card (see below)
If 1+: show certificate cards in a grid (2 columns, gap 16px)

Certificate card (earned):
Background: var(--rl-card)
Border: 0.5px solid var(--rl-border)
Border-radius: 14px
Padding: 24px
Hover: border-color var(--rl-earth)

Top row:
Left: certificate icon block
40px × 40px square, border-radius 10px
Background: rgba(139, 115, 85, 0.15) – earth tint
Icon: ti-certificate, 20px, var(--rl-earth)
Right: "Active" pill – same as status-published but use earth colors:
background rgba(139,115,85,0.12), color var(--rl-earth)

Course name: Fraunces 700, 18px, var(--rl-cream), margin-top 14px
"VA Foundations: Your First 30 Days"

Issued date row:
ti-calendar icon (14px, --rl-dim) + "Issued June 27, 2026"
Plus Jakarta Sans 400, 13px, var(--rl-muted)

Certificate ID:
JetBrains Mono, 11px, var(--rl-dim)
"RLVA-2026-00284"

Divider: 0.5px var(--rl-border), margin 16px 0

Action row:
Button 1: "View certificate" – primary, small (padding 8px 16px, font 13px)
On click: opens the certificate in a full-screen overlay (see below)

Button 2: "Download PDF" – secondary, small, ti-download icon

Button 3: ti-link icon only (icon button) – copy share link, aria-label "Copy share link"

Dummy earned certificate to show:

Course: VA Foundations: Your First 30 Days

Issued: June 27, 2026

ID: RLVA-2026-00284

Certificate full-screen overlay (when "View certificate" is clicked)

Overlay: fixed, full viewport, background `rgba(13,16,32,0.92)`, `z-index 200`

Center: certificate card (the full visual from Thing 3 above)

displayed at max-width 860px, width 90vw

Close button: top-right of overlay

"Close" text + ti-x icon

Secondary style, small

Position: absolute, top 20px, right 20px

Action buttons below certificate inside overlay:

Same 3 buttons as the certificate card (View, Download, Share link)

Overlay opens with: opacity fade-in 150ms

Overlay closes with: opacity fade-out 100ms on close button click or Escape key

Section 2 — In progress (courses with certificate eligibility, not yet complete)

Section title: "In progress" – Fraunces 700, 20px, `var(--rl-cream)`

Section sub: "Complete these courses to earn your next certificate."

13px, `var(--rl-muted)`, margin-bottom 20px

In-progress cards (2 columns, same grid as earned):

Certificate card (in progress):

Background: `var(--rl-card)`

Border: 0.5px solid `var(--rl-border)`

Border-radius: 14px

Padding: 24px

Opacity: 1 (not dimmed – just styled differently)

Top row:

Icon block: same but background `rgba(122,158,126,0.08)`, icon color `var(--rl-sage)` at 50% opacity

Right: progress percentage – JetBrains Mono, 13px, `var(--rl-muted)` – "62% complete"

Course name: Fraunces 700, 18px, var(--rl-cream)

Progress bar: full width, 5px, var(--rl-sage) fill – shows completion percentage

"Lessons remaining": "3 lessons left to complete"

Plus Jakarta Sans 400, 13px, var(--rl-muted), margin-top 8px

Estimated time: ti-clock icon + "~1.5 hrs remaining" – 12px, --rl-dim

Divider: 0.5px var(--rl-border), margin 16px 0

Action row:

Button: "Resume course" – primary, small, full width

On click: navigate to raelearn-lesson-player.html

Dummy in-progress cards:

1. Admin Support Essentials – 43% – 7 lessons left – ~2.3 hrs remaining
2. Nonprofit Support Certificate – 0% – 20 lessons left – ~6 hrs remaining

Empty state (if no certificates earned yet)

Used in Section 1 when 0 certificates are earned.

Replace the grid with a centered card:

Background: var(--rl-card)

Border: 0.5px dashed var(--rl-border-mid)

Border-radius: 14px

Padding: 48px

Text-align: center

Max-width: 480px

Margin: 0 auto

Icon: ti-certificate, 40px, var(--rl-dim)

Heading: "No certificates yet" – Fraunces 700, 20px, var(--rl-cream), margin-top 16px

Body: "Complete a certificate-eligible course to earn your first one.
Your certificates will appear here and can be downloaded or shared."

Plus Jakarta Sans 400, 14px, var(--rl-muted), line-height 1.65, margin-top 8px

Button: "Browse courses" – primary, margin-top 20px

On click: navigate to raelearn-courses.html

Section 3 — How to share your certificate

Section title: "Sharing your certificate" – Fraunces 700, 18px, var(--rl-cream)

Background: var(--rl-card), border-radius 14px, padding 28px, margin-top 40px

3 columns:

Col 1:

Icon: ti-link, 24px, var(--rl-sage)

Title: "Shareable link" — Plus Jakarta Sans 600, 14px

Body: "Every certificate has a unique verification link you can add to LinkedIn, email, or your portfolio."

Col 2:

Icon: ti-download, 24px, var(--rl-sage)

Title: "Download PDF"

Body: "Download a print-ready PDF version of your certificate to attach to applications or proposals."

Col 3:

Icon: ti-shield-check, 24px, var(--rl-sage)

Title: "Verified by RaeLearn"

Body: "Anyone with your certificate link can verify it is authentic at raelearn.byraeform.com/verify."

UPDATED FILE LIST

After applying all addenda (A through E), the complete file list is:

PUBLIC PAGES:

[raelearn-home.html](#) Landing page (Addendum A + D)

[raelearn-courses.html](#) Course catalog (Addendum A + D)

[raelearn-auth.html](#) Sign up / Sign in + Name confirmation (Addendum A + E)

[raelearn-terms.html](#) Terms of use (Addendum D)

[raelearn-privacy.html](#) Privacy policy (Addendum D)

LEARNER PAGES:

[raelearn-learner-dashboard.html](#) Learner dashboard (Base prompt + E)

[raelearn-lesson-player.html](#) Lesson player + certificate generator (Addendum C + E)

[raelearn-certificates.html](#) Certificates page (Addendum E — NEW)

ADMIN PAGES:

[raelearn-admin-dashboard.html](#) Admin dashboard + certificates panel (Base prompt + E)

[raelearn-lesson-editor.html](#) Lesson editor with all block types (Addendum B)

QUALITY CHECK — ADDENDUM E

Google Sign-In:

- [] Google button uses the official 4-color Google SVG logo (not a flat colored icon)
- [] Google button background is white (#FFFFFF), text is dark (#1C1F18)
- [] Google button appears ABOVE the email/password form in both signup and signin
- [] Divider "or continue with email" appears BETWEEN Google button and email form
- [] Clicking Google button shows 600ms loading state before transitioning
- [] After "Google auth", name confirmation step appears with pre-filled "Maria Santos"

Name confirmation:

- [] Warning banner is present and uses exact wording: "This cannot be changed later without contacting support."
- [] Preview row shows full name updating in real time as first/last name fields are typed
- [] "Confirm and continue" button is disabled until both fields filled AND checkbox checked
- [] Progress dots (3 steps) are visible at top of the step
- [] Step 3 "Done" shows personalized greeting with learner's first name
- [] Email sign-up also routes through name confirmation before dashboard

Certificate generator:

- [] Certificate uses landscape orientation (1200 × 848 ratio)
- [] Corner ornaments are present (CSS only, no images)
- [] Subtle crosshatch texture is applied to certificate background
- [] Learner name is the largest element on the certificate (Fraunces 900, 44px)
- [] Learner name is populated from the confirmed name (Thing 2), not from a hardcoded string
- [] RL monogram seal is centered in the footer row
- [] Certificate ID format is correct: RLVA-2026-00284
- [] "Download PDF" shows toast on click
- [] "Copy share link" changes button label to "Link copied!" for 2 seconds then resets
- [] Admin certificates panel in admin dashboard shows 6 dummy rows
- [] Revoked row (Tom Walker) shows "Revoked" status pill in danger color

Certificates page:

- [] Uses universal header and footer from Addendum D
- [] Earned section shows 1 certificate card (Maria Santos / VA Foundations)
- [] In-progress section shows 2 cards (Admin Support, Nonprofit)
- [] "View certificate" opens full-screen overlay with the certificate design
- [] Overlay closes on X button click and on Escape key
- [] "Download PDF" toast appears on click
- [] "Copy share link" updates button label for 2 seconds
- [] Empty state is coded and would show if 0 certificates existed
- [] "How to share" section with 3 columns is present at bottom of page
- [] "Browse courses" button on empty state links to [raelearn-courses.html](#)

Addendum E — Google Sign-In, Name Confirmation, Certificate Generator, Certificates Page.

Extends `RaeLearn_CanvaCode_Prompt.md` + Addenda A, B, C, D. June 2026.