

LED

Example

humidity

ON

38
%

temperature



lightIntensity



soilMoisture

0
%

temperature_data

15 D

7 D

1 D

1 H

LIVE



Humidity_Data

15 D

7 D

1 D

1 H

LIVE



Light_Intensity


15 D

7 D

1 D

1 H

LIVE



11:39

* 18.0 KB/S VoD 4G 30



Anveshak Systems



Motor is ON (Dashboard) 11:35 PM

Motor is OFF (Dashboard) 11:35 PM

Motor is ON (Dashboard) 11:35 PM

Motor is OFF (Dashboard) 11:35 PM

Sensor Data:

Temperature: 33.70 °C

Humidity: 49.00 %

Light: 100.00 %

Soil Moisture: 100.00 %

Motor: OFF 11:36 PM

Motor is ON (Dashboard) 11:37 PM

Motor is OFF (Dashboard) 11:37 PM

Motor is ON (Dashboard) 11:38 PM

Motor is OFF (Dashboard) 11:38 PM

Motor is ON (Dashboard) 11:38 PM

Motor is OFF (Dashboard) 11:38 PM

Sensor Data:

Temperature: 33.10 °C

Humidity: 49.00 %

Light: 100.00 %

Soil Moisture: 100.00 %

Motor: OFF 11:39 PM



Message



