



How To Run The WebApplication From Github To Local


Step1: Go to provided Github Link - <https://github.com/ItsSuriya/Hope-Care>




Step 2: Go to Code → copy HTTPS Link




Step 3: Navigate to Cursor or VS Code as you prefer




Step 4: Create a New Project




Name The Project




Step 5: Open The Terminal In the Cursor or VS Code



Clone The git



Change the Directory




The screenshot shows the VS Code interface with a project named 'CTS-DEMO'. The file explorer on the left shows a folder 'Hope-Care' containing files like 'main.py', 'requirements.txt', 'csv.csv', and 'CTS-Project'. The terminal window at the bottom shows the following commands and output:

```
git clone https://github.com/ItsSuriya/Hope-Care.git
Cloning into 'Hope-Care'...
remote: Enumerating objects: 195, done.
remote: Counting objects: 100% (144/144), done.
remote: Compressing objects: 100% (103/103), done.
remote: Total 195 (delta 58), reused 118 (delta 37), pack-reused 51 (from 1)
Receiving objects: 100% (195/195), 47.47 MiB | 1.92 MiB/s, done.
Resolving deltas: 100% (72/72), done.

cd Hope-Care
```

The terminal output shows the cloning process completed successfully. The status bar at the bottom indicates the current directory is 'main'.

Create the Virtual enviroment




The screenshot shows the VS Code interface with the same project 'CTS-DEMO'. The terminal window now shows an additional command:

```
python3 -m venv venv
```

The terminal output shows the virtual environment creation process. The status bar at the bottom indicates the current directory is 'main'.

Activate the Virtual Enviroment



The screenshot shows a VS Code interface with a file explorer on the left displaying the project structure: CTS-DEMO, Hope-Care, __pycache__, Backend, CTS-Project, venv, csv.csv, main.py, and requirements.txt. The terminal window at the bottom shows the following commands and output:

```
git clone https://github.com/ItsSuriya/Hope-Care.git
Cloning into 'Hope-Care'...
remote: Enumerating objects: 195, done.
remote: Counting objects: 100% (144/144), done.
remote: Compressing objects: 100% (103/103), done.
remote: Total 195 (delta 58), reused 118 (delta 37), pack-reused 51 (from 1)
Receiving objects: 100% (195/195), 47.47 MiB | 1.92 MiB/s, done.
Resolving deltas: 100% (72/72), done.


cd Hope-Care

python3 -m venv venv

source venv/bin/activate
```

The terminal output shows the successful cloning of the repository, the creation of the virtual environment, and the activation of the environment. The status bar at the bottom indicates the current file is main.py.

Install All the Dependencies From the requirement.txt




The screenshot shows the same VS Code interface as the previous one, but with an additional command executed in the terminal:

```
pip install -r requirements.txt
```

The terminal output shows the successful installation of the dependencies. The status bar at the bottom indicates the current file is requirements.txt.


Open another Terminal



Change the directory to

cd Hope-Care


cd CTS-Project



Run these npm commands in the 2nd terminal


npm i

npm run dev




Run this in the First Terminal to run the backend


uvicorn main:app --reload




Click on the local host ip in the 2nd terminal



This opens the WebApplication



Go to Analysis Tab



Before that go back to cursor or VS Code



Close the uvicorn and npm dev run and build again

Run→npm run build

Run→ npm run dev

Run→ uvicorn main:app --reload

while the page is open in background



CTS-demo

CTS-DEMO

Hope-Care

__pycache__

Backend

CTS-Project

venv

csv.csv

main.py

requirements.txt

Problems

Output

Debug Console

Terminal

Ports

~ / Des / CTS- / Hope-Care / CTS-Project on main 11 npm run build

> cts_hackathon@0.0.0 build

> vite build

vite v7.1.3 building for production...

✓ 3140 modules transformed.

dist/index.html	0.70 kB	gzip: 0.38 kB
dist/assets/index-LVd00V_n.css	54.28 kB	gzip: 9.17 kB
dist/assets/purify.es-C0j0hv7W.js	21.82 kB	gzip: 8.54 kB
dist/assets/index.es-B2yp4cAU.js	159.33 kB	gzip: 53.22 kB
dist/assets/html2canvas.esm-B0tyYwQk.js	282.36 kB	gzip: 47.70 kB
dist/assets/index-D9idKslm.js	1,214.17 kB	gzip: 381.25 kB

(!) Some chunks are larger than 500 kB after minification. Consider:

- Using dynamic import() to code-split the application
- Use build.rollupOptions.output.manualChunks to improve chunking: <https://rollupjs.org/configuration-options/#output-manualchunks>
- Adjust chunk size limit for this warning via build.chunkSizeWarningLimit.

✓ built in 3.87s

~ / Des / CTS- / Hope-Care / CTS-Project on main 12 npm run dev

OUTLINE

TIMELINE

Agents

main*

0 0 0

New Chat

+ ... x

@ Add Context

anything

Send to BG

Past Chats

New Chat


Now

Gurser-Tab


Go Live

Prettier

Comeback to the Webapplication and go to Analysis Tab Scroll down you will find the Upload CSV file table



Upload the sample CSV files provided to test



That's it you will get the output and you can go through the processed data and even download the report ,also you can access the Dashboard tab to

views the Analytics Visualized