

Option 1 (Work with source overlays)

Work with source overlays allows you to do the following:

- Create a source overlay. You can start this option by specifying a source overlay name with the option number.
- Change a source overlay.
- Copy a source overlay.
- Delete a source overlay.
- Print a source overlay.
- Rename a source overlay.
- Create an overlay object from a source overlay.

See “Chapter 5. Work with Source Overlays” on page 61 for more information.

Option 2 (Work with source overlay files)

Work with source overlay files allows you to do the following:

- Create a source overlay file by specifying the name of a library and a source overlay file name with the option number.
- Change the description of a source overlay file.
- Copy a source overlay file.
- Delete a source overlay file.
- Rename a source overlay file.
- Display the description of a source overlay file.
- Call the Work with Source Overlays display.

See “Chapter 6. Work with Source Overlay Files” on page 83 for more information.

If you start by **STROVLU**, the Work with Source Overlays displayed on page 61 appears. You can skip the Work with Source Overlays display by specifying a source overlay name and an option number with the command.

See “Chapter 21. AFP Utilities for iSeries Commands” on page 363 for more information.

Ending the Overlay Utility

When you have finished working with the Overlay Utility, press the F3 key repeatedly. If you used the STRAFPU command to start the Overlay Utility, the menu panel displayed on page 59 appears.

If you started the Overlay Utility by the STROVLU command, the menu panel display on page 61 appears.

To end the Overlay Utility, press the F3 key one more time. Then the screen returns to the display from which you started the Overlay Utility.